

Home > Journal > Social Sciences & Humanities > PSYCH

[Indexing](#) [View Papers](#) [Aims & Scope](#) [Editorial Board](#) [Guideline](#) [Article Processing Charges](#)

PSYCH > Vol.2 No.3, June 2011

OPEN ACCESS

Psychometric Properties of a Persian-Language Version of the Obsessive-Compulsive Inventory-Revised: OCI-R-Persian

PDF (Size: 117KB) PP. 210-215 DOI: 10.4236/psych.2011.23032

Author(s)

Habibollah Ghassemzadeh, Giti Shams, Jamal Abedi, Narges Karamghadiri, Narges Ebrahimkhani, Mansoureh Rajabloo

ABSTRACT

The psychometric properties of the Persian-language version of Obsessive-Compulsive Inventory- Revised (OCI-R) were studied in a sample of Iranian college students (N = 450). The total and each of the subscales of OCI-R-Persian demonstrated very high internal consistency as well as high test-retest reliability. Convergent and divergent validity of the OCI-R-Persian total scale and subscales were satisfactory. In general, the OCI-R-Persian appears to be a reliable and valid measure of obsessive-compulsive symptoms in this non-clinical sample of Iranian college students.

KEYWORDS

Confirmatory Factor Structure, OCD, OCI-R-Persian, Psychometric Properties

Cite this paper

Ghassemzadeh, H. , Shams, G. , Abedi, J. , Karamghadiri, N. , Ebrahimkhani, N. & Rajabloo, M. (2011). Psychometric Properties of a Persian-Language Version of the Obsessive-Compulsive Inventory-Revised: OCI-R-Persian. *Psychology*, 2, 210-215. doi: 10.4236/psych.2011.23032.

References

- [1] Abramowitz, J.S., & Deacon, B.J. (2006). Psychometric properties and construct validity of Obsessive-Compulsive Inventory- Revised: Replication and extension with a clinical sample. *Anxiety Disorders*, 20, 1016-1035.
- [2] Beck, A.T., Ward, C.H.; Mendelsohn, M.; Mock, J. and Erlbaugh, J. (1961). An inventory for measuring depression. *Archives of General Psychiatry*, 4, 561-571.
- [3] Bentler, P. M. (1992). EQS structural equations program manual. Los Angeles: BMDP Statistical Software.
- [4] Bentler, P. M., & Bonett, D. G. (1980). Significance tests and goodness of fit in the analysis of covariance structures. *Psychological Bulletin*, 88, 588-606.
- [5] Bollen, K. A. (1989). *Structural equations with latent variables*. New York: John Wiley & Sons, Inc.
- [6] Cottraux, J., Bouvard, M., Defayolle, M, and Messy, P. (1988). Validity and factorial structure the Compulsive Activity Checklist. *Behavior Therapy*, 19, 45-53.
- [7] Foa, E.B., Huppert, J.D., Leiberg, S., Hajcak, G., Langner, R., Kichic, R., & Salkovskis, P.M. (2002). The Obsessive-Compulsive Inventory: Development and validation of a short version. *Psychological Assessment*, 14, 485-496.
- [8] Foa, E.B., Kozak, M.J., Salkovskis, P.M., Coles, M.E., and Amir, N. (1998). The validation of new Obsessive-Compulsive Disorder Scale: the Obsessive-Compulsive Inventory. *Psychological Assessment*, 10, 206-214.
- [9] Fullana, M.A., Tortella-Faliu, M., Caseras, X., Andion, O., Torrubia, R., and Mataix-Cols, D. (2005). Psychometric properties of the Spanish version of the Obsessive-Compulsive Inventory-Revised in a

- [Open Special Issues](#)
- [Published Special Issues](#)
- [Special Issues Guideline](#)

[PSYCH Subscription](#)

[Most popular papers in PSYCH](#)

[About PSYCH News](#)

[Frequently Asked Questions](#)

[Recommend to Peers](#)

[Recommend to Library](#)

[Contact Us](#)

Downloads: 247,355

Visits: 543,373

[Sponsors >>](#)

non- clinical sample. *Anxiety Disorders*, 19, 893-903.

- [10] Ghassemzadeh, H. Bolhari, J., Birashk, B., and Salavati, M. (2005b). Responsibility attitude in a sample of Iranian obsessive- compulsive patients. *International Journal of Social Psychiatry*, 51, 13-22.
- [11] Ghassemzadeh, H., Khamseh, A., & Ebrahimkhani, N. (2005a). Demographic variables and clinical features of obsessive-compulsive disorder in Iran: A second report. In B.E. Ling, (Ed.), *Obsessive-Compulsive Disorder Research*. New York: Nova Science Publishers, Inc. (243-271).
- [12] Ghassemzadeh, H., Mojtabai, R., Karamghadiri, N., and Ebrahimkhani, N. (2005c). Psychometric properties of a Persian-Language version of the Beck Depression Inventory- Second edition: BDI-II-Persian. *Depression and Anxiety*, 21, 185-192.
- [13] Ghassemzadeh, H., Mojtabai, R., Khamseh, A., Ebrahimkhani, N., Isazadegan, A.A., and Saif-Nobakht, Z. (2002). Symptoms of obsessive-compulsive disorder in a sample of Iranian patients. *International Journal of Social Psychiatry*, 48, 20-28.
- [14] Hajcak, G., Huppert, J.D., Simons, R.F., and Foa, E.B. (2004). Psychometric properties of the OCI-R in a college sample. *Behavior Research & Therapy*, 42, 115-123.
- [15] Hodgson, R.J. and Rachman, S. J. (1977). Obsessional – compulsive complaints. *Behavior Research and Therapy*, 15, 389-395.
- [16] Hu, L.T. & Bentler, P.M. (1999). Cutoff criteria for Fit Indexes in covariance structural analysis: Conventional criteria versus new alternatives. *Structural Equation Modeling*, 6, 1-55.