

Home | Computational Linguistics | List of Issues | Volume 27 , No. 2 | Nonminimal Derivations in Unification-based Parsing



Nonminimal Derivations in Unification-based Parsing

Noriko Tomuro and Steven L. Lytinen

Posted Online March 13, 2006

<https://doi.org/10.1162/089120101750300535>

© 2001 Association for Computational Linguistics

Computational Linguistics
Volume 27 | Issue 2 | June 2001
p.277-285

 **Download Options** 

Abstract Authors

Shieber's abstract parsing algorithm (Shieber 1992) for unification grammars is an extension of Earley's algorithm (Earley 1970) for context-free grammars to feature structures. In this paper, we show that, under certain conditions, Shieber's algorithm produces what we call a nonminimal derivation: a parse tree which contains additional features that are not in the licensing productions. While Shieber's definition of parse tree allows for such nonminimal derivations, we claim that they should be viewed as invalid. We describe the sources of the nonminimal derivation problem, and propose a precise definition of minimal parse tree, as well as a modification to Shieber's

Quarterly (March, June, September, December)

160pp. per issue

6 3/4 x 10

Founded: 1974

2018 Impact Factor: 1.319

2018 Google

Scholar h5-index: 32

ISSN: 0891-2017

E-ISSN: 1530-9312

Journal Resources

[Editorial Info](#)

[Abstracting and Indexing](#)

[Release Schedule](#)

[Advertising Info](#)

Author Resources


Submission
Guidelines
Publication
Agreement
Author Reprints

algorithm which ensures minimality, although at some computational cost.

Forthcoming


Reader Resources

Rights and Permissions
Most Read
Most Cited

More About Computational Linguistics 


Metrics 


Open Access 


 Computational Linguistics Computational Linguistics is Open Access. All content is freely available in electronic format (Full text HTML, PDF, and PDF Plus) to readers across the globe. All articles are published under a [CC BY-NC-ND 4.0 license](#). For more information on allowed uses, please view the [CC license](#). [Support OA at MITP](#)

Most Read

[See More](#)

 **Lexicon-Based Methods for Sentiment Analysis** (14087 times)
Maite Taboada et al.
Computational Linguistics
Volume: 37, Issue: 2, pp. 267-307


 **Computational Linguistics and Deep Learning** (10542 times)
Christopher D. Manning
Computational Linguistics
Volume: 41, Issue: 4, pp. 701-707


 **Near-Synonymy and Lexical Choice** (3675 times)
Philip Edmonds et al.
Computational Linguistics
Volume: 28, Issue: 2, pp. 105-144


(Note that the Most Read numbers are based on the number of full text downloads over the last 12 months.)

Most Cited

[See More](#)

 **Lexicon-Based Methods for Sentiment Analysis** (436 times)
Maite Taboada et al.
Computational Linguistics
Volume: 37, Issue: 2, pp. 267-307



 **A Systematic Comparison of Various Statistical Alignment Models** (174 times)
Franz Josef Och et al.
Computational Linguistics
Volume: 29, Issue: 1, pp. 19-51

 **Opinion Word Expansion and Target Extraction through Double Propagation** (147 times)
Guang Qiu et al.
Computational Linguistics
Volume: 37, Issue: 1, pp. 9-27

(Note that the Most Cited numbers are based on Crossref's [Cited-by service](#) and reflect citation information for the past 24 months.)


Download Options

[Favorite](#)  [Sign up for Alerts](#) 

[Download Citation](#)  [RSS TOC](#) 

[RSS Citation](#)  [Submit your article](#)

[Support OA at MITP](#) 



Journals

Books

US

One Rogers Street
Cambridge MA 02142-
1209

Terms &
Conditions

UK

Suite 2, 1 Duchess
Street London, W1W
6AN, UK

Privacy
Statement

Connect



Contact Us

© 2018 The MIT Press
Technology Partner:
[Atypon Systems, Inc.](#)
[CrossRef Member](#)
[COUNTER Member](#)
The MIT Press
colophon is registered
in the U.S. Patent and
Trademark Office.
[Site Help](#)