

Mathematics > Representation Theory

On Singular Localization of \mathfrak{g} -modules

Erik Backelin, Kobi Kremnizer

(Submitted on 3 Nov 2010 (v1), last revised 7 Nov 2010 (this version, v2))

We prove a singular version of Beilinson-Bernstein localization for a complex semi-simple Lie algebra following the ideas from the positive characteristic case done in \cite{BMR2}.

Comments: Corrected a misprint

Subjects: **Representation Theory (math.RT)**

MSC classes: Primary 17B10, 14-XX

Cite as: **arXiv:1011.0896v2 [math.RT]**

Submission history

From: Erik Backelin [[view email](#)]

[v1] Wed, 3 Nov 2010 14:32:21 GMT (19kb)

[v2] Sun, 7 Nov 2010 23:36:55 GMT (20kb)

[Which authors of this paper are endorsers?](#)

Link back to: [arXiv](#), [form interface](#), [contact](#).

Download:

- [PDF](#)
- [PostScript](#)
- [Other formats](#)

Current browse context:

math.RT

[< prev](#) | [next >](#)

[new](#) | [recent](#) | [1011](#)

Change to browse by:

[math](#)

References & Citations

- [NASA ADS](#)

[1 blog link](#)([what is this?](#))

[Bookmark](#)([what is this?](#))

