



Algorithmic Proof of the Epsilon Constant Conjecture

Werner Bley, Ruben Debeerst

(Submitted on 14 Jul 2011 (v1), last revised 31 May 2012 (this version, v2))

In this paper we will algorithmically prove the local and global epsilon constant conjectures for all fields of absolute degree lower or equal to 15. To this end we will present an efficient algorithm for the computation of local fundamental classes and address several other problems arising in the algorithmic proof.

Subjects: **Number Theory (math.NT)**

MSC classes: 11Y40 (Primary) 11R33, 11S25 (Secondary)

Cite as: **arXiv:1107.2745 [math.NT]**

(or **arXiv:1107.2745v2 [math.NT]** for this version)

Submission history

From: Ruben Debeerst [[view email](#)]

[v1] Thu, 14 Jul 2011 07:12:29 GMT (29kb)

[v2] Thu, 31 May 2012 20:15:01 GMT (32kb)

[Which authors of this paper are endorsers?](#)

Link back to: [arXiv](#), [form interface](#), [contact](#).

Download:

- [PDF](#)
- [PostScript](#)
- [Other formats](#)

Current browse context:

math.NT

[< prev](#) | [next >](#)

[new](#) | [recent](#) | [1107](#)

Change to browse by:

[math](#)

References & Citations

- [NASA ADS](#)

Bookmark([what is this?](#))

