

Search or A

arXiv.org > math > arXiv:1107.0778

Mathematics > Category Theory

Lex colimits

Richard Garner, Stephen Lack

(Submitted on 5 Jul 2011 (v1), last revised 4 Jan 2012 (this version, v2))

Many kinds of categorical structure require the existence of finite limits, of colimits of some specified type, and of "exactness" conditions between the finite limits and the specified colimits. Some examples are the notions of regular, or Barr-exact, or lextensive, or coherent, or adhesive category. We introduce a general notion of exactness, of which each of the structures listed above, and others besides, are particular instances. The notion can be understood as a form of cocompleteness "in the lex world" -- more precisely, in the 2-category of finitely complete categories and finite-limit preserving functors.

Comments:	38 pages; v2: final journal version, various minor changes and new Section 5.9 dealing with filtered colimits
Subjects:	Category Theory (math.CT)
MSC classes:	18A35, 18E10 (Primary) 18B15, 18B25 (Secondary)
Journal reference:	Journal of Pure and Applied Algebra, 216(6):1372-1396 2012
DOI:	10.1016/j.jpaa.2012.01.003
Cite as:	arXiv:1107.0778 [math.CT]
	(or arXiv:1107.0778v2 [math.CT] for this version)

Submission history

From: Richard Garner [view email] [v1] Tue, 5 Jul 2011 04:42:05 GMT (44kb) [v2] Wed, 4 Jan 2012 01:18:26 GMT (47kb)

Which authors of this paper are endorsers?

Link back to: arXiv, form interface, contact.

ticle-id	(Help Advanced search)
	All papers 🚽 Go!
	Download:
	 PDF PostScript Other formats
	Current browse context: math.CT < prev next > new recent 1107
	Change to browse by: math
	References & Citations NASA ADS
	Bookmark(what is this?)