

Mathematics > Analysis of PDEs

A maximum principle for pointwise energies of quadratic Wasserstein minimal networks

[Jonathan Dahl](#)

(Submitted on 1 Nov 2010 ([v1](#)), last revised 18 Nov 2010 (this version, [v2](#)))

We show that suitable convex energy functionals on a quadratic Wasserstein space satisfy a maximum principle on minimal networks. We explore consequences of this maximum principle for the structure of minimal networks.

Comments: 11 pages, 1 figure; Appendix added on a stronger maximum principle in Euclidean Wasserstein space from the work of Agueh and Carlier

Subjects: **Analysis of PDEs (math.AP)**

Cite as: [arXiv:1011.0236v2](#) [math.AP]

Submission history

From: Jonathan Dahl [[view email](#)]

[\[v1\]](#) Mon, 1 Nov 2010 01:28:19 GMT (14kb)

[\[v2\]](#) Thu, 18 Nov 2010 16:32:57 GMT (15kb)

[Which authors of this paper are endorsers?](#)

Link back to: [arXiv](#), [form interface](#), [contact](#).

Download:

- [PDF](#)
- [PostScript](#)
- [Other formats](#)

Current browse context:

math.AP

[< prev](#) | [next >](#)

[new](#) | [recent](#) | [1011](#)

Change to browse by:

[math](#)

References & Citations

- [NASA ADS](#)

Bookmark([what is this?](#))

