

Stability of Linear Flocks on a Ring Road

J.J.P. Veerman, C.M. da Fonseca,

(Submitted on 3 Feb 2010 (v1), last revised 9 Feb 2010 (this version, v2))

We discuss some stability problems when each agent of a linear flock on the line interacts with its two nearest neighbors (one on either side).

Comments: 11 pages, 5 figures

Subjects: **Pattern Formation and Solitons (nlin.PS)**; Adaptation and Self-Organizing Systems (nlin.AO)

Cite as: [arXiv:1002.0787v2](#) [nlin.PS]

Submission history

From: Folkert Tangerman [[view email](#)]

[v1] Wed, 3 Feb 2010 16:41:04 GMT (331kb)

[v2] Tue, 9 Feb 2010 16:13:44 GMT (331kb)

Which authors of this paper are endorsers?

Download:

- [PDF](#)
- [PostScript](#)
- [Other formats](#)

Current browse context:

nlin.PS

[< prev](#) | [next >](#)

[new](#) | [recent](#) | [1002](#)

Change to browse by:

[nlin](#)

[nlin.AO](#)

References & Citations

- [CiteBase](#)

Bookmark([what is this?](#))

[CiteULike logo](#)

[Connotea logo](#)

[BibSonomy logo](#)

[Mendeley logo](#)

[Facebook logo](#)

[del.icio.us logo](#)

[Digg logo](#)

[Reddit logo](#)