



The q -Racah-Krall-type polynomials

R. Alvarez-Nodarse, R. Sevinik-Adiguzel

(Submitted on 12 Jul 2011 (v1), last revised 9 Mar 2012 (this version, v3))

In this paper the Krall-type polynomials obtained via the addition of two mass points to the weight function of the \textit{standard} q -Racah polynomials are introduced. Several algebraic properties of these polynomials are obtained and some of their limit cases are discussed.

Subjects: **Classical Analysis and ODEs (math.CA)**

MSC classes: 33D45, 42C05

Cite as: **arXiv:1107.2427 [math.CA]**

(or **arXiv:1107.2427v3 [math.CA]** for this version)

Submission history

From: Renato Alvarez-Nodarse [[view email](#)]

[\[v1\]](#) Tue, 12 Jul 2011 22:07:00 GMT (11kb)

[\[v2\]](#) Thu, 29 Dec 2011 15:12:31 GMT (12kb)

[\[v3\]](#) Fri, 9 Mar 2012 09:49:23 GMT (13kb)

[Which authors of this paper are endorsers?](#)

Link back to: [arXiv](#), [form interface](#), [contact](#).

Download:

- [PDF](#)
- [PostScript](#)
- [Other formats](#)

Current browse context:

math.CA

[< prev](#) | [next >](#)

[new](#) | [recent](#) | [1107](#)

Change to browse by:

[math](#)

References & Citations

- [NASA ADS](#)

Bookmark([what is this?](#))

