

Dual Representation of Quasiconvex Conditional Maps

Marco Frittelli, Marco Maggis

(Submitted on 20 Jan 2010 (v1), last revised 21 Jan 2010 (this version, v2))

We provide a dual representation of quasiconvex maps between two lattices of random variables in terms of conditional expectations. This generalizes the dual representation of quasiconvex real valued functions and the dual representation of conditional convex maps.

Comments: Date changed Added one remark on assumption (c), page 6

Subjects: **Risk Management (q-fin.RM)**; Probability (math.PR)

Cite as: **arXiv:1001.3644v2 [q-fin.RM]**

Submission history

From: Marco Frittelli [[view email](#)]

[v1] Wed, 20 Jan 2010 17:09:07 GMT (24kb)

[v2] Thu, 21 Jan 2010 11:55:23 GMT (25kb)

[Which authors of this paper are endorsers?](#)

Link back to: [arXiv](#), [form interface](#), [contact](#).

Download:

- [PDF](#)
- [PostScript](#)
- [Other formats](#)

Current browse context:

q-fin.RM

[< prev](#) | [next >](#)

[new](#) | [recent](#) | [1001](#)

Change to browse by:

[math](#)

[math.PR](#)

[q-fin](#)

References & Citations

- [NASA ADS](#)

Bookmark([what is this?](#))

