



Mathematical Physics

A recursive approach to the $O(n)$ model on random maps via nested loops

G. Borot, J. Bouttier, E. Guitter (IPhT)

(Submitted on 1 Jun 2011 (v1), last revised 24 Dec 2011 (this version, v3))

We consider the $O(n)$ loop model on tetravalent maps and show how to rephrase it into a model of bipartite maps without loops. This follows from a combinatorial decomposition that consists in cutting the $O(n)$ model configurations along their loops so that each elementary piece is a map that may have arbitrary even face degrees. In the induced statistics, these maps are drawn according to a Boltzmann distribution whose parameters (the face weights) are determined by a fixed point condition. In particular, we show that the dense and dilute critical points of the $O(n)$ model correspond to bipartite maps with large faces (i.e. whose degree distribution has a fat tail). The re-expression of the fixed point condition in terms of linear integral equations allows us to explore the phase diagram of the model. In particular, we determine this phase diagram exactly for the simplest version of the model where the loops are "rigid". Several generalizations of the model are discussed.

Comments: 47 pages, 13 figures, final version (minor changes with v2 after proof corrections)

Subjects: **Mathematical Physics (math-ph)**; High Energy Physics - Theory (hep-th); Combinatorics (math.CO)

Journal reference: J. Phys. A: Math. Theor. 45 (2012) 045002

DOI: [10.1088/1751-8113/45/4/045002](https://doi.org/10.1088/1751-8113/45/4/045002)

Report number: IPhT-t11/148

Cite as: [arXiv:1106.0153](https://arxiv.org/abs/1106.0153) [math-ph]
(or [arXiv:1106.0153v3](https://arxiv.org/abs/1106.0153v3) [math-ph] for this version)

Submission history

From: Jérémie Bouttier [[view email](#)]

[v1] Wed, 1 Jun 2011 12:22:03 GMT (153kb)

[v2] Tue, 4 Oct 2011 08:10:06 GMT (161kb)

[v3] Sat, 24 Dec 2011 09:57:51 GMT (161kb)

Which authors of this paper are endorsers?

Download:

- [PDF](#)
- [PostScript](#)
- [Other formats](#)

Current browse context:

math-ph

[< prev](#) | [next >](#)

[new](#) | [recent](#) | [1106](#)

Change to browse by:

[hep-th](#)

[math](#)

[math.CO](#)

References & Citations

- [NASA ADS](#)

Bookmark([what is this?](#))



