

Mathematical Physics

Poisson Yang-Baxter maps with binomial Lax matrices

Theodoros E. Kouloukas, Vassilios G. Papageorgiou

(Submitted on 1 Jun 2011 (v1), last revised 4 Jun 2011 (this version, v2))

A construction of multidimensional parametric Yang-Baxter maps is presented. The corresponding Lax matrices are the symplectic leaves of first degree matrix polynomials equipped with the Sklyanin bracket. These maps are symplectic with respect to the reduced symplectic structure on these leaves and provide examples of integrable mappings. An interesting family of quadrirational symplectic YB maps on $\mathbb{C}^4 \times \mathbb{C}^4$ with 3×3 Lax matrices is also presented.

Comments: 22 pages, 3 figures

Subjects: **Mathematical Physics (math-ph)**; Quantum Algebra (math.QA); Exactly Solvable and Integrable Systems (nlin.SI)Cite as: **arXiv:1106.0214 [math-ph]**
(or **arXiv:1106.0214v2 [math-ph]** for this version)

Submission history

From: Helen Christodoulidi [[view email](#)]**[v1]** Wed, 1 Jun 2011 16:00:04 GMT (43kb)**[v2]** Sat, 4 Jun 2011 09:00:56 GMT (43kb)*[Which authors of this paper are endorsers?](#)*

Download:

- [PDF](#)
- [PostScript](#)
- [Other formats](#)

Current browse context:

math-ph

[< prev](#) | [next >](#)[new](#) | [recent](#) | [1106](#)

Change to browse by:

[math](#)[math.QA](#)[nlin](#)[nlin.SI](#)

References & Citations

- [NASA ADS](#)

Bookmark([what is this?](#))

