



Mathematical Physics

Invariants of Braided Ribbon Networks

[Jonathan Hackett](#)

(Submitted on 25 Jun 2011)

We present a consistent definition for braided ribbon networks in 3-dimensional manifolds, unifying both three and four valent networks in a single framework. We present evolution moves for these networks which are dual to the Pachner moves on simplices and present an invariant of this evolution. Finally we relate these results back to previous work in the subject.

Comments: 11 pages, 17 figures

Subjects: **Mathematical Physics (math-ph)**; General Relativity and Quantum Cosmology (gr-qc); High Energy Physics - Theory (hep-th)

Cite as: **arXiv:1106.5096 [math-ph]**
(or **arXiv:1106.5096v1 [math-ph]** for this version)

Submission history

From: Jonathan Hackett [[view email](#)]

[v1] Sat, 25 Jun 2011 02:38:53 GMT (1954kb,D)

[Which authors of this paper are endorsers?](#)

Link back to: [arXiv](#), [form interface](#), [contact](#).

Download:

- [PDF](#)
- [Other formats](#)

Current browse context:

math-ph

[< prev](#) | [next >](#)

[new](#) | [recent](#) | [1106](#)

Change to browse by:

[gr-qc](#)
[hep-th](#)
[math](#)

References & Citations

- [NASA ADS](#)

Bookmark([what is this?](#))



Link back to: [arXiv](#), [form interface](#), [contact](#).