



A unified stability property in spin glasses

[Dmitry Panchenko](#)

(Submitted on 20 Jun 2011 ([v1](#)), last revised 3 Nov 2011 (this version, [v3](#)))

Gibbs' measures in the Sherrington-Kirkpatrick type models satisfy two asymptotic stability properties, the Aizenman-Contucci stochastic stability and the Ghirlanda-Guerra identities, which play a fundamental role in our current understanding of these models. In this paper we show that one can combine these two properties very naturally into one unified stability property.

Subjects: **Probability (math.PR)**; Mathematical Physics (math-ph)

MSC classes: 60K35, 82B44

Cite as: **arXiv:1106.3954v3 [math.PR]**

Submission history

From: Dmitry Panchenko [[view email](#)]

[\[v1\]](#) Mon, 20 Jun 2011 16:05:47 GMT (9kb)

[\[v2\]](#) Wed, 2 Nov 2011 00:22:43 GMT (13kb)

[\[v3\]](#) Thu, 3 Nov 2011 00:14:34 GMT (14kb)

[Which authors of this paper are endorsers?](#)

Link back to: [arXiv](#), [form interface](#), [contact](#).

Download:

- [PDF](#)
- [PostScript](#)
- [Other formats](#)

Current browse context:

math.PR

[< prev](#) | [next >](#)

[new](#) | [recent](#) | [1106](#)

Change to browse by:

[math](#)

[math-ph](#)

References & Citations

- [NASA ADS](#)

Bookmark([what is this?](#))

