



Mathematics > Analysis of PDEs

Global well-posedness and scattering for Skyrme wave maps

Dan-Andrei Geba, Kenji Nakanishi, Sarada G. Rajeev

(Submitted on 28 Jun 2011)

We study equivariant maps corresponding to the classical Skyrme model and the Adkins-Nappi model, for which we prove global existence and scattering in critical Sobolev-Besov spaces.

Comments: 12 pages

Subjects: **Analysis of PDEs (math.AP)**; High Energy Physics - Theory (hep-th); Mathematical Physics (math-ph)

MSC classes: 35L70, 81T13

Cite as: **arXiv:1106.5750 [math.AP]**
(or **arXiv:1106.5750v1 [math.AP]** for this version)

Submission history

From: Dan Geba [[view email](#)]

[v1] Tue, 28 Jun 2011 18:15:23 GMT (12kb)

[Which authors of this paper are endorsers?](#)

Link back to: [arXiv](#), [form interface](#), [contact](#).

Download:

- [PDF](#)
- [PostScript](#)
- [Other formats](#)

Current browse context:

math.AP

[< prev](#) | [next >](#)

[new](#) | [recent](#) | [1106](#)

Change to browse by:

[hep-th](#)

[math](#)

[math-ph](#)

References & Citations

- [NASA ADS](#)

Bookmark([what is this?](#))

