General Relativity and Quantum Cosmology

Generic Gravity Tests with the Double Pulsar

N. Wex, M. Kramer

(Submitted on 26 Jan 2010)

Presently the double pulsar allows for the measurement of six post-Keplerian parameters. In addition, its double-line nature gives access to the projected semi-major axes of both orbits. We use this wealth of information to pose some very general restrictions on a wide class of conservative and semi-conservative theories of gravity.

Comments: 3 pages, no figures, Proceedings of the 12th Marcel Grossmann

Meeting on General Relativity (MG 12), Paris, France, 12-18 Jul 2009

Subjects: General Relativity and Quantum Cosmology (gr-qc); Solar and

Stellar Astrophysics (astro-ph.SR)

Cite as: arXiv:1001.4733v1 [gr-qc]

Submission history

From: Norbert Wex [view email]

[v1] Tue, 26 Jan 2010 16:21:02 GMT (14kb)

Which authors of this paper are endorsers?

Download:

- PostScript
- PDF
- Other formats

Current browse context:

gr-qc

< prev | next >
new | recent | 1001

Change to browse by:

astro-ph astro-ph.SR

References & Citations

- SLAC-SPIRES HEP (refers to | cited by)
- NASA ADS
- CiteBase

Bookmark(what is this?) CiteULike logo

Connotea logo

BibSonomy logo

Mendeley logo

× Facebook logo

x del.icio.us logo

▼ Digg logo

Reddit logo

Link back to: arXiv, form interface, contact.