



High Energy Physics - Phenomenology

Asymptotic behavior of pion form factors

Mikhail Gorchtein, Peng Guo, Adam P. Szczepaniak

(Submitted on 26 Jun 2011)

We consider the electromagnetic and transition pion form factors. Using dispersion relations we simultaneously describe both the hadronic, time-like region and the asymptotic region of large energy-momentum transfer. For the latter we propose a novel mechanism of Regge fermion exchange.

Comments: Talk at the DIS2011; 4 pages, 2 figures

Subjects: **High Energy Physics - Phenomenology (hep-ph)**; High Energy Physics - Experiment (hep-ex); Nuclear Experiment (nucl-ex); Nuclear Theory (nucl-th)

Cite as: **arXiv:1106.5252 [hep-ph]**
(or **arXiv:1106.5252v1 [hep-ph]** for this version)

Submission history

From: Mikhail Gorshteyn [[view email](#)]

[v1] Sun, 26 Jun 2011 20:38:28 GMT (203kb,D)

[Which authors of this paper are endorsers?](#)

Link back to: [arXiv](#), [form interface](#), [contact](#).

Download:

- [PDF](#)
- [Other formats](#)

Current browse context:

hep-ph

< [prev](#) | [next](#) >

[new](#) | [recent](#) | 1106

Change to browse by:

[hep-ex](#)
[nucl-ex](#)
[nucl-th](#)

References & Citations

- [INSPIRE HEP](#)
([refers to](#) | [cited by](#))
- [NASA ADS](#)

Bookmark([what is this?](#))

