Parallel talk

Single photo and electroproduction of pions at

B. Juliá Díaz

Department d'Estructura i Constituents de la Matèria and Institut de Ciències del Cosmos, Universitat de Barcelona, E—08028 Barcelona, Spain

Excited Baryon Analysis Center (EBAC), Thomas Jefferson National Accelerator Facility, Newport News, VA 23606, USA

收稿日期 2009-8-7 修回日期 网络版发布日期 2009-11-11 接受日期 2009-11-11

摘要

Within the Excited Baryon Analysis Center we have performed a dynamical coupled-channels analysis of the available p(e,e' π)N data in the region of W \leq 1.6 GeV and Q² \leq 1.45 (GeV/c)². The channels included are γ^* N, π N, η N, and π \piN which has π Δ, ρ N, and σ N components. With the hadronic parameters of the model determined in our previous investigations of π N \rightarrow π N reaction, we have found that the available data in the considered W \leq 1.6 GeV region can be fitted well by only adjusting the bare γ^* N \rightarrow N * helicity amplitudes for the lowest N * states in P₃₃, P₁₁, S₁₁ and D₁₃ partial waves. The meson cloud effect, as required by the unitarity conditions, on the γ^* N \rightarrow N * form factors are examined.

关键词 <u>meson electroproduction, helicity amplitudes</u>

分类号 **DOI**:

通讯作者:

B. Juliá Díaz bjulia@gmail.com

作者个人主页:

B. Juliá Díaz

扩展功能

本文信息

- ► Supporting info
- ▶ <u>PDF</u>(211KB)
- ▶ [HTML全文](OKB)
- ▶参考文献[PDF]
- ▶参考文献

服务与反馈

- ▶把本文推荐给朋友
- ▶加入我的书架
- ▶加入引用管理器
- ▶引用本文
- ▶ Email Alert

相关信息

- ▶ <u>本刊中 包含 "meson</u> <u>electroproduction, helicity</u> <u>amplitudes"的 相关文章</u>
- ▶本文作者相关文章
- · B Juli Daz