

食品安全检测

液相色谱与三重串联四极杆质谱联用技术用于动物源性食品中11种合成类固醇类激素的检测

冉小蓉; 张之旭

安捷伦科技有限公司, 北京 100102

收稿日期 修回日期 网络版发布日期:

摘要

关键词

分类号

Determination of 11 Steroid Hormone in Animal Derived Food Using Liquid Chromatography Tandem Triple Quadrupole Mass Spectrometry

RAN Xiao-rong, ZHANG Zhi-xu

Agilent Technologies, Inc., Beijing 100102, China

Abstract A simple, rapid and specific analytical method for simultaneous determination of 11 kinds of steroid hormone including boldenone, methanodrosterolone, methyltestosterone, nandrolone, stanozolol, testosterone, trenbolone, nandrolone phenylpropionate, nandrolone propionate, progesterone, testosterone propionate was developed by Agilent 6410 LC-MS/MS. The LOD of target compounds is all lower than $0.1 \mu\text{g kg}^{-1}$. The method is successfully applied to determination of steroid hormone in chicken, shrimp and pork.

Key words steroid hormone LC-MS/MS

DOI

通讯作者

扩展功能

本文信息

- ▶ [Supporting info](#)
- ▶ [\[PDF全文\]\(535KB\)](#)
- ▶ [\[HTML全文\]\(0KB\)](#)

参考文献

- ▶ [服务与反馈](#)
- ▶ [把本文推荐给朋友](#)
- ▶ [文章反馈](#)
- ▶ [浏览反馈信息](#)

相关信息

- ▶ [本刊中无相关文章](#)
- ▶ [本文作者相关文章](#)

- [冉小蓉](#)
- [张之旭](#)