Se

Major breakthrough in climate change research

14 May 2012

Scientists have developed a new diagnostic tool that will enable better understanding of global climate patterns.

The development, by researchers from The University of Queensland, University of Canterbury (New Zealand) and Monash University, distinguishes between the causes of particles in glacial deposits – whether climactic or caused by rock avalanche – allowing for more accurate data to inform climate models.

Co-author of the study, UQ Professor James Shulmeister, says the development represents a breakthrough in the way climate change research is approached.

He says that while glaciers have been used as an early indicator of the extent and rate of global warming, there was previously an assumption that they always reflected climatic change.

" But there has been some debate on how much of the mountain glacier record represents climate change and how much relates to changes in glaciers resulting from rock avalanches onto the glaciers," he said.

" Being able to determine whether a glacial advance is caused by a rock avalanche or by purely climatic factors enables us to ensure the climatic record from glacial deposits is accurate.

" Using this information we will be able to better understand our changing climate and inform the creation of climate models."

The research, published in the April issue of the prestigious journal Geology, represents a major breakthrough in the fields of both landslide (rock avalanche) research and climate change from glaciers.

Lead researcher Dr Natalya Reznichenko says the cause of glacial deposits is more complex than originally thought and that some deposits that were previously identified as being of climatic origin are in fact the products of readvances triggered by the deposition of rock avalanche debris on glaciers.

" We discovered that during rock avalanches, intense fragmentation of rock generates extremely fine particles – much less than a thousandth of a millimetre across - that cluster together to form agglomerates," she said.

" These agglomerates are completely absent from glacial deposits known to lack rock avalanche material.

" This discovery comes from long-term research on rock avalanches by my colleague Professor Tim Davies, a co-author of the paper.

" Using these particles as indicators we are able to determine whether a glacial advance is driven by climatic factors or is a result of rock avalanches."

The results provide a diagnostic tool to identify glacial deposits that might be caused by rock avalanches from those clearly caused by climate.

" It is important to note that the presence of rock avalanche debris does not prove that a glacial deposit was the result of a rock avalanche-driven advance, but that this possibility cannot be ignored if rock avalanche material is present," Dr Reznichenko said.

The new diagnostic tool has been tested on glacial deposits at Mt Cook in New Zealand, that have been used previously to infer past climate changes.

At least two of these have been proven to contain rock-avalanche material, and their dates are similar to those of past Alpine fault earthquakes – leading to the possibility that the rock avalanches might have been earthquake-triggered.

Contact: Professor James Shulmeister (07 3346 7010, 0401 001 254 or james.shulmeister@uq.edu.au)

Share link:

http://tinyurl.com/ot79jfb



Subscribe to the UQ News weekly newsletter

Subscribe



BUSINESS + ECONOMY, ENVIRONMENT + SUSTAINABILITY

The strengthening economic case for fossil fuel divestment 1 December 2014

ENVIRONMENT + SUSTAINABILITY, HEALTH + MEDICINE, AWARDS AND ACHIEVEMENTS



Young UQ scientists show the way to the future 25 November 2014

ENVIRONMENT + SUSTAINABILITY



Why has investment in renewable energy projects stalled? 24 November 2014



500,000 photos to help world coral reef health 21 November 2014



The real cost of green developments 4 November 2014

AGRICULTURE + FOOD, ENVIRONMENT + SUSTAINABILITY, RESEARCH, RESOURCES + ENERGY, SCIENCE



Archives suggest massive decline in pink snapper catch 17 November 2014

ENVIRONMENT + SUSTAINABILITY, SCIENCE



Deforestation not always bad news for wetlands 17 November 2014

ENVIRONMENT + SUSTAINABILITY, GLOBAL CHANGE



Climate change leadership needed to save Great Barrier Reef 11 November 2014

ENVIRONMENT + SUSTAINABILITY, HEALTH + MEDICINE



Green turtles point to the future of healthy environments 7 November 2014

RECENT HEADLINES



Men's violent reactions to women's rejection 4 December 2014



Astronomers set to see entire Universe 3 December 2014



Parenting program benefits whole community, Irish report shows 1 December 2014

Mucus and phlegm: what you need

• to know 1 December 2014

More headlines

Health Check: what you need to know about mucus and phlegm 1 December 2014

A gift adrift: what the loss of RN's Poetica means to poets 1 December 2014

Stolen cultural objects: what's the role of Australian galleries? 1 December 2014

The strengthening economic case for fossil fuel divestment 1 December 2014

Before you go ... are you in denial about death?

27 November 2014

Read more UQ articles on The Conversation

Home > Major breakthrough in climate change research

A MEMBER OF



K GROUP OF EIGHT

Authorised by: Director, Office of Marketing and Communications

QUICK LINKS → For Media

SOCIAL MEDIA

NEED HELP?

Emergency Contact

- Giving to UQ
 - Faculties & Divisions
 - → UQ Jobs
 - UQ Contacts
 - Services & Facilities
- Login

© 2014 The University of Queensland

Brisbane St Lucia, QLD 4072

Other Campuses: UQ Ipswich, UQ Gatton, UQ Herston

+61 7 3365 1111

Maps and Directions

Privacy & Terms of use | Feedback

and Communications ABN: 63 942 912 684 CRICOS Provider No: 00025B

> EMERGENCY 3365 3333

EXPLORE