| Copernicus.org | EGU.eu |

| EGU Journals | Contact |

Home

Online Library CP

- Recent Final Revised Papers
- Volumes and Issues
- Special Issues
- Library Search
- Title and Author Search

Online Library CPD

Alerts & RSS Feeds

General Information

Submission

Review

Production

Subscription

Comment on a Paper



indexed



■ Volumes and Issues
■ Contents of Issue 2

Clim. Past, 2, 79-90, 2006 www.clim-past.net/2/79/2006/ © Author(s) 2006. This work is licensed under a Creative Commons License.

Coupled climate model simulation of Holocene cooling events: oceanic feedback amplifies solar forcing

H. Renssen¹, H. Goosse², and R. Muscheler³

¹Faculty of Earth and Life Sciences, Vrije Univ. Amsterdam, De Boelelaan 1085, 1081 HV Amsterdam, The Netherlands

²Institut d'Astronomie et de Géophysique G. Lemaître, Univ. Catholique de Louvain, 2 Chemin du Cyclotron, 1348 Louvain-la-Neuve, Belgium

³NASA/Goddard Space Flight Center, Climate & Radiation Branch, Greenbelt, MD 20771, USA

Abstract. The coupled global atmosphere-ocean-vegetation model ECBilt-CLIO-VECODE is used to perform transient simulations of the last 9000 years, forced by variations in orbital parameters, atmospheric greenhouse gas concentrations and total solar irradiance (TSI). The objective is to study the impact of decadal-to-centennial scale TSI variations on Holocene climate variability. The simulations show that negative TSI anomalies increase the probability of temporary relocations of the site with deepwater formation in the Nordic Seas, causing an expansion of sea ice that produces additional cooling. The consequence is a characteristic climatic anomaly pattern with cooling over most of the North Atlantic region that is consistent with proxy evidence for Holocene cold phases. Our results thus suggest that the ocean is able to play an important role in amplifying centennial-scale climate variability.

■ <u>Final Revised Paper</u> (PDF, 1080 KB) ■ <u>Discussion Paper</u> (CPD)

Citation: Renssen, H., Goosse, H., and Muscheler, R.: Coupled climate model simulation of Holocene cooling events: oceanic feedback amplifies solar forcing, Clim. Past, 2, 79-90,

2006. ■ <u>Bibtex</u> ■ <u>EndNote</u> ■ <u>Reference Manager</u>

Copernicus Publications The Innovative Open Access Publisher

Search CP

Library Search

Author Search

News

- COSIS Deactivation
- TWO editors of Climate of the Past funded by ERC
- Financial Support for Authors
- New Service Charges

Recent Papers

01 | CP, 03 Nov 2008: Forced and internal modes of variability of the East Asian summer monsoon

02 | CPD, 27 Oct 2008: The 8.2 ka cooling event related to extensive melting of the Greenland Ice Sheet

03 | CP, 21 Oct 2008: Anticyclonic atmospheric circulation as an analogue for the warm and dry mid-Holocene summer climate in central Scandinavia

04 | CPD, 21 Oct 2008: