



引用本文(Citation):

祝意青, 梁伟峰, 湛飞并, 刘芳, 徐云马, 郭树松, 刘练.中国大陆重力场动态变化研究. 地球物理学报, 2012, 55(3): 804-813, doi: 10.6038/j.issn.0001-5733.2012.03.010

ZHU Yi-Qing, LIANG Wei-Feng, F. Benjamin Zhan, LIU Fang, XU Yun-Ma, GUO Shu-Song, LIU Lian. Study on dynamic change of gravity field in C continent. Chinese J. Geophys. (in Chinese), 2012, 55(3): 804-813, doi: 10.6038/j.issn.0001-5733.2012.03.010

中国大陆重力场动态变化研究

祝意青¹, 梁伟峰¹, 湛飞并^{2,3}, 刘芳¹, 徐云马¹, 郭树松¹, 刘练^{1*}

1. 中国地震局第二监测中心, 西安 710054;
2. 武汉大学资源与环境科学学院, 武汉 430079;
3. Texas Center for Geographic Information Science, Texas State University, San Marcos, TX 78666, USA

Study on dynamic change of gravity field in China continent

ZHU Yi-Qing¹, LIANG Wei-Feng¹, F. Benjamin Zhan^{2,3}, LIU Fang¹, XU Yun-Ma¹, GUO Shu-Song¹, LIU Lian^{1*}

1. Second Crust Monitoring and Application Center, China Earthquake Administration, Xi'an 710054, China;
2. School of Resource and Environmental Science, Wuhan University, Wuhan 430079, China;
3. Texas Center for Geographic Information Science, Texas State University, San Marcos, TX 78666, USA

摘要

参考文献

相关文章

Download: [PDF](#) (1007KB) [HTML](#) 1KB Export: [BibTeX](#) or [EndNote](#) (RIS) [Supporting Info](#)

摘要 利用国家重大科学工程“中国地壳运动观测网络”1998—2008年间绝对重力和相对重力的观测资料,初步获得了中国大陆起算基准统一的重力场及其动态变化。重力场变化既具有时空分布的不均匀性和重力变化分区现象,同时又具有与活动断裂构造密切相关和与地震孕育发展有着内在联系。中国大陆6.8级以上大震主要发生在重力场变化分布差异较为剧烈的地区(重力变化 $\geq 90 \times 10^{-8} \text{m} \cdot \text{s}^{-2}$)和重力变化发生转折的时段。

关键词 中国大陆, 重力观测, 重力变化, 构造活动, 地震

Abstract: This paper reports preliminary results about gravity field changes in mainland China from 1998 to 2008 based on information derived from absolute and relative gravity observation data at stations of the Crustal Movement Observation Network of China (CMONOC). These results suggest that: (1) there existed significant inhomogeneity in the spatial-temporal distribution of gravity changes in China and partition phenomenon; (2) significant gravity changes appear to be concentrated in regions with active faults and associated with the preparation of large earthquakes; (3) the majority of large earthquakes ($\geq M_6.8$) in mainland China occurred in areas that exhibited significant differences of gravity changes of $90 \times 10^{-8} \text{m} \cdot \text{s}^{-2}$ or greater, and these earthquakes typically ruptured around the time when the trend of gravity change in the region showed signs of reversal.

Keywords [China Continent](#), [Geodesy](#), [Gravity](#), [Tectonics](#), [Seismology](#)

Received 2010-12-27;

Fund:

Service

[把本文推荐给朋友](#)

[加入我的书架](#)

[加入引用管理器](#)

[Email Alert](#)

[RSS](#)

作者相关文章

[祝意青](#)

[梁伟峰](#)

[湛飞并](#)

[刘芳](#)

[徐云马](#)

[郭树松](#)

[刘练](#)