## OD-Interpretation of Kaolinite-Type Structures—II: The Regular Polytypes (MDO-Polytypes) and their Derivation

## K. Dornberger-Schiff and S. Ďurovič

Central Institute of Physical Chemistry, Academy of Sciences of the German Democratic Republic, Rudower Chaussee 5, Berlin-Adlershof, 1199, G.D.R.

Institute of Inorganic Chemistry, Slovak Academy of Sciences, Dúbravská cesta 5, 809 34 Bratislava, Czechoslovakia

**Abstract:** All MDO-polytypes (i.e. regular polytypes) of trioctahedral, dioctahedral and monoctahedral 1:1 phyllosilicates are derived from their OD-character using the results of our preceding paper. The terms 'simple polytype', 'standard polytype' and 'regular polytype' turn out to be synonyms of the term 'MDO-polytype' which has the advantage of being exactly defined. The method used to obtain the MDO- polytypes is also applicable to more complicated cases.

Clays and Clay Minerals; July 1975 v. 23; no. 3; p. 231-246; DOI: <a href="https://doi.org/10.1346/CCMN.1975.0230311">10.1346/CCMN.1975.0230311</a> © 1975, The Clay Minerals Society (<a href="https://www.clays.org">www.clays.org</a>)

<sup>\*</sup> These will be called 'kaolinites' in the following, for short.

<sup>†</sup> See ' Some remarks on terminology' in our previous paper.