



Full Text View

[Volume 29, Issue 6 \(June 1999\)](#)

Journal of Physical Oceanography

Article: pp. 1372–1373 | [Abstract](#) | [PDF \(29K\)](#)

On the Estimation of Overwater Bowen Ratio from Sea–Air Temperature Difference

S. A. Hsu

Coastal Studies Institute, Louisiana State University, Baton Rouge, Louisiana

(Manuscript received April 8, 1998, in final form August 18, 1998)

DOI: 10.1175/1520-0485(1999)029<1372:OTEEOB>2.0.CO;2

ABSTRACT

No abstract available.

On the basis of thermodynamic considerations, a relationship between overwater Bowen ratio, B , and sea–air temperature difference, $(T_{\text{sea}} - T_{\text{air}})$, under unstable conditions has been formulated by [Hsu \(1998\)](#). The purpose of this note is to further support the proposed general form that $B = a(T_{\text{sea}} - T_{\text{air}})^b$, where a and b are to be determined from field experiments.

Datasets incorporated into this study as shown in [Fig. 1](#) are based on [Table 1](#) as provided by [Yasuda \(1975\)](#) from measurements made in the East China Sea during winter. [Table 2](#) is based on [Pond et al. \(1971\)](#) from data collected during the Research Platform *FLIP* cruises off San Diego, California, and in the equatorial Atlantic Ocean. [Figure 1](#) shows our results, where $(T_{\text{sea}} - T_{\text{air}})$ has extended to about 13°C and B to over 0.5. If one accepts the high correlation coefficient of 0.94 [i.e., the equation provided in [Fig. 1](#) can directly account for $(0.94)^2 = 88\%$ of the variability in B], [Fig. 1](#) may be useful from the tropical ocean to the cold air outbreak region such as over the East China Sea. The composite values of a ($=0.146$) and b ($=0.49$) are also provided in [Fig. 1](#).

Acknowledgments

The AMTEX Data Reports and related scientific papers including those data used here were provided by Drs. Y. Mitsuta and M. Yasushi, Disaster Prevention Research Institute, Kyoto University, Kyoto, Japan.

Table of Contents:

- [REFERENCES](#)
- [TABLES](#)
- [FIGURES](#)

Options:

- [Create Reference](#)
- [Email this Article](#)
- [Add to MyArchive](#)
- [Search AMS Glossary](#)

Search CrossRef for:

- [Articles Citing This Article](#)

Search Google Scholar for:

- [S. A. Hsu](#)

REFERENCES

Hsu, S. A., 1998: A relationship between the Bowen ratio and sea–air temperature difference under unstable conditions at sea. *J. Phys. Oceanogr.*, **28**, 2222–2226.. [Find this article online](#)

Pond, S., G. T. Phelps, J. E. Paquin, G. McBean, and R. W. Stewart, 1971: Measurements of the turbulent fluxes of momentum, moisture, and sensible heat over the ocean. *J. Atmos. Sci.*, **28**, 901–917.. [Find this article online](#)

Yasuda, N., 1975: The heat balance at the sea surface observed in the East China Sea. The Science Reports of the Tohoku University, Series 5, Geophysics, Vol. 22, No. 3–4, 87–105..

Tables

Table 1. Daily mean values for parameters used to compute B in the East China Sea in Feb 1974 (based on Yasuda 1975, Tables 1 and 2).*

Date (Feb)	T_{se}	T_{air}	H_L	H_S	$T_{se} - T_{air}$	B
14	14.09	19.08	0.086	0.292	4.99	0.29
15	16.07	18.16	0.021	0.116	1.19	0.18
16	16.82	18.90	0.025	0.117	2.08	0.21
17	17.99	19.20	0.026	0.097	1.61	0.27
18	16.68	19.07	0.044	0.226	2.39	0.19
19	17.62	17.96	0.007	0.109	0.34	0.64
20	14.00	19.10	0.126	0.361	5.10	0.35
21	16.74	21.19	0.103	0.326	6.45	0.32
22	18.45	18.55	0.006	0.094	0.10	0.94
23	13.16	18.69	0.138	0.338	5.53	0.47
24	11.36	21.62	0.209	0.633	10.26	0.47
25	7.91	20.54	0.450	0.857	12.63	0.53
26	7.19	20.25	0.364	0.709	13.06	0.51
27	8.85	21.15	0.300	0.742	12.30	0.47

* T_{se} , air temperature (in °C); T_{air} , sea surface temperature (in °C); H_L , sensible heat flux (in ly min^{-1}); H_S , latent heat flux (in ly min^{-1}); B , Bowen ratio = H_L/H_S .

[Click on thumbnail for full-sized image.](#)


Table 2. List of Bowen ratio vs $T_{sea} - T_{air}$ (in °C) for the equatorial Atlantic Ocean and off California (based on Pond et al. 1971, Table 1 and appendix).

Run	$T_{sea} - T_{air}$	B
OSU 1*		
2	2.78	0.25
3	2.78	0.24
4	2.80	0.29
5	3.71	0.30
6	0.63	0.08
7	0.65	0.11
8	0.65	0.09
8	0.70	0.14
9	0.33	0.10
10	0.43	0.12
11	0.35	0.10
12**	1.89	0.08
13	0.74	0.08
14	0.66	0.10
15	0.84	0.07
UBC 1***	0.43	0.12
2	0.35	0.09
3	0.35	0.10
4	0.35	0.10
5	0.35	0.08

* Oregon State University. The data were collected on the Research Platform *FLIP* during BOMEX.
 ** This value may be 0.89. Since this point was in question by the authors, it has been excluded from this analysis.
 *** The University of British Columbia. The data were collected during a pre-BOMEX trial cruise near San Diego, CA.

[Click on thumbnail for full-sized image.](#)

Figures



[Click on thumbnail for full-sized image.](#)

Fig. 1. A relationship between the Bowen ratio and sea–air temperature difference.

Corresponding author address: Dr. S. A. Hsu, Coastal Studies Institute, 308 Howe-Russell Geoscience Bldg., Louisiana State University, Baton Rouge, LA 70803-7527.

E-mail: sahsu@antares.esl.lsu.edu

top ▲



© 2008 American Meteorological Society [Privacy Policy and Disclaimer](#)

Headquarters: 45 Beacon Street Boston, MA 02108-3693

DC Office: 1120 G Street, NW, Suite 800 Washington DC, 20005-3826

amsinfo@ametsoc.org Phone: 617-227-2425 Fax: 617-742-8718

[Allen Press, Inc.](#) assists in the online publication of *AMS* journals.