

Abstract View

Volume 15, Issue 6 (June 1985)

Journal of Physical Oceanography Article: pp. 670–683 | <u>Abstract</u> | <u>PDF (981K)</u>

Wind Gyres in Circumpolar Oceans

Peter H. Haynes

Department of Applied Mathematics and Theoretical Physics, University of Cambridge, England

(Manuscript received July 9, 1984, in final form February 12, 1985) DOI: 10.1175/1520-0485(1985)015<0670:WGICO>2.0.CO;2

ABSTRACT

The interaction between a close wind-gyre and a neighboring eastward current is investigated using a hierarchy of increasingly complex analytical models. The method used to determine the vertical structure is that proposed earlier by Rhines and Young. In contrast to the cases they studied, with no current present, it is found that the wind-induced circulation is not depth-limited, but extends to the ocean bottom. This difference is due to the presence of the current, which allow the wind forcing to be communicated to the remote deep water through the vertical propagation of stationary Rossby waves.

Options:

- <u>Create Reference</u>
- Email this Article
- Add to MyArchive
- Search AMS Glossary

Search CrossRef for: • <u>Articles Citing This Article</u>

Search Google Scholar for:

• Peter H. Haynes



© 2008 American Meteorological Society <u>Privacy Policy and Disclaimer</u> Headquarters: 45 Beacon Street Boston, MA 02108-3693 DC Office: 1120 G Street, NW, Suite 800 Washington DC, 20005-3826 <u>amsinfo@ametsoc.org</u> Phone: 617-227-2425 Fax: 617-742-8718 <u>Allen Press, Inc.</u> assists in the online publication of *AMS* journals. top 📥