

Attention: JavaScript deactivated
Please activate JavaScript to be able to use all website functions!



Quick-Links

MyTUM /

Roomfinder

Media services

Departments

Awards and honors

University Hospitals

Working at TUM

TUM Fan?

Contact & Directions

Research

Departments

Researchcenters

Excellence Initiative

Current projects

Research Partners

Research promotion

TUM Graduate School

Postdocs

Open Professorships

Studies

Teaching

Learning

Degree programs

International Students

Advising

Application and Acceptance

Fees and Financial Aid

During your Studies

Completing your Studies

Continuing Education

Contacts

University Life

Student Life

Accommodations

Sports

[Music and Arts](#)

[Events](#)

[Mentoring](#)

[Alumni Services](#)

[TUM for schools](#)

[TUM Shop](#)

Global

[International Locations](#)

[TUM Asia](#)

[International Students](#)

[Exchange](#)

[International Alliances](#)

[Language Center](#)

[Contacts](#)

TUM & Business

[Entrepreneurship](#)

[Technology transfer](#)

[Industry Liaison Office](#)

[Recruit our Graduates](#)

[Support and Endowments](#)

[Deutschlandstipendium](#)

[Contacts](#)

[Homepage](#) › [About TUM](#) › [News](#) › [short](#)

ABOUT TUM

[Our University](#)

News

[Archive](#)

[Publications](#)

[Departments](#)

[Awards and honors](#)

[University Hospitals](#)

[Working at TUM](#)

[TUM Fan?](#)

[Contact & Directions](#)

A fundamental finding with implications for clinical cell therapy

Experiments prove "stemness" of individual immune memory cells



Prof. Dirk Busch, Patricia Gräf and Veit Buchholz (Photo: Astrid Eckert / TUM)

Researchers in Germany and the U.S. have proven for the first time that specific individual cells of the immune system, termed central memory T cells, have essential characteristics of adult tissue stem cells. Such cells are capable of perpetuating themselves indefinitely as well as generating diverse offspring that can reconstitute "tissue" function. These findings indicate that it should be possible to fully restore specific immunity to pathogens in patients with a compromised immune system by substitution of small numbers of central memory cells. The results, published in the journal *Immunity*, highlight the therapeutic promise of "stemness" in T cells.

The immune system has evolved to recognize and respond to threats to health, and to provide life-long memory that prevents recurrent disease. A understanding of the mechanism underlying immunologic memory, however, has remained elusive. Since 2001, various lines of research have continued to support the hypothesis that the persistence of immune memory arises from a reservoir of immune cells with stem-cell-like potential. Until now, there was no conclusive evidence, largely because experiments could only be carried out on populations of cells. This first strict test of the stem cell hypothesis of immune memory was based on mapping the fates of individual T cells and their descendants over several generations.

That experimental capability was developed through a long-term collaboration, focused on clinical cell processing and purification, between researchers based in Munich and Seattle. Since 2009, the groups of **Prof. Dirk Busch** at the Technische Universität München (TUM) and Prof. Stanley Riddell of the Fred Hutchinson Cancer Research Center have combined their technological and clinical expertise under the auspices of the TUM Institute for Advanced Study. The University of Heidelberg, the University of Düsseldorf, the Helmholtz Center Munich, the German Cancer Research Center (DKFZ) and the National Center for Infection Research (DZIF) also contributed to the present study.

Homing in on the "stemness" of T cells

After generating an immune response in laboratory animals, TUM researchers Patricia Graef and Veit Buchholz separated complex "killer" T cell populations enlisted to fight the immediate or recurring infection. Within these cell populations, they then identified subgroups and proceeded with single-cell adoptive transfer experiments, in which the aftermath of immune responses could be analyzed in detail. Here the ability to identify and characterize the descendants of individual T cells through several generations was crucial.

The researchers first established that a high potential for expansion and differentiation in a defined subpopulation, called "central memory T cells," do not depend exclusively on any special source such as bone marrow, lymph nodes, or spleen. This supported but did not yet prove the idea that central memory T cells are, effectively, adult stem cells. Further experiments, using and comparing both memory T cells and so-called naive T cells, is, mature immune cells that have not yet encountered their antigen – enabled the scientists to home in on stem-cell-like characteristics and eliminate other possible explanations.

Step by step, the results strengthened the case that the persistence of immune memory depends on the "stemness" of the subpopulation of T cells termed central memory T cells: Individual central memory T cells proved to be "multipotent," meaning that they can generate diverse types of offspring to fight an infection and to remember the antagonist. Further, these individual T cells self-renew into secondary memory T cells that are, again, multipotent at the single-cell level. And finally, individual descendants of secondary memory T cells are capable of fully restoring the capacity for a normal immune response.

Insights with clinical potential

One implication is that future immune-based therapies for cancers and other diseases might get effective results from adoptive transfer of small numbers of individual T cells. "In principle, one individual T cell can be enough to transfer effective and long-lasting protective immunity for a defined pathogen or tumor antigen to a patient," says Prof. Dirk Busch, director of the Institute for Medical Microbiology, Immunology and Hygiene at TUM. "Isn't that astonishing?"

"These results are extremely exciting and come at a time when immunotherapy is moving into the mainstream as a treatment for cancer and other diseases," says Prof. Stanley Riddell of the Fred Hutchinson Cancer Research Center and the University of Washington. "The results provide strong experimental support for the concept that the efficacy and durability of T cell immunotherapy for infections and cancer may be improved by utilizing specific T cell subsets."

This research was supported by the German Research Foundation (DFG) through SFB TR36 (TP-B10/13) and SFB 1054 (TP-B09); by the Initiative for Networking Fund of the Helmholtz Association within the Helmholtz Alliance on Immunotherapy of Cancer; by the Federal Ministry of Education and Research (BMBF) through the e:Bio program (T-Sys); and by the U.S. National Science Foundation under Grant No. NSF PHY11-25915.

Publication

"Serial transfer of single cell-derived immunocompetence reveals stemness of CD8+ central memory T cells," Patricia Graef, Veit R. Buchholz, Christof Stemberger, Michael Flossdorf, Lynette Henkel, Matthias Schiemann, Ingo Drexler, Thomas Höfer, Stanley R. Riddell, and Dirk H. Busch. *Immunity* 41, Issue 1, July 17, 2014.

DOI: [10.1016/j.immuni.2014.05.018](https://doi.org/10.1016/j.immuni.2014.05.018)

Contact

Prof. Dr. Dirk H. Busch
Institute for Medical Microbiology, Immunology and Hygiene
Technische Universität München

Desk: [Patrick Regan](#)

Related News:



[Bacterial infections suppress protective immune response in neurodermatitis](#) - 19.11.2014 11:35



[Side effects of possible anti-cancer strategy discovered](#) - 17.11.2014 09:00



[Synthetic messenger boosts immune system](#) - 05.09.2014 11:03



[Promising T cell therapy](#) - 17.06.2014 15:22



[Insights into immune system, from fates of individual T cells](#) - 28.03.2013 11:09

 [Recommend page](#)

[Back to News](#)

[Jobs](#)

[Site Map](#)

[Feedback](#)

[Media](#)

[Legal Details](#)

[german](#) [english](#)

Find us on:

