



Effect of the Pre-Treatment Severity on the Antioxidant Properties of Ethanol Organosolv *Miscanthus x giganteus* Lignin

PDF (Size:328KB) PP. 29-34 DOI : 10.4236/nr.2012.32005

Author(s)

Roland El Hage, Dominique Perrin, Nicolas Brosse

ABSTRACT

The effect of the severity of an organosolv treatment of *Miscanthus x giganteus* on antioxidant capacity of the obtained lignin was studied. Four organosolv lignins extracted with different severity conditions were chosen and tested. Results obtained using the methyl linoleate method have shown a correlation between oxygen uptake index and the combined severity. It was found that lignin extracted at higher severity pre-treatment and with a higher phenolic hydroxyl content, lower aliphatic hydroxyl content, molecular weight and polydispersity has the highest antioxidant capacity.

KEYWORDS

Miscanthus x giganteus; Organosolv Lignin; Antioxidant; Combined Severity; Molecular Weight; Phenolic and Aliphatic Hydroxyl

Cite this paper

R. Hage, D. Perrin and N. Brosse, "Effect of the Pre-Treatment Severity on the Antioxidant Properties of Ethanol Organosolv *Miscanthus x giganteus* Lignin," *Natural Resources*, Vol. 3 No. 2, 2012, pp. 29-34. doi: 10.4236/nr.2012.32005.

References

- [1] X. B. Zhao, K. K. Cheng and D. H. Liu, "Organosolv Pretreatment of Lignocellulosic Biomass for Enzymatic Hydrolysis," *Applied Microbiology and Biotechnology*, Vol. 82, No. 5, 2009, pp. 815-827. doi: 10.1007/s00253-009-1883-1
- [2] A. Ragauskas, C. K. Williams, B. H. Davison, G. Britovsek, J. Cairney, C. A. Eckert, W. J. Frederick Jr., J. P. Hallett, D. J. Leak, C. L. Liotta, J. R. Mielenz, R. Murphy, R. Templer and T. Tschaplinski, "The Path Forward for Biofuels and Biomaterials," *Science*, Vol. 311, No. 5760, 2006, pp. 484-489. doi: 10.1126/science.1114736
- [3] T. Dizhbite, G. Telysheva, V. Jurkjane and U. Viesturs, "Characterization of the Radical Scavenging Activity of Lignins-Natural Antioxidants," *Bioresource Technology*, Vol. 95, No. 3, 2004, pp. 309-317. doi: 10.1016/j.biortech.2004.02.024
- [4] G. W. Burton, T. Doba, E. Gabe, L. Hughes, F. L. Lee, L. Prasad and K. U. Ingold, "Autoxidation of Biological Molecules. 4. Maximizing the Antioxidant Activity of Phenols," *Journal of the American Chemical Society*, Vol. 107, No. 24, 1985, pp. 7053-7065.
- [5] H. Eloualja, D. Perrin and R. Martin, "Kinetic Study of the Thermal Oxidation of All-Trans-β-Carotène and Evidence of Its Antioxigen Properties," *New Journal of Chemistry*, Vol. 19, No. 11, 1995, pp. 863-872.
- [6] U. N. Wanasinghe and F. Shahidi, "Stabilization of Canola Oil with Flavonoids," *Food Chemistry*, Vol. 50, No. 4, 1994, pp. 393-396. doi: 10.1016/0308-8146(94)90211-9
- [7] C. Rousseau, C. Richard and R. Martin, "Influence Inhibitrice Comparé des Vitamines C et E sur l'Oxydation Induite du Linoléate de Methyl vers 80°C et Effet de Synergie," *Chimie Physique*, Vol. 80, No. 11-12, 1983, pp. 827-829.

• Open Special Issues

• Published Special Issues

• Special Issues Guideline

NR Subscription

Most popular papers in NR

About NR News

Frequently Asked Questions

Recommend to Peers

Recommend to Library

Contact Us

Downloads: 62,819

Visits: 185,446

Sponsors, Associates, ai
Links >>

- [8] N. Uri, " Physico-Chemical Aspects of Autoxidation," In: W. O. Lundberg, Ed., Autoxidation and Antioxidants, Inter-Science Publishers, New York, 1961.
- [9] X. J. Pan, J. F. Kadla, K. Ehara, N. Gilkes and J. N. Saddler, " Organosolv Ethanol Lignin from Hybrid Poplar as a Radical Scavenger: Relationship between Lignin Structure Extraction Conditions and Antioxidant Activity," Journal of Agriculture and Food Chemistry, Vol. 54, No. 16, 2006, pp. 5806-5813. doi:10.1021/jf0605392
- [10] V. Urgatondo, M. Mitjans and M. P. Vinardell, " Applicability of Lignins from Different Sources as Antioxidants Based on the Protective Effects on Lipid Peroxidation Induced by Oxygen Radicals," Industrial Crops and Products, Vol. 30, No. 2, 2009, pp. 184-187. doi:10.1016/j.indcrop.2009.03.001
- [11] A. Garcia, A. Toledano, M. A. Andres and J. Labidi, " Study of the Antioxidant Capacity of Miscanthus Sinensis Lignins," Process Biochemistry, Vol. 45, No. 6, 2010, pp. 935-940. doi:10.1016/j.procbio.2010.02.015
- [12] N. Brosse, P. Sannigrahi and A. Ragauskas, " Pretreatment of Miscanthus x giganteus Using the Ethanol Organosolv Process for Ethanol Production," Industrial & Engineering Chemistry Research, Vol. 48, No. 18, 2009, pp. 8328-8334. doi:10.1021/ie9006672
- [13] A. S?rensen, P. J. Teller, T. Hilstrom and B. K. Ahring, " Hydrolysis of Miscanthus for Bioethanol Production Using Dilute Acid Presoaking Combined with Wet Explosion Pre-Treatment and Enzymatic Treatment," Bioresource Technology, Vol. 99, No. 14, 2008, pp. 6602-6607. doi:10.1016/j.biortech.2007.09.091
- [14] R. El. Hage, N. Brosse, L. Chrusciel, C. Sanchez, P. Sannigrahi and A. Ragauskas, " Characterization of Milled Wood Lignin and Ethanol Organosolv Lignin from Miscanthus," Polymer Degradation and Stability, Vol. 94, No. 10, 2009, pp. 1632-1638. doi:10.1016/j.polymdegradstab.2009.07.007
- [15] R. El Hage, N. Brosse, P. Sannigrahi and A. Ragauskas, " Effect of Process on the Chemical Structure of Miscanthus Ethanol Organosolv Lignin," Polymer Degradation and Stability, Vol. 95, No. 6, 2010, pp. 997-1003. doi:10.1016/j.polymdegradstab.2010.03.012
- [16] T. K. Mounanga, P. Gérardin, B. Poaty, D. Perrin and C. Gérardin, " Synthesis and Properties of Antioxidant Amphiphilic Ascorbate Salts," Colloids and Surfaces A: Physicochemical Engineering Aspects, Vol. 318, No. 1-3, 2008, pp. 134-140. doi:10.1016/j.colsurfa.2007.12.048
- [17] D. Montane, X. Farriol, J. Salvado, P. Jollez and E. Chornet, " Fractionation of Wheat Straw by Steam-Explosion Pre-Treatment and Alkali Delignification. Cellulose Pulp and Byproducts from Hemicelluloses and Lignin," Journal of Wood Chemistry and Technology, Vol. 18, No. 2, 1998, pp. 171-191. doi:10.1080/02773819809349575