



疏叶骆驼刺根系对土壤异质性和种间竞争的响应

罗维成^{1,2,3}, 曾凡江^{1,2*}, 刘波^{1,2,3}, 张利刚^{1,2,3}, 宋聪^{1,2,3}, 彭守兰^{1,2,3}, Stefan K. ARNDT⁴

¹中国科学院新疆生态与地理研究所, 乌鲁木齐 830011;

²新疆策勒荒漠草地生态系统国家野外科学观测试验研究站, 新疆策勒 848300;

³中国科学院研究生院, 北京 100049;

⁴澳大利亚墨尔本大学森林与生态系统科学系, Creswick, VIC 3363, 澳大利亚

Response of root systems to soil heterogeneity and interspecific competition in *Alhagi sparsifolia*

LUO Wei-Cheng^{1,2,3}, ZENG Fan-Jiang^{1,2*}, LIU Bo^{1,2,3}, ZHANG Li-Gang^{1,2,3}, SONG Cong^{1,2,3}, PENG Shou-Lan^{1,2,3}, and Stefan K. ARNDT⁴

¹Xinjiang Institute of Ecology and Geography, Chinese Academic of Sciences, Ürümqi 830011, China;

²Cele National Field Science Observation and Research Station of Desert Grassland Ecosystem, Cele, Xinjiang 848300 China;

³Graduate University of Chinese Academy of Sciences, Beijing 100049, China; and

⁴Department of Forest and Ecosystem Science, University of Melbourne, Creswick, VIC 3363, Australia

[摘要](#)

[图/表](#)

[参考文献](#)

[相关文章](#)

[点击分布统计](#)

[下载分布统计](#)

?