目次

盘锦湿地芦苇物候特征及其对气候变化的响应

李荣平1,刘晓梅2,周广胜1

1.中国气象局沈阳大气环境研究所 沈阳110016; 2.辽宁省气象台 沈阳110016 收稿日期 2006-6-8 修回日期 2006-7-10 网络版发布日期 接受日期

摘要 基于1987~1993年盘锦湿地芦苇(Phragmites communis)物候数据,分析了芦苇的萌动期、展叶期、开花期和枯黄期的物候特征,探讨了芦苇物候期与气候因子的关系,并利用2种积温模型模拟了芦苇的展叶期和开花期。结果表明:芦苇的展叶期和开花期具有相同的变化趋势,芦苇的枯黄期变化较小;3月和4月平均气温与芦苇展叶呈显著相关,年平均气温与芦苇展叶盛期和开花盛期呈显著相关,芦苇枯黄盛期与年降水量显著相关;积温模型可有效地预测芦苇的展叶期。

The characteristics of Phragmites phenology in Panjin wetland and its responses to climatic change

LI Rongping LIU Xiaomei ZHOU Guangsheng

1.Institute of Atmospheric Environment; China Meteorological Administration; Shenyang 110016; 2.Liaoning Region Meteorological Center; Shenyang 110016

Abstract Based on Phragmites phenological data from 1987 to 1993 in Panjin wetland, the characteristics of the germination stage, leafing stage, flowering stage and fade stage of Phragmites were analyzed in this paper, The relationships between climatic factors and Phragmites phenologies were discussed. Two temperature based phenological models were used to simulate the leafing and flowering stages of Phragmites. The results showed that the trend of leafing stage was same with that of flowering stage, and the variety of the fade stage was slight. The average temperature in March and April had significant correlation with Phragmites leafing, the annual average temperature was significant correlation with leafing and flowering of Phragmites, and the annual precipitation was significant correlation with fade of Phragmites. The temperature-based phenological model can simulate the leafing of Phragmites very well.

Key words <u>Wetland</u> <u>Phragmites</u> <u>Phenology</u> <u>Simulation</u> <u>Climatic change</u> <u>Response</u>

DOI:

扩展功能

本文信息

- ▶ Supporting info
- ▶ **PDF**(334KB)
- ▶[HTML全文](0KB)
- **▶参考文献**

服务与反馈

- ▶把本文推荐给朋友
- ▶加入我的书架
- ▶加入引用管理器
- ▶复制索引
- ▶ Email Alert
- ▶文章反馈
- ▶ 浏览反馈信息

相关信息

▶ 本刊中 包含"湿地"的 相关文章

▶本文作者相关文章

- 李荣平
- 刘晓梅
- 周广胜