Turkish Journal of Botany

Turkish Journal

Anomodon longifolius (Anomodontaceae, Bryopsida) new to the bryophyte flora of Turkey

of

Muhammet ÖREN¹, Güray UYAR¹, Tamer KEÇELİ²

Botany

¹Zonguldak Karaelmas University, Faculty of Sciences & Arts, Department of Biology, 67100, Zonguldak - TURKEY

²Çankırı Karatekin University, Faculty of Sciences & Arts, Department of Biology, 18200, Çankırı - TURKEY



Abstract: Anomodon longifolius (Schleich. ex Brid.) Hartm. is reported for the first time from Turkey, bringing the total number of Anomodon species known from Turkey to 6. This record extends its distribution range to the Western Black Sea region of Turkey. The nearest localities to Turkey for this species are in Bulgaria, Greece, the Caucasus, and Iran. This submeridional species was collected from 3 different localities (in Bolu and Bartin provinces) in Turkey. A site description, illustrations, and diagnostic characters of the Turkish specimens are given, together with notes on its distribution and ecology.



Key words: Bryophytes, Anomodon, mosses, Anomodontaceae, Turkish bryoflora

Scientific Journals Home

Page

bot@tubitak.gov.tr

Turk. J. Bot., 34, (2010), 141-145.

Full text: pdf

Other articles published in the same issue: Turk. J. Bot., vol. 34, iss. 2.