Turkish Journal of Zoology

Turkish Journal	The Cladoceran and Copepod (Crustacea) Fauna of İkizgöl (Bornova-İzmir)
of	M. Ruşen USTAOĞLU, Süleyman BALIK, Cem AYGEN, Didem ÖZDEMİR MİS Ege Üniversitesi, Su Ürünleri Fakültesi, Su Ürünleri Temel Bilimler Bölümü, İçsular Biyolojisi Anabilim
Zoology	Dalı, 35100 Bornova, İzmir-TURKEY
Keywords Authors	<u>Abstract:</u> With the aim of identifying cladoceran and copepod fauna of İkizgöl, which is situated 565 m above sea level on the southern slope of Yamanlar Mountain, plankton samples were collected monthly by plankton net horizontally and vertically, with a mesh size of 55µm between December 1994 and May 1996. Collected specimens were preserved in 4% formaldehyde. As a result, a total of 16 (12 cladoceran and 4 copepods) species were identified from İkizgöl.
0	Key Words: Crustacea, Cladocera, Copepoda, Fauna, İkizgöl
zool@tubitak.gov.tr	Turk. J. Zool., 25 , (2001), 135-138. Full text: <u>pdf</u> Other articles published in the same issue: <u>Turk. J. Zool.,vol.25,iss.2</u> .
Scientific Journals Home Page	