

Science News

from research organizations

Sticky toes unlock life in the trees

Date: August 5, 2021

Source: Washington University in St. Louis

Summary: Biologists analyzed data from 2,600 lizard species worldwide and discovered that, while hundreds of different types of lizards have independently evolved arboreal lifestyles, species that possessed sticky toepads prevailed.

Share: [!\[\]\(17413706fd4997a1a4bdf85c6864eee1_img.jpg\)](#) [!\[\]\(f419710cbe076aa30a9c6c031b5cbe84_img.jpg\)](#) [!\[\]\(2726020a4107bdc9042b257034f90eb3_img.jpg\)](#) [!\[\]\(9459655bf14a84f4d775e8d814cca8c9_img.jpg\)](#) [!\[\]\(de47dbdca34225b222a4a87ac0e499b3_img.jpg\)](#)

FULL STORY

Many lizards are phenomenal climbers. Their sharp, curved claws are ideal for clinging to tree trunks, rocks and other rough surfaces. However, in the precarious world of tree tops -- filled with slippery leaves and unstable branches -- three peculiar groups of lizards possess a remarkable evolutionary accessory: sticky pads on their fingers and toes.

Sticky toepads have independently evolved in geckos, skinks and *Anolis* lizards -- producing tree acrobats specially adapted to life in the forest canopy. Scientists have long considered sticky toepads an 'evolutionary key innovation' that allow arboreal lizards to interact with the environment in ways that many padless lizards cannot.

Yet, some lizards without toepads have adopted the canopy lifestyle, an observation that has puzzled scientists for decades. Biologists Aryeh Miller and James Stroud at Washington University in St. Louis set out to find if lizards with toepads had an evolutionary advantage for life in the trees relative to their padless counterparts.

They analyzed data from 2,600 lizard species worldwide and discovered that, while hundreds of different types of lizards have independently evolved arboreal lifestyles, species that possessed sticky toepads prevailed.

"Lizards with toepads have a greater ecological advantage in the arboreal environment," said Miller, a graduate student in the Evolution, Ecology, and Population Biology program at Washington University and lead author on the study. "Toepads are essentially a biological superpower for lizards to access new resources that lizards without toepads cannot."

"We found that lizards with sticky feet dominate the arboreal environment. Once adapted to life in the trees, they rarely leave," said Stroud, a postdoctoral research associate in Arts & Sciences, who is the senior author on the paper. "Conversely, lizards without sticky toepads frequently transition away from living in trees to living on the ground."

The study is published in *Systematic Biology*.

Toepad evolution shapes lizard diversity

"Scientists have long wondered about the role that the origin of key innovation plays in subsequent evolutionary diversification. Lizards are an excellent type of organism for such studies due to their exceptional species richness and the incredible extent of anatomical variation and habitat use," said Jonathan Losos, the William H. Danforth Distinguished University Professor and professor of biology in Arts & Sciences and director of the Living Earth Collaborative at Washington University.

Using a recently published database of habitat use for nearly every lizard species across the globe, the researchers were able to perform a comprehensive analysis of toepad evolution in the context of lizard habitat use -- for the first time, the evolutionary relationships between which lizards live in trees and which do not became clear.

"Miller and Stroud have developed an elegant new approach to understand this diversity and the role that anatomical evolution plays in shaping the great diversity of lizard kind. This work will be a model for researchers working on many types of plants, animals and microbes," Losos added.

Miller, who led the analysis, is the first to find that species have evolved for specialized life in trees at least 100 times in thousands of lizards. In other words, it is evolutionarily easy for a lizard to become a tree lizard.

What's difficult is sticking around (pun intended!). Toepads don't evolve until after lizards get into the trees, not before. And padless lizards will leave trees at a high frequency -- much higher than padbearing lizards.

"There are hundreds of lizards living in the trees, but over evolutionary time many of those species end up leaving for life on the ground because, presumably, they interact with these padded lizards that have a greater advantage," Stroud said.

The next step in this research is to find out exactly what padbearing lizards can do that their padless relatives can't. Scientists can learn about this by watching the animals in their natural habitat.

"Analyzing evolutionary relationships can tell us a lot, but next we need to go out into nature -- to see what parts of the environment the lizards use and why these evolutionary relationships exist," Miller said.

MAKE A DIFFERENCE: SPONSORED OPPORTUNITY

Story Source:

Materials provided by **Washington University in St. Louis**. Original written by Marta Wegorzewska. *Note: Content may be edited for style and length.*

Journal Reference:

1. Aryeh H Miller, James T Stroud. **Novel Tests of the Key Innovation Hypothesis: Adhesive Toepads in Arboreal Lizards**. *Systematic Biology*, 2021; DOI: 10.1093/sysbio/syab041
-

Cite This Page:

MLA

APA

Chicago

Washington University in St. Louis. "Sticky toes unlock life in the trees." ScienceDaily. ScienceDaily, 5 August 2021. <www.sciencedaily.com/releases/2021/08/210805104557.htm>.

RELATED STORIES

Same Dance, Different Species: How Natural Selection Drives Common Behavior of Lizards

July 2, 2021 — A surprising study on the behavior of unrelated lizards in very different parts of the world has demonstrated how evolution can lead to different species learning the same skills. The study documents ...

Scientists Discover Two New Species of Ancient, Burrowing Mammal Ancestors

Apr. 7, 2021 — Paleontologists have discovered two new species of mammal-like, burrowing animals that lived about 120 million years ago in what is now northeastern China. The new species are distantly related but ...

Rebuilding the Tree of Life of Freshwater Macroinvertebrates in the European Continent

Aug. 3, 2018 — Scientists analyzed how water macroinvertebrate species, such as beetles, mosquitoes and dragonflies, evolved and diversified since their beginnings. With the analysis of the ecological features of ...

An Evolving Sticky Situation

Oct. 12, 2017 — While many animals try to avoid sticky situations, lizards evolved to seek them out. An evolutionary biologist shows how different groups of lizards -- geckos and anoles -- took two completely ...

FROM AROUND THE WEB

ScienceDaily shares links with sites in the TrendMD network and earns revenue from third-party advertisers, where indicated.

Free Subscriptions

Get the latest science news with ScienceDaily's free email newsletters, updated daily and weekly. Or view hourly updated newsfeeds in your RSS reader:

 [Email Newsletters](#)

 [RSS Feeds](#)

Follow Us

Keep up to date with the latest news from ScienceDaily via social networks:

 [Facebook](#)

 [Twitter](#)

 [LinkedIn](#)

Have Feedback?

Tell us what you think of ScienceDaily -- we welcome both positive and negative comments. Have any problems using the site? Questions?

 [Leave Feedback](#)

 [Contact Us](#)

Content on this website is for information only. It is not intended to provide medical or other professional advice. Views expressed here do not necessarily reflect those of ScienceDaily, its staff, its contributors, or its partners.

Financial support for ScienceDaily comes from advertisements and referral programs, where indicated.