

综述

隐球菌荚膜体内生长机制研究进展

陈敏, 潘炜华, 廖万清

上海长征医院皮肤病与真菌病研究所 上海市医学真菌分子生物学重点实验室全军真菌病重点实验室 中国医学真菌保藏管理中心隐球菌专业实验室, 上海, 200003

摘要: 隐球菌(*Cryptococcus neoformans* and *Cryptococcus gattii*)最常侵犯人类或哺乳动物的中枢神经系统,引起致命的隐球菌性脑膜炎(*Cryptococcal meningitis*),已是目前临床上最重要的致病真菌之一。

关键词: 隐球菌 荚膜 体内生长

Abstract:

Keywords:

收稿日期 2011-07-13 修回日期 网络版发布日期

DOI:

基金项目:

国家自然科学基金(80171335);上海市科委基金(10dz2220100)

通讯作者: 廖万清, E-mail: liaowanqing@sohu.com; 潘炜华, E-mail: panweihua@medmail.com.cn

作者简介: 陈敏, 男(汉族), 硕士, 主治医师. E-mail: chenmin9611233@yahoo.com.cn

作者Email: liaowanqing@sohu.com; panweihua@medmail.com.cn

参考文献:

- [1] Kronstad JW, Attarian R, Cadieux B. Expanding fungal pathogenesis: *Cryptococcus* breaks out of the opportunistic box[J]. *Nat Rev Microbiol*, 2011, 9(3): 193-203.
- [2] Dromer F, Mathoulin-Pelissier S, Launay O. Determinants of disease presentation and outcome during cryptococcosis: the CryptoA/D study[J]. *PLoS Med*, 2007, 4(2): e21.
- [3] Lortholary O, Poizat G, Zeller V. Long-term outcome of AIDS associated cryptococcosis in the era of combination antiretroviral therapy[J]. *AIDS*, 2006, 20(17): 2183-2191.
- [4] Zaragoza O, Rodrigues ML, De Jesus M. The capsule of the fungal pathogen *Cryptococcus neoformans* [J]. *Adv Appl Microbiol*, 2009, 68: 133-216.
- [5] Ma H, May RC. Virulence in *Cryptococcus* species[J]. *Adv Appl Microbiol*, 2009, 67: 131-190.
- [6] Maxson ME, Cook E, Casadevall A. The volume and hydration of the *Cryptococcus neoformans* polysaccharide capsule[J]. *Fungal Genet Biol*, 2007, 44(3): 180-186.

扩展功能

本文信息

- ▶ Supporting info
- ▶ PDF(299KB)
- ▶ [HTML全文]
- ▶ 参考文献[PDF]
- ▶ 参考文献

服务与反馈

- ▶ 把本文推荐给朋友
- ▶ 加入我的书架
- ▶ 加入引用管理器
- ▶ 引用本文
- ▶ Email Alert
- ▶ 文章反馈
- ▶ 浏览反馈信息

本文关键词相关文章

- ▶ 隐球菌
- ▶ 荚膜
- ▶ 体内生长

本文作者相关文章

- ▶ 陈敏
- ▶ 潘炜华
- ▶ 廖万清

PubMed

- ▶ Article by
- ▶ Article by
- ▶ Article by

- [7] Doering TL.How genetic and polysaccharide capsule formation in *Cryptococcus neoformans*[J]. *Annu Rev Microbiol*,2009,63: 223-247.
- [8] Frases S,Nimrichter L,Viana NB.*Cryptococcus neoformans* capsular polysaccharide and exopolysaccharide fractions manifest physical,chemical,and antigenic differences[J]. *Eukaryot Cell*,2008,7 (2): 319-327.
- [9] McFadden D,Zaragoza O,Casadevall A.The capsular dynamics of *Cryptococcus neoformans*[J]. *Trends Microbiol*,2006,14(11): 497-505.
- [10] McFadden DC,Fries BC,Wang F.Capsule structural heterogeneity and antigenic variation in *Cryptococcus neoformans*[J]. *Eukaryot Cell*,2007,6(8): 1464-1473.
- [11] McFadden DC,De Jesus M,Casadevall A.The physical properties of the capsular polysaccharides from *Cryptococcus neoformans* suggest features for capsule construction[J]. *J Biol Chem*,2006,281 (4): 1868-1875.
- [12] Murphy JW.Influence of cryptococcal antigens on cell-mediated immunity[J]. *Rev Infect Dis*,1988,10 (Suppl 2): S432-435.
- [13] Ma H,Croudace JE,Lammas DA.Expulsion of live pathogenic yeast by macrophages[J]. *Curr Biol*,2006,16(21): 2156-2160.
- [14] Mansour MK,Levitz SM.Interactions of fungi with phagocytes[J]. *Curr Opin Microbiol*,2002,5(4): 359-365.
- [15] Shao X,Mednick A,Alvarez M.An innate immune system cell is a major determinant of species-related susceptibility differences to fungal pneumonia[J]. *J Immunol*,2005,175(5): 3244-3251.
- [16] Feldmesser M,Kress Y,Casadevall A.Dynamic changes in the morphology of *Cryptococcus neoformans* during murine pulmonary infection[J]. *Microbiology*,2001,147 (8): 2355-2365.
- [17] Frases S,Pontes B,Nimrichter L.A Capsule of *Cryptococcus neoformans* grows by enlargement of polysaccharide molecules[J]. *Proc Natl Acad Sci USA*,2009,106 (4): 1228-1233.
- [18] Granger DL,Perfect JR,Durack DT.Virulence of *Cryptococcus neoformans*.Regulation of capsule synthesis by carbon dioxide[J]. *J Clin Invest*,1985,76(2): 508-516.
- [19] Vartivarian SE,Anaissie EJ,Cowart RE.Regulation of cryptococcal capsular polysaccharide by iron[J]. *J Infect Dis*,1993,167(1): 186-190.
- [20] Rivers J,Feldmesser M,Cammer M.Organ-dependent variation of capsule thickness in *Cryptococcus neoformans* during experimental murine infection[J]. *Infect Immun*,1998,66(10): 5027-5030.
- [21] Zaragoza O,Casadevall A.Experimental modulation of capsule size in *Cryptococcus neoformans*[J]. *Biol Proced Online*,2004,6(1): 10-15.
- [22] Nimrichter L,Frases S,Cinelli LP.Self-aggregation of *Cryptococcus neoformans* capsular glucuronoxylomannan is dependent on divalent cations[J]. *Eukaryot Cell*,2007,6 (8): 1400-1410.
- [23] Zaragoza O,Telzak A,Bryan RA.The polysaccharide capsule of the pathogenic fungus *Cryptococcus neoformans* enlarges by distal growth and is rearranged during budding[J]. *Mol Microbiol*,2006,59 (1): 67-83.
- [24] Griffith CL,Klutts JS,Zhang L.UDP-glucose dehydrogenase plays multiple roles in the biology of the pathogenic fungus *Cryptococcus neoformans*[J]. *J Biol Chem*,2004,279(49): 51669-51676.
- [25] Yoneda A,Doering TL.A eukaryotic capsular polysaccharide is synthesized intracellularly and secreted via exocytosis[J]. *Mol Biol Cell*,2006,17(12): 5131-5140.
- [26] Gates MA,Thorkildson P,Kozel TR.Molecular architecture of the *Cryptococcus neoformans* capsule [J]. *Mol Microbiol*,2004,52(1): 13-24.
- [27] Zaragoza O,Fries BC,Casadevall A. Induction of capsule growth in *Cryptococcus neoformans* by mammalian serum and CO₂[J]. *Infect Immun*,2003,71(11): 6155-6164.
- [28] Kozubowski L,Lee SC,Heitman J. Signalling pathways in the pathogenesis of *Cryptococcus*[J]. *Cell Microbiol*,2009,11(3): 370-380.
- [29] Loftus B J,Fung E,Roncaglia P.The genome of the basidiomycetous yeast and human pathogen *Cryptococcus neoformans*[J]. *Science*,2005,307(5713): 1321-1324.
- [30] Chang YC,Kwon-Chung KJ.Isolation of the third capsule-associated gene,CAP 60,required for virulence in *Cryptococcus neoformans*[J]. *Infect Immun*,1998,66(5): 2230-2236.
- [31] Chang YC,Kwon-Chung KJ.Isolation,characterization,and localization of a capsule-associated gene, CAP10, of *Cryptococcus neoformans*[J]. *J Bacteriol* 1999,181 (18): 5636-5643.
- [32] Chang YC,Kwon-Chung KJ.Complementation of a capsule-deficient mutation of *Cryptococcus neoformans* restores its virulence[J]. *Mol Cell Biol*,1994,14(7): 4912-4919.
- [33] Chang YC,Penoyer LA,Kwon-Chung KJ.The second capsule gene of *Cryptococcus neoformans*,CAP 64,is essential for virulence[J]. *Infect Immun*,1996,64(6): 1977-1983.
- [34] Klutts JS,Doering TL.Cryptococcal xylosyltransferase 1 (Cxt1 p)from *Cryptococcus neoformans* plays a direct role in the synthesis of capsule polysaccharides[J]. *J Biol Chem*,2008,283(21): 14327-14334.

本刊中的类似文章

1. 李平, 温海, 朱红梅, 徐红, 胡婵, 谭宏月. 隐球菌免疫相关的甘露糖受体MR重组腺病毒载体的构建及鉴定[J]. *中国真菌学杂志*, 2012,(2): 70-72
2. 李秀丽, 田媛, 史玉玲, 顾俊瑛, 李晓建, 刘至昱, 马越娥, 高飞, 王葆葆. 新生隐球菌MIS1基因的siRNA表达载体的构建及鉴定[J]. *中国真菌学杂志*, 2012,7(1): 17-19,23

3. 李秀丽, 田媛, 史玉玲, 顾俊瑛, 刘至昱, 李晓建, 高飞. 蒺藜中甾体皂苷对新生隐球菌生物膜形成的抑制作用[J]. 中国真菌学杂志, 2011,6(6): 341-343
4. 周南, 黄晨, 潘炜华, 廖万清. 舍曲林抗新生隐球菌的体外及动物实验研究[J]. 中国真菌学杂志, 2011,6(5): 267-270
5. 潘炜华, 廖万清, 温海, 赵瑾, Ferry Hagen, Teun Boekhout. 利用微卫星标记研究新生隐球菌分子流行病学[J]. 中国真菌学杂志, 0,(): 281-284
6. 葛红芬, 王桂芝, 臧运书, 汤占利, 韩莎莎, 王君. 面部原发性皮肤隐球菌病1例[J]. 中国真菌学杂志, 2011,6(5): 298-300
7. 周南, 黄晨, 潘炜华, 廖万清. 舍曲林抗新生隐球菌的体外及动物实验研究[J]. 中国真菌学杂志, 0,(): 267-270
8. 潘炜华, 廖万清, 温海, 赵瑾, Ferry Hagen, Teun Boekhout. 利用微卫星标记研究新生隐球菌分子流行病学[J]. 中国真菌学杂志, 2011,6(5): 281-284
9. 葛红芬, 王桂芝, 臧运书, 汤占利, 韩莎莎, 王君. 面部原发性皮肤隐球菌病1例[J]. 中国真菌学杂志, 0,(): 298-300
10. 冉梦龙, 鲁巧云, 涂平, 万喆, 杨淑霞, 吴艳, 李若瑜, 王爱平. 播散性隐球菌病1例及其实验研究[J]. 中国真菌学杂志, 2011,6(4): 207-211
11. 祝藩原, 张雷, 朱有华, 王立明. 肾移植术后隐球菌性脑膜炎合并肺炎1例并文献复习[J]. 中国真菌学杂志, 2011,6(4): 212-215
12. 雷文知, 杨雅骊, 刘晓刚, 都琳, 陈裕充, 陈江汉, 顾菊林, 温海. 腰椎置管治疗隐球菌性脑膜炎4例并文献复习[J]. 中国真菌学杂志, 2011,6(4): 216-219
13. 孙继梅, 王艳玲, 周秀珍, 郑伟, 张智洁, 刘勇. 新生隐球菌感染12例临床特点及实验室检测的回顾性分析[J]. 中国真菌学杂志, 2011,6(3): 154-157
14. 廖勇, 杨蓉娅. 伏立康唑治疗隐球菌病的研究进展[J]. 中国真菌学杂志, 2011,6(3): 180-185
15. 李平, 温海. 隐球菌病的诊治进展[J]. 中国真菌学杂志, 2011,6(3): 186-189