



PRINT

AT THE FOREFRONT OF MEDICINE

About Us

Newsroom

2014 Press Releases

2013 Press Releases

2012 Press Releases

2011 Press Releases

Archive of Press Releases

Media Resource Directory

Publications

Patient Stories

Nurses In the News

Feature Archive

Specialties and Departments

Find a Physician

Request an Appointment

Patient and Visitor Information

Online Library

Clinical Trials

Classes and Events

For Medical Professionals

Johs



A single gene, doublesex, controls wing mimicry in butterflies

Home > About Us > Newsroom > 2014 Press Releases >

March 5, 2014

A single gene regulates the complex wing patterns, colors and structures required for mimicry in swallowtail butterflies, report scientists from the University of Chicago, March 5 in *Nature*. Surprisingly, the gene described, *doublesex*, is already well-known for its critical role in sexual differentiation in insects.

"Conventional wisdom says that it should be multiple genes working together to control the whole wing pattern of a butterfly," said Marcus Kronforst, Neubauer Family Assistant Professor of Ecology & Evolution at the University of Chicago and senior author of the study. "But in this case, it's just this one. This single gene that controls sexual differentiation has been co-opted to do a totally new job."

Studied as an example of natural selection for centuries, wing pattern mimicry in butterflies enables non-toxic species to mimic the pattern, color and shape of a toxic species' wings to deter predation. A single region of the genome regulates this process in some swallowtail butterflies. Due to the complexity of forms involved with mimicry, researchers have assumed this region contained a "supergene" -- multiple tightly-linked genes, each controlling a subset of the wing pattern. However, little was known about this hypothesized mimicry supergene.

To identify its function, Kronforst and his team studied *Papilio polytes*, an Asian swallowtail butterfly species that displays sex-limited mimicry. Females possess one of four different wing patterns, three of which mimic toxic species, while the remaining female form and all males remain non-mimetic.

Through a genetic mapping process that involved mating butterflies of differing wing patterns and comparing the genomes of around 500 offspring, the team identified five possible genes involved in mimicry. They then sequenced the genomes of 30 butterflies, evenly split between mimetic and non-mimetic, and looked for correlations between these specific genes and wing pattern.

To their surprise, only one, *doublesex*, showed an association. Well established as a gene that controls sexual differentiation in insects, *doublesex* functions through alternative splicing. When copied into messenger RNA, it is cut and rearranged into different isoforms, which then go on to instruct cells whether they should be male or female.

Kronforst and his team found that *doublesex* is also alternatively spliced into multiple isoforms in *Papilio polytes*. Two in particular were expressed at extremely high levels in the wings of mimetic butterflies when compared to non-mimetic females. Tracing the *doublesex* protein from caterpillar to chrysalis to butterfly, the team found expression of *doublesex* overlaps exactly with wing pattern.

"When you look at the wing tissue in a chrysalis five days after it forms the pupa, it's just a floppy piece of white tissue," Kronforst said. "But when you look at where *doublesex* is being manufactured on the wing, it looks just like the future adult wing pattern."

Related Links

EMAIL

- » Marcus Kronforst
- » Nature

Social Media

- » Twitter
- » Facebook
- » Science Life Blog
- » YouTube

Press Contact

Kevin Jiang

(773) 795-5227

kevin.jiang@uchospitals.edu

How one gene controls so many different functions remains unclear. Kronforst suggests that noncoding, regulatory DNA that controls when and where *doublesex* is expressed may play a role. The team also found that in mimetic butterflies, the *doublesex* gene is inverted on the genome. This inversion eliminates the possibility of recombination -- alleles will remain distinct from each other and accumulate differing mutations. This has led to structural differences in the *doublesex* protein between mimetic and non-mimetic butterflies. Because *doublesex* is a transcription factor and activates other genes, the researchers believe these differences may also contribute to wing pattern variation.

"We've illustrated the genetic basis of female-limited mimicry in these butterflies," said Wei Zhang, PhD, postdoctoral fellow at the University of Chicago and a lead study author. "But this is just the first step. How doublesex became involved in this process is still uncertain, and requires further study."

Study lead author Krushnamegh Kunte, PhD, of the National Center for Biological Sciences in Bengaluru, India, and a former postdoctoral fellow in the Kronforst lab, anticipates future research will determine if this type of phenomenon will be found in other species. "Across animal species, we find examples where polymorphisms occur in one sex or the other," he said. "We're studying it in the context of mimicry, but it's possible that this sex differentiation pathway that we found in butterflies could be a pathway that's more broadly important for sex-limited polymorphism."

The paper, "doublesex is a mimicry supergene," was supported by the National Science Foundation. Additional authors include Ayse Tenger-Trolander, Daniela H. Palmer, Arnaud Martin, Robert D. Reed and Sean P. Mullen.

The University of Chicago Medicine

Communications 950 E. 61st Street, Third Floor Chicago, IL 60637 Phone (773) 702-0025 Fax (773) 702-3171

PATIENTS & VISITORS

Request an Appointment Find a Physician Off-Site Clinic Locations Directions & Maps Visitation Guidelines

Medical Records Requests
Pay Your Bill

Financial Assistance Patient Relations

International Patients
Quality
JCAHO Public Notice

SPECIALTIES & DEPARTMENTS

Cancer Care
Gastrointestinal Disorders
Heart Care
Neurosciences
Pediatrics
Surgery
More Specialties

Online Health Library Informacion en Espanol

MEDICAL PROFESSIONALS

Refer a Patient
Contact a Department
Graduate Medical Education
Continuing Medical Education
Grand Rounds & Events Calendar
Nursing Careers

RELATED SITES

Pritzker School of Medicine
Biological Sciences Division
University of Chicago
Bucksbaum Institute for Clinical Excellence

NEWS & COMMUNITY

Newsroom Science Life Blog Patient Stories Publications Community Benefits Make a Gift Volunteer







 $\hbox{@\,}2014$ The University of Chicago Medical Center. All rights reserved.

The University of Chicago Medicine 5841 S. Maryland Avenue Chicago, IL 60637 | 773-702-1000

Appointments: Call UCM Connect at 1-888-824-0200

| Contact Us | Privacy Practices | Legal Disclaimer | Site Map | Employee Login