

Science News

from research organizations

Crops: Mixed cultures for a greater yield

Date: June 24, 2021

Source: ETH Zurich

Summary: What holds true for meadows would seem to apply to arable land, too: mixed cultures are more fruitful than monocultures.

Share: [!\[\]\(17413706fd4997a1a4bdf85c6864eee1_img.jpg\)](#) [!\[\]\(f419710cbe076aa30a9c6c031b5cbe84_img.jpg\)](#) [!\[\]\(2726020a4107bdc9042b257034f90eb3_img.jpg\)](#) [!\[\]\(9459655bf14a84f4d775e8d814cca8c9_img.jpg\)](#) [!\[\]\(de47dbdca34225b222a4a87ac0e499b3_img.jpg\)](#)

FULL STORY

Monocultures dominate arable land today, with vast areas given over to single elite varieties that promise a high yield. But planting arable land with just one type of crop has its disadvantages: these areas are easy game for fungal and insect pests, posing a threat to crops. To keep pests at bay, farmers are having to use resistant varieties and various pesticides.

Mixed cultures present a potential alternative to monocultures. Rather than having large expanses of land planted with just one species or variety, several species or varieties are sown alongside each other. However, as little research has been done into this method, especially from an agricultural perspective, mixed cultures are rare in arable farming.

A team led by ETH Zurich Professor Christian Schöb has now revealed that mixed cultures actually produce a much higher yield than monocultures in arable farming. Their study was recently published in the journal *Nature Plants*.

Applying an ecological principle

Mixed cultures draw on the ecological principle that ecosystems are able to perform their functions more effectively where there is greater biodiversity. These functions include regulating water balance, maintaining soil fertility and increasing plant productivity.

This also goes for agricultural ecosystems: "Research into agriculturally used meadows has shown that areas with a larger mix of plants are more productive than those with just one or a few species," Schöb says.

Until now, barely any comparable studies had focused on arable farming. That is why, together with his colleagues, Schöb set out to investigate whether this basic ecological mechanism would also have a bearing on arable land, specifically with regard to yield.

The researchers created two test gardens: one in Switzerland, on the University of Zurich's Irchel campus, and the other in the Spanish province of Extremadura. The latter has a much drier and warmer climate than Zurich, allowing the researchers to examine how the crops grow under potential future climate conditions.

Greater yield from mixing just two crops

In their experiment, the researchers tested mixtures of two or four different crops chosen from eight selected species comprising wheat, oat, quinoa, lentil, lupin, flax and false flax (an oilseed similar to rapeseed) as well as coriander. Only the seeds of the different species were used. The plants were sown 12 centimetres apart in alternating, parallel rows.

The researchers compared the seed mass from the mixed-culture crops with those from monocultures. They also measured plants' biomass based on their growth above ground.

The result speaks for itself: compared to monoculture farming, even a mixture of two species increased yield by 3 percent in Spain and 21 percent in Switzerland. Where the researchers had sown four species alongside each other, the yield increase was as high as 13 and 44 percent in Spain and Switzerland respectively.

The researchers explained that this additional yield primarily comes down to the biodiversity effect: a greater variety of plants results in a better use of available resources and more effective, natural pest control -- the experiments were conducted without pesticides.

Plants put a lot of energy into leaves and stems

The researchers also noted, however, that the plants in mixed cultures developed more leaves or stems than in monocultures. In other words, the plants invested more energy and matter in producing vegetative biomass and proportionally less into producing seeds. Schöb explained that the plants were having to make a compromise: the more effort they put into vegetative biomass, the less they have for seeds. "Despite this, the plants still produced more seeds on balance than in a monoculture," says the agricultural researcher.

He attributed the fact that the plants invested more energy in creating vegetative biomass to the varieties used in the experiments. "The seeds are bred specifically for monocultures. This means the plants are designed to perform best when they grow among other plants of the same variety."

Schöb deems it likely that the potential for extra yield is even greater with seeds suited to mixed cultures.

Over time, people have changed most crops to produce larger fruit and higher yield under monoculture conditions. The tomatoes grown today are gigantic compared with their wild counterparts, which have fruit the size of blueberries. In order to get the best yield possible from plants grown in mixed cultures, current breeding methods -- targeting cultivation in monocultures -- have to be adjusted slightly.

Sowing the right seeds

As things stand, no seeds are produced or marketed specifically for use in mixed cultures. The researchers are therefore busy harvesting and testing seeds from their own experiments. "We want to repeat our experiments using these self-produced seeds so we can test whether selection in a mixed culture literally does bear fruit," Schöb says.

A change in agricultural practice is, however, required if mixed cultures are to gain ground. Among other things, machines need to be able to harvest different crops at the same time and also separate the different harvest products. "These machines exist, but they are few and far between, not to mention expensive. There is simply too little demand for them at present," Schöb says. Together with optimised seeds and the right machines, mixed cultures will present farmers with a real opportunity for the future.

Story Source:

Materials provided by **ETH Zurich**. Original written by Peter Rüegg. *Note: Content may be edited for style and length.*

Journal Reference:

1. Jianguo Chen, Nadine Engbersen, Laura Stefan, Bernhard Schmid, Hang Sun, Christian Schöb. **Diversity increases yield but reduces harvest index in crop mixtures**. *Nature Plants*, 2021; DOI: 10.1038/s41477-021-00948-4

Cite This Page:

MLA

APA

Chicago

ETH Zurich. "Crops: Mixed cultures for a greater yield." ScienceDaily. ScienceDaily, 24 June 2021. <www.sciencedaily.com/releases/2021/06/210624114507.htm>.

RELATED STORIES

Improved Functioning of Diverse Landscape Mosaics

Jan. 9, 2020 — It is well-established that biodiverse ecosystems generally function better than monocultures. Ecologists have now shown that the same is true on a larger scale: Having a mix of different land-covers ...

Cover the U.S. In 89 Percent Trees, or Go Solar

Sep. 7, 2018 — Researchers found that using bio-sequestration to capture carbon produced by US coal-fired plants even after carbon capture and storage would require using 62 percent of the nation's arable land for ...

Mixed Forests: Ecologically and Economically Superior

May 9, 2018 — Mixed forests are more productive than monocultures. This is true on all five continents, and particularly in regions with high precipitation. These findings are highly relevant for forest science ...

Climate Change: Biodiversity Rescues Biodiversity in a Warmer World

July 14, 2017 — Climate change leads to loss of biodiversity worldwide. However, ecosystems with a higher biodiversity in the first place might be less affected a new study. Scientists found that when they ...

FROM AROUND THE WEB

ScienceDaily shares links with sites in the TrendMD network and earns revenue from third-party advertisers, where indicated.

Free Subscriptions

Get the latest science news with ScienceDaily's free email newsletters, updated daily and weekly. Or view hourly updated newsfeeds in your RSS reader:

 Email Newsletters

 RSS Feeds

Follow Us

Keep up to date with the latest news from ScienceDaily via social networks:

 Facebook

 [Twitter](#)

 [LinkedIn](#)

Have Feedback?

Tell us what you think of ScienceDaily -- we welcome both positive and negative comments. Have any problems using the site? Questions?

 [Leave Feedback](#)

 [Contact Us](#)

[About This Site](#) | [Staff](#) | [Reviews](#) | [Contribute](#) | [Advertise](#) | [Privacy Policy](#) | [Editorial Policy](#) | [Terms of Use](#)

Copyright 2021 ScienceDaily or by other parties, where indicated. All rights controlled by their respective owners. Content on this website is for information only. It is not intended to provide medical or other professional advice. Views expressed here do not necessarily reflect those of ScienceDaily, its staff, its contributors, or its partners.

Financial support for ScienceDaily comes from advertisements and referral programs, where indicated.

— [CCPA: Do Not Sell My Information](#) — — [GDPR: Privacy Settings](#) —