

%PDF-1.2 %ääÖ 118 0 obj << /Linearized 1 /O 121 /H [1803 649] /L 106202 /E 45281 /N 5 /T 103723 >> endobj xref 118 63 0000000016 00000 n
0000001611 00000 n 0000001762 00000 n 0000002452 00000 n 0000002795 00000 n 0000002861 00000 n 0000003031 00000 n 0000003124 00000 n
0000003215 00000 n 0000003326 00000 n 0000003440 00000 n 0000003557 00000 n 0000003678 00000 n 0000003795 00000 n 0000003910 00000 n
0000004027 00000 n 0000004144 00000 n 0000004259 00000 n 0000004376 00000 n 0000004493 00000 n 0000004610 00000 n 0000004727 00000 n
0000004845 00000 n 0000004962 00000 n 0000005130 00000 n 0000005367 00000 n 0000006198 00000 n 0000006895 00000 n 0000007342 00000 n
0000007906 00000 n 0000007963 00000 n 0000007985 00000 n 0000008307 00000 n 0000008984 00000 n 0000009165 00000 n 0000010099 00000 n
0000010121 00000 n 0000011022 00000 n 0000011044 00000 n 0000011966 00000 n 0000011988 00000 n 0000012280 00000 n 0000012472 00000 n
0000012537 00000 n 0000012849 00000 n 0000013084 00000 n 0000013895 00000 n 0000013917 00000 n 0000014840 00000 n 0000014862 00000 n
0000015761 00000 n 0000015783 00000 n 0000016671 00000 n 0000016693 00000 n 0000017511 00000 n 0000017590 00000 n 0000023350 00000 n
0000028068 00000 n 0000030779 00000 n 0000031617 00000 n 0000042027 00000 n 0000001803 00000 n 0000002430 00000 n trailer << /Size
181 /Info 116 0 R /Root 119 0 R /Prev 103712 /ID[] >> startxref 0 % % EOF 119 0 obj << /Type /Catalog /Pages 117 0 R /Outlines 122 0 R /Names 120 0
R /OpenAction [121 0 R /FitH 803] /PageMode /UseOutlines >> endobj 120 0 obj << /Dests 115 0 R >> endobj 179 0 obj << /S 306 /T 532 /O 579 /E
595 /Filter /FlateDecode /Length 180 0 R >> stream H%ob`f`çf c`äÈë@ ; Ç f † R²Ö I2q Þ³òL P SÈi²-a'Ö<=<Ç eã''Y9S±~ü if-
µÜ ðliçªÖ‡U7Îv{6ÖÖÍ}«<=Üw,ðé;g<ÓæeW ^lœ4ás^#ÜY¼>[núe{36n;—ÖI{¼ýròÄ<çSâëNMñëÖ·?·ñZ«Ezýú=Íš ¼y9é8~œAij:33]
|<:ÐœÈ iii "R". ` %BJ `ll— R ý • £f*• ¶ âl^ + Ó U wF Ö â
ñE→ Á â kX^ Q \$ â TÛ ÝA`As ;ß ‡ ¬ ¼ ° Y ø ¬ üYn°0,7~°0 p=ÐI°• ù• » f < ³,3zX # TM ± < H³, fw ^ È,20¶Ía§ ¹Æ•ç
@,U K€P 62 ÄÅØ© æEⓂ m!; endstream endobj 180 0 obj 519 endobj 121 0 obj << /Type /Page /Parent 117 0 R /Resources 142 0
R /Contents [152 0 R 154 0 R 156 0 R 163 0 R 165 0 R 167 0 R 169 0 R 176 0 R] /Annots [130 0 R 131 0 R 132 0 R 133 0 R 134 0 R 135 0 R 136 0 R
137 0 R 138 0 R 139 0 R 140 0 R 141 0 R] /Thumb 75 0 R /MediaBox [0 0 612 842] /CropBox [0 0 612 842] /Rotate 0 >> endobj 122 0 obj << /Count
7 /First 123 0 R /Last 123 0 R >> endobj 123 0 obj << /Title (Meshfree boundary particle method applied to Helmholtz problems) /Dest (head1) /Parent 122 0
R /First 124 0 R /Last 125 0 R /Count 6 >> endobj 124 0 obj << /Title (Introduction) /Dest (head2) /Parent 123 0 R /Next 129 0 R >> endobj 125 0 obj
<< /Title (References) /Dest (head7) /Parent 123 0 R /Prev 126 0 R >> endobj 126 0 obj << /Title (Acknowledgments) /Dest (head6) /Parent 123 0 R /Prev
127 0 R /Next 125 0 R >> endobj 127 0 obj << /Title (Concluding remarks) /Dest (head5) /Parent 123 0 R /Prev 128 0 R /Next 126 0 R >> endobj 128 0 obj
<< /Title (Numerical experiments) /Dest (head4) /Parent 123 0 R /Prev 129 0 R /Next 127 0 R >> endobj 129 0 obj << /Title (Boundary particle methods) /Dest
(head3) /Parent 123 0 R /Prev 124 0 R /Next 128 0 R >> endobj 130 0 obj << /Dest (bmkbib1) /Type /Annot /Subtype /Link /Rect [150 319 169
329] /Border [0 0 0] >> endobj 131 0 obj << /Dest (bmkbib3) /Type /Annot /Subtype /Link /Rect [70 211 81 221] /Border [0 0 0] >> endobj 132 0 obj
<< /Dest (bmkbib2) /Type /Annot /Subtype /Link /Rect [268 211 279 221] /Border [0 0 0] >> endobj 133 0 obj << /Dest
(bmkbib1) /Type /Annot /Subtype /Link /Rect [259 187 277 197] /Border [0 0 0] >> endobj 134 0 obj << /Dest
(bmkbib5) /Type /Annot /Subtype /Link /Rect [76 163 95 173] /Border [0 0 0] >> endobj 135 0 obj << /Dest (bmkbib7) /Type /Annot /Subtype /Link /Rect
[362 332 374 342] /Border [0 0 0] >> endobj 136 0 obj << /Dest (bmkbib8) /Type /Annot /Subtype /Link /Rect [343 260 355 270] /Border [0 0 0] >>
endobj 137 0 obj << /Dest (bmkbib9) /Type /Annot /Subtype /Link /Rect [534 200 545 210] /Border [0 0 0] >> endobj 138 0 obj << /Dest
(bmkbib9) /Type /Annot /Subtype /Link /Rect [306 188 319 198] /Border [0 0 0] >> endobj 139 0 obj << /Dest
(bmkbib11) /Type /Annot /Subtype /Link /Rect [461 104 513 114] /Border [0 0 0] >> endobj 140 0 obj << /Dest
(bmkbib13) /Type /Annot /Subtype /Link /Rect [474 92 491 102] /Border [0 0 0] >> endobj 141 0 obj << /A << /S /URI /URI
(http://www.elsevier.com/locate/enganabound)>> /Type /Annot /Subtype /Link /Rect [419 674 545 682] /Border [0 0 0] >> endobj 142 0 obj << /ProcSet
[/PDF /Text /ImageB] /Font << /F1 143 0 R /F2 144 0 R /F3 150 0 R /F4 159 0 R >> /XObject << /Im1 177 0 R /Im2 178 0 R >> /ExtGState << /GS1 172
0 R >> /ColorSpace << /Cs5 151 0 R /Cs9 147 0 R >> >> endobj 143 0 obj << /Type /Font /Subtype /Type1 /FirstChar 32 /LastChar 245 /Widths [250 333
406 500 500 833 781 177 333 333 500 562 250 333 250 281 500 500 500 500 500 500 500 500 500 500 500 281 281 562 562 562 447 916 718 666 666 718
614 552 718 718 333 385 718 614 885 718 718 552 718 666 552 614 718 718 947 718 718 614 333 281 333 468 500 333 447 500 447 500 447 333 500
500 281 281 500 281 781 500 500 500 500 333 385 281 500 500 718 500 500 447 479 197 479 541 0
0 0 0 0 0 500 500 0 0 0 0 0 0 333 0 0 0 562 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 250 0 0 0 0 500 1000 0 0 333 0 0 0 0 0 0 552
552 0 0 0 0 0 0 0 0 0 0 0 0 0 0 281] /Encoding /MacRomanEncoding /BaseFont /IIOJEM+AdvPS6F00 /FontDescriptor 146 0 R >> endobj 144
0 obj << /Type /Font /Subtype /Type1 /FirstChar 32 /LastChar 183 /Widths [250 333 416 500 500 833 781 218 333 333 500 677 250 333 250 281 500 500
500 500 500 500 500 500 333 333 677 677 677 500 916 614 614 666 718 614 614 718 718 333 447 666 552 833 666 718 614 718 614 500 552
718 614 833 614 552 552 385 281 385 427 500 333 500 500 447 500 447 281 500 500 281 281 447 281 718 500 500 500 500 385 385 281 500 447 666
447 447 385 395 270 395 541 0 0 0 0 0 885 0 0 0 0 0 0 0 0 0 0 0 500 0 0 0 0 0 0 250 0 500 500 0 0 0 0 0 0 333 0 0 0 677 0 0 0 0
250] /Encoding /WinAnsiEncoding /BaseFont /IIOJEO+AdvPS6F0B /FontDescriptor 145 0 R >> endobj 145 0 obj << /Type /FontDescriptor /Ascent
683 /CapHeight 653 /Descent -205 /Flags 34 /FontBBox [-166 -208 1010 729] /FontName /IIOJEO+AdvPS6F0B /ItalicAngle 0 /StemV 0 /XHeight
441 /CharSet (/parenleft/R/o/four/E/S/parenright/T/five/g/B/r/six/b/C/s/a/W/c/seven/l\ comma/t/eight/e/hyphen/u/f/period/colon/h/P/J/w/slash/d/endash/i/L/ellip\
sis/y/N/zero/j/M/n/one/k/A/O/two/m/x/Q/periodcentered/three/K) /FontFile3 174 0 R >> endobj 146 0 obj << /Type /FontDescriptor /Ascent 683 /CapHeight
662 /Descent -217 /Flags 34 /FontBBox [-166 -208 1000 729] /FontName /IIOJEM+AdvPS6F00 /ItalicAngle 0 /StemV 0 /XHeight 450 /CharSet
(/one/s/D/a/bracketright/two/t/G/three/u/H/numbersign/N/l/x/E/four/v/J/F\ five/w/L/emdash/six/d/y/b/M/seven/z/c/O/braceleft/eight/dotlessi/quoter\
ight/e/parenleft/nine/R/f/i/braceright/colon/S/parenright/h/fl/semicolon\ /u/i/endash/g/v/J/W/K/k/comma/l/m/hyphen/o/period/p/n/P/at/slash/q/T/br\
acketleft/dieresis/B/zero/r/A/C) /FontFile3 173 0 R >> endobj 147 0 obj [/Separation /Noir 151 0 R 171 0 R] endobj 148 0 obj 854 endobj 149 0 obj
<< /Type /FontDescriptor /Ascent 676 /CapHeight 676 /Descent -205 /Flags 34 /FontBBox [-166 -208 1000
750] /FontName /IIOJGA+AdvPS6F01 /ItalicAngle 0 /StemV 0 /XHeight 461 /CharSet
(/d/c/R/l/y/N/p/four/e/n/f/l/period/r/h/s/a/i/t/u/one/A/k/g/B/two/m/b/x/C\ /w/three/o) /FontFile3 175 0 R >> endobj 150 0 obj
<< /Type /Font /Subtype /Type1 /FirstChar 32 /LastChar 177 /Widths [250 333 552 500 500 1000 833 281 333 333 500 572 250 333 250 281 500 500 500
500 500 500 500 500 333 333 572 572 572 500 927 718 666 718 718 666 614 781 781 385 500 781 666 947 718 781 614 781 718 552 666 718
718 1000 718 718 666 333 281 333 583 500 333 500 552 447 552 447 333 500 552 281 333 552 281 833 552 500 552 552 447 385 333 552 500 718
500 500 447 395 218 395 520 500 500 0 0 0 0 0 0 0 0 0 0
572] /Encoding /WinAnsiEncoding /BaseFont /IIOJGA+AdvPS6F01 /FontDescriptor 149 0 R >> endobj 151 0 obj [/CaRGB << /WhitePoint [0.9505 1
1.089] /Gamma [2.22221 2.22221 2.22221] /Matrix [0.4124 0.2126 0.0193 0.3576 0.71519 0.1192 0.1805 0.0722 0.9505] >>] endobj 152 0 obj
<< /Filter /FlateDecode /Length 148 0 R >> stream H%odTMÜ6 ½ëWèH 1W\$EQDOqš »m°+ ‡\$ ZiWjdr;älÝ_ß RônP °‡ä¼àuxòÆ&>yŕ-
7ÇEUTªi ø-vÅ`d-Î+@™ 7š iæóv ÐÓªæÄ È §-È> ¿z/ãlNÝIX>ÜŠBPAöpi &|ÖY`Ñ,.,o‡ã`· ·:Ä £%1ã8ó6 ªEi“ÀEG;œ6[I+Òuàþ7]Wd ~?
ØÓüÖÈ § Z 2 ²KI@ Èt-r© •Zkià ù<| CÈ¼i- è>:\-Ẑ ŸŸ í ØÖü•D”@ et©£fÜ x { TM İw@ð?|x2—ÿäe|œVu|ç|Fur† ßæ w`~iP¶¶ÿ%o

9K... DNuA... 0 ...

n 0000094782 00000 n 0000095083 00000 n 0000095248 00000 n 0000095634 00000 n 0000095718 00000 n 0000096025 00000 n 0000096089 00000
n 0000096379 00000 n 0000096451 00000 n 0000096741 00000 n 0000097417 00000 n 0000097438 00000 n 0000098282 00000 n 0000098303 00000
n 0000099184 00000 n 0000099205 00000 n 0000099928 00000 n 0000099949 00000 n 0000100624 00000 n 0000100645 00000 n 0000100666 00000
n 0000101242 00000 n 0000101295 00000 n 0000101355 00000 n 0000101415 00000 n 0000101473 00000 n 0000101532 00000 n 0000101591 00000
n 0000101650 00000 n 0000101711 00000 n 0000101770 00000 n 0000101829 00000 n 0000101889 00000 n 0000101949 00000 n 0000102009 00000
n 0000102070 00000 n 0000102131 00000 n 0000102192 00000 n 0000102253 00000 n 0000102314 00000 n 0000102376 00000 n 0000102438 00000
n 0000102500 00000 n 0000102562 00000 n 0000102624 00000 n 0000102686 00000 n 0000102748 00000 n 0000102810 00000 n 0000102872 00000
n 0000103368 00000 n 0000103412 00000 n 0000103618 00000 n trailer << /Size 118 /ID[] >> startxref 173 %%EOF