

[Login](#)

[首页](#)

[实验室简介](#)

[学术队伍](#)

[学术交流](#)

[科学研究](#)

[人才培养](#)

[科研设备](#)

[开放课题](#)

[下载区](#)

[实验室概况](#)

[组织机构](#)

- [学术委员会](#)
- [实验室领导班子](#)

[师资队伍](#)

- [教授](#)
- [副教授](#)
- [讲师](#)
- [实验系列](#)
- [工人系列](#)
- [行政系列](#)

[客座教授](#)

[研究成果](#)

[承担课题](#)

[获奖成果](#)
[发表专利](#)

[本科生培养](#)
[硕士生培养](#)
[博士生培养](#)
[博士后培养](#)

[ATM实验室首页](#)
/
[科学研究](#)
/
[研究成果](#)
/
ATM实验室发表论文（2009年）

最新公告

[ATM实验室网站](#)
[试运行！](#)

选择语言

[English](#) [中文](#)
[网站统计](#)

访客

185

友情链接列表

9

文章查看点击

91223

站点导航

[首页](#)

[实验室简介](#)

[学术队伍](#)

[学术交流](#)

[科学](#)

- [研究成果](#)
- [承担课题](#)
- [获奖成果](#)
- [发表专利](#)

[人才培养](#)

[科研设备](#)

[开放课题](#)

[下载区](#)

友情链接

[中国教育部](#)

[中国科学技术部](#)

[国家自然科学基金委](#)

[东北大学](#)

[东北大学材料与冶金](#)

ATM实验室发表论文（200



详细资料

分类: [研究成果](#)

最后更新于 2012年9月01日 星期六 16:21

作者: Super User

点击数: 697

序号	论文题目	作者
1	Deformation crossover: from nano- to mesoscale	S. Cheng, A Stoica, X.L. Wang, Y. Re J. Almer, J Horton, C.T Liu, B. Clau D.W. Brown P.K. Liaw, I Zuo
2	Tailoring size and structural distortion of Fe ₃ O ₄ nanoparticles for the	Y.F. Shen, J Tang, Z.H. Nie, Y.D. W

	purification of contaminated water	Y. Ren, L. Z.
3	Morphology-dependent crystallization and luminescence behavior of $(\text{Y, Eu})_2\text{O}_3$ red phosphors	Q. Zhu, J.G. X.D. Li, X.D. Sun
4	An in situ high-energy X-ray diffraction study of micromechanical behavior of multiple phases in advanced high-strength steels	N. Jia, Z.H. Cong, X. Su Cheng, Z.H. Nie, Y. Ren, P.K. Liaw, Y. Wang
5	Development of ultra-high density magnetic recording media: materials issues and challenges	G.W. Qin, Y. Ren, N. Xia Yang, L. Zu K. Oikawa
6	Facile synthesis under near-atmospheric conditions and physicochemical properties of hairy CeO_2 nanocrystallines	X.D. Li, J.G. D. Huo, Z.M. Xiu, X.D. Su
7	Determination of surface crystallography of faceted nanoparticles using transmission electron microscopy imaging and diffraction modes	S. Li, Y.D. Zhang, C. Esling, J. Muller, J. Lecomte, G. Qin, X. Zhao Zuo
8	Evidence for preferential rearrangements of martensite variants by magnetic field in antiferromagnetic CoO crystal	Z.H. Nie, Y. Ren, Y.D. Wang, D.E. Brown, T. Kakeshita
9	Experimental study of the miscibility gap and calculation of the spinodal curves of the Au-Pt system	X.N. Xu, G. Qin, Y.P. Re B. Shen, W. Pei

10	The (a_1+a_2) miscibility gap of the Al-Zn-Cu system at 360°C	Y.P. Ren, G.Qin, W.L. P.S.M. Hao
11	Evaluation of thermal fatigue damage of 200 nm-thick Au interconnect lines	M. Wang, B.Zhang, G.P.Zhang, C.S.
12	Evaluation of crack-initiation strain of Cu-Ni multilayer on a flexible substrate	X.F. Zhu, B.Zhang, J. G.G.P. Zhang
13	Synthesis of dispersed anatase microspheres of hierarchical structures via homogeneous precipitation	S.H. Liu, X.Sun, J.G. Li, X.D. Li, Z.M.Xiu, D. Huo
14	Preparation and application of magnetic Fe_3O_4 nanoparticles for wastewater purification	Y.F. Shen, J.Tang, Z.H. Li, Y.D. Wang, J.Ren, L. Zuo
15	Tuning interlayer coupling and domain structure in $[Co/Pd]_nCo/Ru[Co/Pd(x)]_m$ multilayer by controlling the thickness x of the weak-ferromagnetic Pd layers in the lower Co/Pd multilayer	Y. Fu, S. Ishii, T. Wang, T. Pei, T. Hasegawa, T. Yamane, H. Saito
16	Temperature dependent luminescence of yellow-emitting alpha-sialon: Eu^{2+} Oxynitride phosphors for white light-emitting diodes	L.H. Liu, R. Xie, N. Hirosaki, T. Takeda, J. Li, X.D. Sun
17	Microwave synthesis of homogeneous YAG nanopowder leading to a transparent ceramic	J.Q. Wang, Zheng, R. Z. S.X. Dou, J. Sun
18	Capping groups induced size and shape evolution of magnetite particles under hydrothermal condition and their magnetic	S. Li, G.W. Chen, W. Pei, Y. Ren, L. Zuo

properties		
19	Transparent Nd:YAG ceramics fabricated using nano-sized gamma-alumina and yttria powders	X.D. Li, J.G. Z.M. Xiu, D. Huo, X.D. S.
20	Magnetic anisotropy of epitaxially grown Co and its alloy thin films	J.J. Wang, T. Sakurai, K. Oikawa, K. Ishida, N. Kikuchi, S. Okamoto, H. Sato, T. Shimatsu, C. Kitakami
21	Ferromagnetic ordering and weak spin-glass-like effect in Pr_2CuSi_3 and Nd_2CuSi_3	D.X. Li, X. Zhao, S. Ni
22	Origin on amorphization of Co-Mo magnetic thin films	G.W. Qin, E. Yang, N. Xi, Y.P. Ren, M. Jiang, X. Zhang, K. Oikawa
23	Alumina coating of ultrafine nanoporous gold at room temperature and their optical properties	L.H. Qian, W. Shen, B. Da, Shen, G.W.
24	Phase evolution and microstructure of high J_c SiC doped MgB_2 fabricated by hot pressing	B. Qu, X.D. Sun, J.G. Li, Z.M. Xiu, C. Xue
25	Significant improvement of critical current density in MgB_2 doped with ferromagnetic Fe_3O_4 nano-particles	B. Qu, X.D. Sun, J.G. Li, Z.M. Xiu, S. Liu, C.P. Xu
26	Synthesis and optical properties of $(\text{Gd}_{1-x}\text{Eu}_x)_2\text{O}_2\text{SO}_4$ nano-	J.B. Lian, X. Sun, Z.G. Li

	phosphors by a novel co-precipitation method	J.Y. Yu, X.D. Li
27	Texture characteristics controlled by single slip plane slipping in the warm-rolled Fe-14Mn-5Si-9Cr-5Ni shape memory alloy	H. Li, F. Yir Sawaguchi, Zhao, K. Tsuzaki
28	A two-step hydrothermal synthesis approach to monodispersed colloidal carbon spheres	C.Y. Chen, X. Sun, X.C. Ji, D. Niu, A.B. Yu, Z.G. Liu, J.G. Li
29	The Al-doping contents dependence of the crystal growth and energy band structure in Al:ZnO thin films	J.H. Wang, Meng, Y. Qi, M.L. Li, G.M. Shi, M.L. I
30	Mechanism of formation of aligned two-phase microstructure in high magnetic field gradients	K. Wang, Q.Wang, C.. Wang, Y. Yu, C.M. Liu, J. He
31	TEM observation of the restrained Goss-Brass orientation transformation in a warm-rolled Fe-28Mn-6Si-5Cr shape memory alloy	H. Li, F. Yir Sawaguchi, Ogawa, X. Zhao, K. Tsuzaki
32	Identification of true glass transitions in an Al-based metallic glass using temperature modulated differential scanning calorimetry	H.W. Yang, W.P. Tong, Zhao, L. Zu, J.Q. Wang
33	The a-Mg solvus and isothermal section of Mg-rich corner in the Mg-Zn-Al ternary system at 320°C	Y.P. Ren, G. Qin, W.L. P. Y. Guo, H.D. Zhao, H.X. M. Jiang, S. Hao

34	Isothermal sections of the Mg-rich corner in the Mg-Sn-Y ternary system at 300 and 400 °C	H.D. Zhao, G.W. Qin, Y Ren, W.L. P Y. Guo
35	Isothermal section of the Mg-Al-Mn ternary system at 400 °C	Y.P. Ren, G Qin, W.L. P H.D. Zhao, Guo
36	Fracture characteristics of γ -TiAl alloy with high Nb content under cyclic loading	W.F. Cui, C Liu
37	Microstructures and properties of biomedical TiNbZrFe β -titanium alloy under aging conditions	W.F. Cui, A Guo
38	High temperature deformation behavior of $\alpha+\beta$ type biomedical titanium alloy Ti - 6Al - 7Nb	W.F. Cui, Z. A.H. Guo, L Zhou
39	Stress and strain partitioning of ferrite and martensite during deformation	Z.H. Cong, L Jia, X. Sun, Ren, J. Alm Y.D. Wang
40	Ni ₈₀ Fe ₂₀ permalloy nanoparticles: Wet chemical preparation, size control and their dynamic permeability characteristics when composited with Fe micron particles	G.W. Qin, V Pei, Y.P. Re Shimada, Y Endo, M. Yamaguchi, Okamoto, C Kitakami
41	Effect of TiB ₂ in situ synthesized on presintering process and reaction of B ₄ C and Al during fabricating B ₄ C-TiB ₂ -Al composite	P. Lv, X.Y. Y H.Q. Ru, L.
42	Effect of CaO and ZrO ₂ Co-substitution on dielectric	X.Y. Yue, R T. Goto, H.C

	properties of BaTi ₂ O ₅ prepared by arc melting	Ru
43	Grain growth in AZ31 Mg alloy during recrystallization at different temperatures by phase field simulation	M. Wang, B. Zong, G. Wang
44	Correlation of magnetic properties of Co/Cr bilayer thin films with grain boundary diffusion	G.W. Qin, E. Yang, W.L. Yang, Y.P. Ren
45	Effects of interface and grain boundary on the electrical resistivity of Cu/Ta multilayers	M. Wang, B. Zhang, Q.Y. C.S. Liu, G.J. Zhang
46	Preparation of Gd ₂ O ₂ S:Pr scintillation ceramics by pressureless reaction sintering method	J.B. Lian, X. Sun, T. Gao, Li, X.D. Li, Z.G. Liu
47	Texture evolution in heavily cold-rolled FeCo-2V alloy during annealing	J. Deng, Y.I. Yang, Y.D. Wang, J. Chen, R. Lin, Peng, C.C. Yuan
48	Preparation and microwave - absorbing properties of NiFe ₂ O ₄ -polystyrene composites	H.T. Zhao, J. Sun, C.H. Meng, J. Du
49	Effects of electric field treatment on corrosion behavior of a Ni-Cr-W-Mo superalloy	L.Wang, Y.I. S.Wang, X. Zhao
50	Dielectric properties of Ba _{1-x} Ca _x Ti ₂ O ₅ prepared by arc melting	X.Y. Yue, R. T. Goto
51	Homogeneous precipitation synthesis and magnetic properties of cobalt ferrite nanoparticles	Z.G. Liu, X. Li, Y.H. Len, J.B. Lian, S. Liu, Z.M. Xie

52	Determination of crystal structure and crystallographic characteristics in Ni-Mn-Ga ferromagnetic shape memory alloys	D.Y. Cong, Y. Zhang, C. Esling, Y.D. Wang, X. Zhao, L. Zuo
53	Modeling of mechanical behaviour and design of microstructure on particulate reinforced materials	B.Y. Zong, Y. Wang, J. Li, Xu
54	Effect of strain rate on the high-temperature compressive deformation behavior of ultrafine grained copper	X.W. Li, Q. Jiang, Y. Li, Wang
55	Solution treatments of plates of Al-6.2Zn-2.3Mg- 2.3Cu aluminum alloy	F.G. Cong, G. Zhao, N. Tian, N.K. Li, F.C. Wang, Z.X. Sun
56	Amorphous forming ability of Co-X (X=Cr, Mo, W) magnetic thin films	G.W. Qin, N. Xiao, B. Yang, Y.P. Ren, W. Pei, X. Zhao
57	Recent development on wrought Al-Si alloys based on direct chill casting	L. Zuo, F.X.
58	Partial phase relationships of Mg-Zn-Ce system at 350 °C	M.L. Huang, H.X. Li, H. Ding, Y.P. Fan, G.W. Qin, S.M. Hao
59	Corrosion action and passivation mechanism of magnesium alloy in fluoride solution	J.Z. Li, J.G. Huang, Y.W. Tian, C.S. Li
60	Solidification microstructure and	F.X. Yu, J.H.

	temperature field during direct chill casting of Al-16Si alloy	Pei, K.Z. He D.Z. Zhao, I. Zuo
61	Effect of phosphorus modification on the microstructure and mechanical properties of DC cast Al-17.5Si-4.5Cu-1Zn-0.7Mg-0.5Ni alloy	K.Z. He, F.X. Yu, D.Z. Zhao, L. Zuo
62	Characterization of dislocation structures in [111] copper single crystals using electron channelling contrast technique in SEM	X.W. Li, Y. Zhou, W.W. Guo, G.P. Zhang
63	Fabrication of continuous V-grooves with Si(110) sidewalls using TiO ₂ resist mask by anisotropic wet etching	X.M. Yu, B. Zhang, J. G. H.Z. Yang, Zhang, S.M. Shen, Y. Qi
64	Phase transformation of biomedical metastable β titanium alloy during aging	A.H. Guo, V. Cui, X.H. Li Zhou
65	Preparation and properties of TiN thin films by D.C. reactive magnetron sputtering	Y.Q. Shan, X. Gu, Y.X. Wang
66	Through-thickness texture variation in non-oriented electrical steel sheet produced by asymmetric rolling	P. Wei, Y.H. Sha, H.P. Yang, F. Zhang, L. Wang
67	Corrosion properties of magnetron sputtered Al-Mg alloy coatings on high-speed electro-galvanizing steel	X.L. Gu, Y.C. Shan, C.S. Li
68	Direct characterization of various deformation microstructures in metals by electron channeling contrast technique in SEM	X.W. Li

69	Solid reaction and microstructure of interface of 3D meshy SiCn/Cu composite	J.Y. Li, H.Q.
70	Laser surface alloying of NiCr- Cr_3C_2 and C-B-Cr powder on nodular cast iron rolls	G.F. Sun, C. Liu, J. Lian, J.H. Zhou, X. Tao
71	The correlation and spectrum research on cylindrical surface lapping machined with abrasive jet finishing restricted by grinding wheel	F. Liu, Y.D. Gong, Y.Q. Shan, G.Q.
72	Dielectric property of poly- and single-crystalline BaTi_2O_5 co-substituted with SrO and ZrO_2	X.Y. Yue, R. T. Goto
73	Microstructure control by magnetic field during thermo-treatment of metallic materials - a review	C. Esling, Y. Zhang, X. Z. L. Zuo
74	Grain elongation and texture in steels during austenitic decomposition under high magnetic field	C. Esling, Y. Zhang, X. Z. L. Zuo
75	Recent study on Pt nano-particles and nano-rods synthesized by wet chemical method and magnetic switching behaviors of CoPt patterned films	W. Pei, G.W. Qin, Y.P. Re, S. Ishio
76	Microstructure and tensile properties of as-extruded Mg-Sn-Y alloy	H.D. Zhao, G.W. Qin, Y. Ren, W.L. P. D. Chen, Y. Guo
77	Microstructures and tensile properties of Mg-Sn binary alloys after extrusion	D. Chen, Y.J. Ren, Y. Guo, W.L. Pei, H.

78	Study on microstructure and properties of laser cladding of TiB_x and TiC reinforced titanium composite coatings	J. Liang, F.I Liu, C.S. Liu S.Y. Chen, N Gao
79	SiC particulate reinforced iron matrix composites processed by specimen current heating hot press sintering	Y.M. Wang, B.Y. Zong, Y Yang, J. Li
80	A simulation of recrystallization on a magnesium alloy using phase field method for real time and size in industry scale	M.T. Wang, B.Y. Zong, Y Wu, X.G. Zi
81	Effect of Nb addition on magnetic properties and the microstructure of $Fe_3B/Nd_2Fe_{14}B$ nanocomposite permanent magnets	J.H. You, F. Lian
82	Effect of ingot microstructure on magnetic properties of $Nd_2Fe_{14}B/\alpha\text{-Fe}$ nanocomposite magnets	J.H. You, F. Lian
83	Effect of compaction parameters on magnetic and mechanical properties of Fe-Si-Al soft magnetic composite cores	Q.D. Li, J.H You, F.Z. Li Y.L. Chen
84	Study on crystallizing temperature and magnetic properties of (Nd,Dy)-Fe(Co,Cu)-B nanocomposite magnets	J.H. You, Q Li, F.Z. Liar
85	Failure analysis of 200 nm-thick gold interconnects induced by alternating current	G.P. Zhang, Wang, B. Zhang,

86	NiTi合金薄膜厚度对相变温度影响的X射线光电子能谱分析	李永华, 孟玲, 刘常升, 伟涛, 王煜
87	再结晶和外力场下第二相析出的相场法模拟	宗亚平, 王涛, 郭巍
88	$\alpha+\beta$ 型生物钛合金磁控溅射TiN涂层磨损性能	郭爱红, 崔芳, 刘向宏, 周廉
89	AlON粉体的合成	赵小军, 张宁, 茹红强
90	高温质子导体 $\text{Ba}_3\text{Ca}_{1.18}\text{Nb}_{1.82}\text{O}_9$ 的制备及表征	王东, 刘春明, 王常珍
91	Nb对非晶态Fe-Co-Nd-B合金的晶化动力学的影响	徐民, 易军, 全明秀, 沿东, 左良
92	粒子群算法对织构分析改进最大熵法的改进	王大鹏, 王志, 武保林, 左良, 王梁志德
93	相场法模拟AZ31镁合金再结晶晶粒长大	王明涛, 宗平, 王刚
94	磁场下电沉积制备CuCo颗粒膜的巨磁电阻效应	赵林, 樊占国, 杨中东, 高鹏, 秦高
95	三维网络SiCn/20Cr钢复合材料的界面固相反应及显微组织	茹红强, 里阳, 曲翔宇, 喻亮
96	冷速对钒微合金化钢形变诱导相变组织的影响	王凯, 虞海燕, 赫冀成, 春明
97	B4C-ZrB2-Al复合材料的真空熔渗法制备与性能分析	吕鹏, 岳新颖, 喻亮, 茹红强

98	碳钢表面激光熔覆镍基合金涂层及其高温磨损行为	臧辰峰, 赵飞, 张小彬, 常升
99	降低软磁FeSiAl磁粉芯损耗的研究	李庆达, 连增, 尤俊华, 玉兰
100	铝合金的钛锆膦酸盐复合膜的制备与性能	王双红, 刘升, 单凤君, 刘传海
101	氨基三甲叉膦酸对铝合金钛锆钝化膜性能的影响	王双红, 刘升, 刘传海
102	溶胶凝胶法合成含镁磷酸三钙生物陶瓷涂层	齐国超, 许君, 刘春明
103	纳米 Fe_3O_4 颗粒的制备及磁性能	申勇峰, 周芳, 王沿东, 左良
104	强磁场下奥氏体化保温时间对Fe-0.12%C合金珠光体的影响	宋建宇, 赵骥, 宫明龙, 左良
105	真空蒸发法制备CdS薄膜及其性能研究	单玉桥, 党朋, 于晓中, 连中
106	砂轮约束磨粒喷射加工表面的分形及摩擦特性研究	刘枫, 巩亚东, 单玉桥, 光起
107	三源共蒸法制备CIS薄膜及其性能研究	单玉桥, 党朋, 孙绍广, 连中
108	DZ40M合金再结晶形核的唯象行为	赵阳, 王磊, 于腾, 杨
109	铜合金表面添加SiC晶须的Ni-Cu激光熔覆层	董江, 刘芳, 陈岁元, 常升
110	氮离子束轰击对电弧离子镀TiN膜	吕树国, 刘

111	高速电镀锌的研究现状与发展方向	顾训雷, 单桥, 刘常升, 晓中
112	酸洗提高IF钢抗腐蚀性能的原因	谭勇, 孙杰, 安成强, 常升
113	长期时效对GH4586B合金组织及室温拉伸性能的影响	崔彤, 王维杰, 管仁国, 礼清, 赵光
114	硬质合金表面多弧离子镀(Ti,Al,Zr,Cr)N多元氮化物膜	赵时璐, 张钧, 刘常升
115	氮对冷轧辊材料组织及热处理的影响	吴琼, 孙大乐, 刘常升
116	激光诱导原位反应制备钛基复合涂层	梁京, 高明媛, 刘常升, 岁元, 赵倩
117	铜合金表面激光原位制备陶瓷颗粒增强钴基合金梯度涂层	陈岁元, 董江, 刘大亮, 常升
118	铜合金表面激光原位制备钴基合金涂层的结构与机制	董江, 陈岁元, 刘大亮, 常升
119	多弧离子镀(Ti,Al,Zr,Cr)N多元膜的高温氧化行为	赵时璐, 张钧, 刘常升
120	强磁场对Fe-0.76%C合金共析点的影响	宫明龙, 赵骧, 宋建宇, 守晶, 左良
121	在高速电镀锌板表面磁控溅射铝镁合金	顾训雷, 单桥, 刘常升, 晓中
122	电场时效对2014铝合金组织的影响	肖伯涛, 何树, 赵骧

123	基体粉末与增强粒子的粒度级配对 SiCp/Fe性能的影响	王耀勉, 宗 平, 李 杰
124	La对Ni-Cr-W-Mo耐热合金1173K 恒温氧化行为的影响	宋 秀, 王 磊, 赵 卓, 杨, 马慧萍
125	强磁场下冷却速度对Fe-0.12% C合 金显微组织的影响	宋建宇, 赵 骥, 宫明龙 守晶, 左 良
126	冷变形共析钢的显微组织与织构探 讨	姚旭升, 刘 东, 左 良
127	线材冷轧织构演变的定量研究	姚旭升, 刘 东, 左 良
128	高性能各向异性NdFeB磁粉的研究	尤俊华, 连 增, 李庆达
129	GH690合金的氢致脆性行为研究	王富强, 王 磊, 刘 杨, 朋, 封 辉
130	近β型高强钛合金Ti-26的β晶粒长 大行为	于 腾, 王 磊, 赵永庆 红才, 耿可 倪浩天
131	累积叠轧焊制备Al/AZ31多层复合 材料及其强度	刘华赛, 张 滨, 张广平
132	氯离子对氧化镁纳米粉体合成及烧 结性能的影响研究	李晓东, 柏 飞, 赵恒和 稚萌, 霍 地 孙旭东
133	镍铁氧体/聚苯乙烯复合材料的制 备与性能	赵海涛, 赵 晖, 张 罂, 瑞廷, 孙旭
134	软磁FeSiAl磁粉芯研究	李庆达, 连 增, 尤俊华 孙 隘, 陈玉

135	$\text{Fe}_{74}\text{Cr}_2\text{Mo}_2\text{Sn}_2\text{P}_{10}\text{C}_2\text{Si}_4\text{B}_4$ 非晶磁粉芯制备工艺的研究	李庆达, 连增, 尤俊华, 曹卫
136	砂轮约束磨粒喷射精密光整加工外圆表面分形维数的研究	刘枫, 巩亚东, 单玉桥, 光起
137	砂轮约束磨粒喷射加工外圆表面刨成机理及三维形貌	刘枫, 巩亚东, 单玉桥, 光起
138	材料学科创新能力教育初探	王磊, 刘常升, 蒋敏, 春明
139	Mg掺杂对二钛酸钡 (BaTi_2O_5) 介电性能的影响	岳新艳, 茹强, 涂溶, 藤孝
140	包覆工艺制备C-SiC-B ₄ C-TiB ₂ 复合材料的组织与性能	喻亮, 茹红强, 左良, 向欣
141	20#钢表面镍基添 Y_2O_3 激光熔覆层及其高温磨损行为	臧辰峰, 张彬, 赵鹏飞, 常升
142	真空感应炉近常压气氛保护熔炼高氮马氏体不锈钢	马小平, 王军, 刘春明
143	均匀共沉淀法合成纳米Gd ₂ O ₃ : Eu粉体及其发光特性	刘志刚, 孙东, 李晓东, 景宝
144	合成高活性Y ₂ O ₃ 和Al ₂ O ₃ 超细粉及Nd:YAG透明陶瓷	吕光哲, 孙
145	不定型TiO ₂ 薄膜修饰电极的制备及其电极过程动力学特性	毕孝国, 修萌, 牛微, 孙伟, 孙旭
146	异步轧制对316L不锈钢组织与性能的影响	虞海燕, 张洋, 吕爱强, 春明
147	氮离子束轰击W18Cr4V高速钢的	吕树国, 刘

- 148 含镁羟基磷灰石、磷酸三钙复合生物涂层的研究 齐国超, 刘

- 149 Application of micro-computer to improve measurement accuracy of the amplitude attenuation in pendulum B. Gen, C.M. Liu

- 150 离子束辅助轰击对电弧离子镀沉积 TiAlN膜层的影响 吕树国, 刘
升, 李玉海
张 罂, 毕监
智, 金 光

- 151 低碳钢在模拟酸雨大气条件下的锈蚀演化 董 杰, 董俊华, 韩恩厚
春明, 柯 伟

- 152 有机磷酸在金属表面防护中的应用 王双红, 刘

- 153 纳米 Al_2O_3 颗粒增强新型铜基自润滑复合材料 陈岁元, 刘
杰, 刘常升
桂芳.

- 154 电场时效对2014铝合金 $\theta(\text{Al}_2\text{Cu})$ 析出相的影响 肖伯涛, 何
树, 宫明龙
赵 骚

- 155 环保型镀锡液性能研究 安成强, 郝
军, 刘春明

- 156 不锈钢生产技术发展状况概述 虞海燕, 刘

- 157 高炉喷煤工艺优化及系统改进 周春林, 刘
明, 沙永志
曹 军

- 158 低温板坯加热工艺取向硅钢中抑制剂的研究 孙 颖, 李
军, 赵 宇,
晓军, 连法

- 159 形变参数对低碳钢形变诱导相变的 虞海燕, 王

160	炉卷轧机辊系弹性变形与应用研究	王道远，刘明，黄贞益，吴胜，陈大
161	碳热还原氮化法制备AlN超细粉体新工艺	赵志江，林生，余寒峰，马辉，孙旭
162	冷拉拔纯铁丝在退火过程中的显微组织与织构演变	姚旭升，刘东，左良
163	羟基磷灰石粉体的低温无压烧结行为	常青，茹红强，喻亮，新艳
164	Sialon含量对镁碳材料抗渣性能的影响	赵丽娟，叶平，茹红强
165	EBSD技术及其在取向电工钢研究中的作用	孙颖，李军，赵宇，晓军，连法
166	多弧离子镀TiAlZrCr/(Ti,Al,Zr,Cr)N梯度膜的研究	赵时璐，张钧，刘常升
167	磁控溅射太阳能电池预镀Mo薄膜及其性能	王有欣，孙广，单玉桥

尾

版权 © 2014 材料各向异性与织构教育部重点实验室网
[Joomla!](#)是遵循[GNU通用公共授权（第二版）](#)的自由软
汉化翻译及支持：[Joomla简体中文翻译小组](#)、[囧啦！中国](#)
Joomla使用交流欢迎访问：[Joomla交流（新浪微群）](#)
External links are provided for reference purposes. The
Internet sites.
Template Design © [Joomla Templates](#) | GavickPro. All
[red](#) [blue](#) [brown](#) [green](#) [gray](#) [pink](#)
Framework logo
[Login](#) or [Register](#)

LOG IN

用户名

密码

记住我

[忘记密码?](#)

[忘记用户名?](#)

