



当前位置：首页 | 师资队伍 | 教师名录 | 高分子材料与工程 | 副教授 | 李振宇

## 个人简历

### 李振宇



职 称： 副教授

博导/硕导：

所属 部门： 高分子材料科学与工程教研室

学科 专业： 高分子

研究 方向： 功能纳米纤维

联系 方式： zhenyuli1978@gmail.com;zhenyu.li@deakin.edu.au

### 个人简历

1、1998-2007 在吉林大学化学学院完成本硕博学位，毕业后留校在吉林大学化学学院先后担任讲师/副教授，并于2016年8月辞职。2009-2011在美国内布拉斯加州大学-林肯分校做博士后，2012.5-2018.06在澳大利亚迪肯大学做博士后。2018年6月回国在西南石油材料科学与工程学院任职。

2、在JOURNAL OF THE AMERICAN CHEMICAL SOCIETY, ADVANCED MATERIALS, Small, JOURNAL OF MATERIALS CHEMISTRY A, JOURNAL OF MATERIALS CHEMISTRY C, JOURNAL OF MATERIALS CHEMISTRY A, ACS APPLIED MATERIALS undefinedamp; INTERFACES, SENSORS AND ACTUATORS B-CHEMICAL, JOURNAL OF PHYSICAL CHEMISTRY C, JOURNAL OF COLLOID AND INTERFACE SCIENCE等杂志上发表文章70余篇（其中一区30余篇、二区20余篇、其余为三区 and 四区），他引次数超过2300次。个人H-index因子为26。撰写英文书籍一部,并获得2015年吉林省科技进步一等奖（个人排名为第三名）

3、授权发明专利10余项。

### 主要研究领域

- 1、气体湿度传感器
- 2、超级电容器
- 3、场效应晶体管
- 4、柔性可穿戴器件

### 代表性成果

#### 1、代表性成果

(1) [Z.Y. Li](#), H.N. Zhang, W. Zheng, W. Wang, H.M. Huang, C. Wang, et al., Highly sensitive and stable humidity nanosensors based on LiCl doped TiO<sub>2</sub> electrospun nanofibers, Journal of the American Chemical Society, 130(2008) 5036-+.

(2) W. Wang, X.F. Lu, [Z.Y. Li](#)\* J.Y. Lei, X.C. Liu, Z.J. Wang, et al., One-Dimensional Polyelectrolyte/Polymeric Semiconductor Core/Shell Structure: Sulfonated Poly(arylene ether ketone)/Polyaniline Nanofibers for Organic Field-Effect Transistors, Advanced Materials, 23(2011) 5109-12

(3) W. Wang, [Z.Y. Li](#)\* X.R. Xu, B. Dong, H.N. Zhang, Z.J. Wang, et al., Au-Doped Polyacrylonitrile-Polyaniline Core-Shell Electrospun Nanofibers Having High Field-Effect Mobilities, Small, 7(2011) 597-600

(4) [Z.Y. Li](#), X.G. Wang, T. Lin, Highly sensitive SnO<sub>2</sub> nanofiber chemiresistors with a low optimal operating temperature: synergistic effect of Cu<sup>2+</sup>/Au co-doping, Journal of Materials Chemistry A, 2(2014) 13655-60.

(5) [Z.Y. Li](#), J. Cai, P. Cizek, H.T. Niu, Y. Dua, T. Lin, A self-supported, flexible, binder-free pseudo-supercapacitor electrode material with high capacitance and cycling stability from hollow, capsular polypyrrole fibers, Journal of Materials Chemistry A, 3(2015) 16162-7.

- ( 6 ) Y.Q. Zhan, S.J. He, X.Y. Wan, J.M. Zhang, B.C. Liu, J.F. Wang, [Z.Y. Li\\*](#), Easy-handling bamboo-like polypyrrole nanofibrous mats with high adsorption capacity for hexavalent chromium removal, *Journal of Colloid and Interface Science*, 529(2018) 385-95.
- ( 7 ) [Z.Y. Li](#), O. Zabihi, J.F. Wang, Q.X. Li, J.M. Wang, W.W. Lei, et al., Hydrophilic PAN based carbon nanofibres with improved graphitic structure and enhanced mechanical performance using ethylenediamine functionalized graphene, *Rsc Advances*, 7(2017) 2621-8.
- ( 8 ) W. Zeng, H. Wang, [Z.Y. Li\\*](#) *Nanomaterials for Sensing Applications*, *Journal of Nanotechnology*, (2016).
- ( 9 ) J. Zhao, [Z.Y. Li](#), J.F. Wang, Q.X. Li, X.G. Wang, Capsular polypyrrole hollow nanofibers: an efficient recyclable adsorbent for hexavalent chromium removal, *Journal of Materials Chemistry A*, 3(2015) 15124-32.
- ( 10 ) W. Zeng, W.G. Chen, [Z.Y. Li\\*](#) H. Zhang, T.M. Li, Rapid and sensitive ethanol sensor based on hollow Au/V2O5 nanotubes via emulsion-electrospinning route, *Materials Research Bulletin*, 65(2015) 157-62.
- ( 11 ) C.X. Qin, [Z.Y. Li](#), G.Q. Chen, Y. Zhao, T. Lin, Fabrication and visible-light photocatalytic behavior of perovskite praseodymium ferrite porous nanotubes, *Journal of Power Sources*, 285(2015) 178-84.
- ( 12 ) [Z.Y. Li](#), W.G. Chen, W. Zeng, Gas-sensing properties of various low dimensional nanostructures of TiO<sub>2</sub>, *Journal of Materials Science-Materials in Electronics*, 26(2015) 1554-9.
- ( 13 ) Z.Q. Jiang, T.T. Jiang, J.F. Wang, Z.J. Wang, X.R. Xu, Z.X. Wang, [Z.Y. Li\\*](#) et al., Ethanol chemiresistor with enhanced discriminative ability from acetone based on Sr-doped SnO<sub>2</sub> nanofibers, *Journal of Colloid and Interface Science*, 437(2015) 252-8.
- ( 14 ) Cai, H.T. Niu, [Z.Y. Li](#), Y. Du, P. Cizek, Z.L. Xie, et al., High-Performance Supercapacitor Electrode Materials from Cellulose-Derived Carbon Nanofibers, *Acs Applied Materials* *Interfaces*, 7(2015) 14946-53.
- ( 15 ) Z.J. Wang, [Z.Y. Li\\*](#) X.R. Xu, T.T. Jiang, H.N. Zhang, W. Wang, et al., One-dimensional isomeric and hierarchical TiO<sub>2</sub> nanostructures: novel air stable semiconducting building blocks, *Journal of Materials Chemistry C*, 1(2013) 213-5.
- ( 16 ) Z.J. Wang, [Z.Y. Li\\*](#) T.T. Jiang, X.R. Xu, C. Wang, Ultrasensitive Hydrogen Sensor Based on Pd-0-Loaded SnO<sub>2</sub> Electrospun Nanofibers at Room Temperature, *Acs Applied Materials* *Interfaces*, 5(2013) 2013-21.
- ( 17 ) T.T. Jiang, Z.J. Wang, [Z.Y. Li\\*](#) W. Wang, X.R. Xu, X.C. Liu, et al., Synergic effect within n-type inorganic-p-type organic nano-hybrids in gas sensors, *Journal of Materials Chemistry C*, 1(2013) 3017-25.
- ( 18 ) W. Wang, X.F. Lu, [Z.Y. Li\\*](#) X. Li, X.R. Xu, J.Y. Lei, et al., Weak-acceptor-polyacrylonitrile/donor-polyaniline core-shell nanofibers: A novel 1D polymeric heterojunction with high photoconductive properties, *Organic Electronics*, 13(2012) 2319-25.
- ( 19 ) W. Wang, [Z.Y. Li\\*](#) T.T. Jiang, Z.W. Zhao, Y. Li, Z.J. Wang, et al., Sulfonated Poly(ether ether ketone)/Polypyrrole Core-Shell Nanofibers: A Novel Polymeric Adsorbent/Conducting Polymer Nanostructures for Ultrasensitive Gas Sensors, *Acs Applied Materials* *Interfaces*, 4(2012) 6080-4.
- ( 20 ) D. Vu, [Z.Y. Li\\*](#) H.N. Zhang, W. Wang, Z.J. Wang, X.R. Xu, et al., Adsorption of Cu(II) from aqueous solution by anatase mesoporous TiO<sub>2</sub> nanofibers prepared via electrospinning, *Journal of Colloid and Interface Science*, 367(2012) 429-35.
- ( 21 ) [18] X.R. Xu, J.H. Sun, H.N. Zhang, Z.J. Wang, B. Dong, T.T. Jiang, et al., Effects of Al doping on SnO<sub>2</sub> nanofibers in hydrogen sensor, *Sensors and Actuators B-Chemical*, 160(2011) 858-63.
- ( 22 ) [Z.Y. Li](#), Y. Dzenis, Highly efficient rapid ethanol sensing based on Co-doped In<sub>2</sub>O<sub>3</sub> nanowires, *Talanta*, 85(2011) 82-5.
- ( 23 ) J.Y. Lei, W. Wang, M.X. Song, B. Dong, [Z.Y. Li\\*](#) C. Wang, et al., Ag/AgCl coated polyacrylonitrile nanofiber membranes: Synthesis and photocatalytic properties, *Reactive* *Functional Polymers*, 71(2011) 1071-6.
- ( 24 ) H.N. Zhang, [Z.Y. Li\\*](#) W. Wang, C. Wang, L. Liu, Na<sup>+</sup>-Doped Zinc Oxide Nanofiber Membrane for High Speed Humidity Sensor, *Journal of the American Ceramic Society*, 93(2010) 142-6.
- ( 25 ) H.N. Zhang, [Z.Y. Li](#) L. Liu, X.R. Xu, Z.J. Wang, W. Wang, et al., Enhancement of hydrogen monitoring properties based on Pd-SnO<sub>2</sub> composite nanofibers, *Sensors and Actuators B-Chemical*, 147(2010) 111-5.
- ( 26 ) Z.J. Wang, [Z.Y. Li](#) J.H. Sun, H.N. Zhang, W. Wang, W. Zheng, et al., Improved Hydrogen Monitoring Properties Based on p-NiO/n-SnO<sub>2</sub> Heterojunction Composite Nanofibers, *Journal of Physical Chemistry C*, 114(2010) 6100-5.
- ( 27 ) J. Wang, [Z.Y. Li](#) L. Liu, X.R. Xu, H.N. Zhang, W. Wang, et al., A Novel Alcohol Detector Based on ZrO<sub>2</sub>-Doped SnO<sub>2</sub> Electrospun Nanofibers, *Journal of the American Ceramic Society*, 93(2010) 634-7.
- ( 28 ) W. Wang, [Z.Y. Li](#) W. Zheng, H.M. Huang, C. Wang, J.H. Sun, Cr<sub>2</sub>O<sub>3</sub>-sensitized ZnO electrospun nanofibers based ethanol detectors, *Sensors and Actuators B-Chemical*, 143(2010) 754-8.
- ( 29 ) H.N. Zhang, [Z.Y. Li](#) L. Liu, C. Wang, Y. Wei, A.G. MacDiarmid, Mg<sup>2+</sup>/Na<sup>+</sup>-doped rutile TiO<sub>2</sub> nanofiber mats for high-speed and anti-fogged humidity sensors, *Talanta*, 79(2009) 953-8.
- ( 30 ) Z.J. Wang, [Z.Y. Li](#) H.N. Zhang, C. Wang, Improved photocatalytic activity of mesoporous ZnO-SnO<sub>2</sub> coupled nanofibers, *Catalysis Communications*, 11(2009) 257-60.
- ( 31 ) W. Wang, [Z.Y. Li](#) W. Zheng, J. Yang, H.N. Zhang, C. Wang, Electrospun palladium (IV)-doped copper oxide composite nanofibers for non-enzymatic glucose sensors, *Electrochemistry Communications*, 11(2009) 1811-4.
- ( 32 ) W. Wang, [Z.Y. Li](#) L. Liu, H.N. Zhang, W. Zheng, Y. Wang, et al., Humidity sensor based on LiCl-doped ZnO electrospun nanofibers, *Sensors and Actuators B-Chemical*, 141(2009) 404-9.
- ( 33 ) [Z.Y. Li](#), H.M. Huang, C. Wang, Electrostatic forces induce poly(vinyl alcohol)-protected copper nanoparticles to form copper/poly(vinyl alcohol) nanocables via electrospinning, *Macromolecular Rapid Communications*, 27(2006) 152-5.

( 34 ) Z.Y. Li, H.M. Huang, T.C. Shang, F. Yang, W. Zheng, C. Wang, et al., Facile synthesis of single-crystal and controllable sized silver nanoparticles on the surfaces of polyacrylonitrile nanofibres, *Nanotechnology*, 17(2006) 917-20.