



● Workspace +0 貨誰1 0 (WPowerBar 鎖wQ h NUS 驟 Library c當 +0 貨誰2 0 (W File|Recent  
Workspace 貨US-N 懶b禁壞b\_剗館\Ozz 魏 ?^↑↑ZW Z0 Z1 ZB 技L?bm  
System Tree c當10 0 貨誰3 0 (WPowerBar 鎖wQ h NUS 驅 Library c當 ?0& X ! ?  
? ? ? ? ?( 1 線n 梳鉄\` 梳鉄鷦  
+bSb\_ T ^\` 荷角N, ?0 貨Sb\_ 0 (W General h~{u?N L Title 剗匯寧洗(u\0 梳鉄剗•h 楊  
蟲線n 品N\*N: w剗•h 楊 Untitled 0 Menu Name (ueg c歎鉄@bsQT€剗體US 鋒錘→惺廢S 驅 & c當  
鑫~b看 懶b體US 0 梳鉄v^ N盲B1N歎 g體US 0? % f歎↑#JL r'JL ?#JL-r'JL ?#JL-r'JL ?#JL-r'JL ?  
# ' ?#JL?N" -r?PjL r?JL ?#JL-r?Tag ^\` 鋒錘線n N\*NW [& {2N 購\*NW  
[& {2N(WN冷禁壞v0W貨颶蠶→0洗 0(u 說備(W 忽\_剗鯨|P禪懶>f:y(W 梳鉄剗秆` N\0:N衍:y. ^ln酌o` I { 0 豐  
r^\*N Y 懶h R+R(ueg線n 梳鉄/f&T颶粉r0 gHe /f&T g 6R體US 0g'Y 0g \ S c當 /f&T颶9e豐'Y \  
/f&TE\ -NI {I { 0vQ-Nppr俠v Y 懶hh?y鷦購載{| 婦剗梳鉄/f N颶(u剗10 Window Type N尊+Rh?ueg 懶b梳鉄  
剗{| 婦 \_N1\fMRb架N蠅剗mQ載梳鉄 9hnc禁? 懶bvQ-NN載10?n Z % 殘!\$%? ?!%? ?!%? ?!  
? 0 , ? ? ? ? \* WindowState N尊+Rh?ueg 懶b梳鉄剗→R幕秆` g  
g'Y S 0 g \ S 看L 煙幕'Y \ N載沒 懶b 0 BackColor (ueg線n 梳鉄剗龜of澍r?0 MDIClient  
color (ueg線n Y嘆ch梳鉄剗館\0:S剗澍r? L main {| 婦梳鉄 購N h N颶(u 0 Icon (ueg線n 梳鉄剗  
偽•h 0 ?\$ ! ?| + ? ? ? ? ?N 2 鷦梳鉄蹕? x  
Sb\_梳鉄;u g ?h驛驛 (W9\_鷦剗隸wc體US-N ? Script y? Tb €嬌 (u ?h蘋驛梳鉄 龜鋒錘蹕eQ梳鉄剗→?  
g荷角10 3 梳鉄剗勞模看駐X[ US驛PainterBar 鎖wQag N剗 L Preview c當10 盲駐X[梳鉄 L File 體US剗  
L Save y? TbUS驛PainterBar 鎖wQag N剗 L Save c當10 ? Z Z , f歎↑#JL-r'JL ?#JL-r'JL ?#JL-r'JL  
f歎R # ?# -r?PjL r?JL ?#JL-r?PjL r?JL ?#JL-r?PjL r?JL ?#JL-r?PjL r?JL ?#JL-r?PjL r?JL ?#JL-r?PjL  
鮫~b\_ N尊+Rh? T 鮫\0E{US薈蠅10 1 }T銷 c當□ CommandButton 2 俏b\_ c當□ PictureButton  
3 Y?嘆, g StaticText 4 Y?麻 鰭 □ StaticHyperLink 5 USL? 懶Fh  
SingleLineEdit 看→YL? 懶Fh MultiLineEdit ?>↑ZW' Z Z # ?  
" ? ? ? ? ?? 6 x 懶Fh EditMask  
7 Y嘆, g 懶hV RichTextEdit 8 -R懶Fh GroupBox 9 •h~{ tab 10 US ?c當  
RadioButton 11 Y 懶h CheckBox 12 邏\*寵g TrackBar 13 趣≥ag(ScrollBar) 14 蹤  
ag ProgressBar 15 +Rh團h ListBox 16 ◀h荷角□ TreeView ?  
6 Z Z # ?  
? ? ? ? 17 h採杏V ListView 18 俏;u 鮫 19 俏b\_ Picture 20 俏  
b\_麻 鰭 □ PictureHyperLink 21 俏? Graph 22 penc梳鉄□ DataWindow 23 (u7b鷦a?  
User Object 24 OLE 鮫 ?-PjL r?JL ?#JL-r?PjL r?JL ?#JL-r?PjL r?JL ?#JL-r?PjL r?JL ?#JL-r?PjL r?JL  
鷦 鮫蹕? x 0 1 (W 梳鉄-N>en 鮫 2 ?N 梳鉄-N剗 鮫 3 Y6R看 Rd柿c鮫 4 L寇e 鮫MOn  
看'Y \ 5 扳|R 鮫 6 歎IN 鮫剗Tab!k廣 7 鮫剗\` 線n 8 鷦 鮫蹕? x? Z ! ?  
u ? ? ? ? 2.3 體US看館wQ h ? ? ? ? @ (WWindows撈(u z廣-N →? 瓊禪館wQ h  
c當看體US) T銷sQT€w鮫 g (u7b鷦錘9hnc賈駒剗N鷦Tb 0(u鯨剗秆` ?u館wQ c當tb體USy標bL增v T剗鮑\0 0 :N  
賈縊(u7b鮑\0 0(u體US瓊鷦錘 g Y載賈誰 銚鷦錘(u ?h \_N鷦錘(u. 噴v鯨鷦錘 0(u韓. 噴T隸wc.  
0 秆` agN, ?f:y(W 梳鉄剗畠鐵 ◀T(u7b衍:y 0(u z廣剗賈誰鍵蔪N冷S\_MR剗鹹邁秆` 0 ?&y ( # ?  
\$ ? ? ? ? 2.3.1 R鷦體US 枮HQ\_N\*N館\0zz 魏 v^ c歎S\_MR嬌•h 0 (WPowerBar 鎖wQ h  
NUS驅 L New c當 (WSb\_剗 L New 鷦輯Fh-N ? PB Object 懶檻S ?N Menu 俏•h US驅 L OK c當  
鶴吟體US;u g 0 (W File 體US-N ? Save As& y? •c歎體US T駐X[ T 體US h 楊豐:N體US T 0 (W  
Insert 體US-N ? Submenu Item 檢eQN\*N鷦剗P[體USy?0? Z Z \$€€?-\$€€?-%? ?  
! ! % ?!%? ?!%? ?!%? ?!%? ?!%? ?!%? ?!%? ?!%? ?!%? ?!%? ?!%? ?!%? ?!%? ?  
? ? ? ? 2.3.2 線n 體US看館wQ h\` Menu;u g剗\` 梳鉄f:y(W 鎖wQag N鯨NMR ?  
r Z Z # , ?#JL-r'JL ?#JL-r'JL ?#JL-r'JL ?#JL-r'JL ?#JL-r'JL ?#JL-r'JL ?#JL-r'JL  
? ? ? ? 2.3.3 榜體US ?g 備濟→?g 梳鉄r?PjL-r?PjL-r?PjL-r?PjL-r?PjL-r?PjL-r?PjL-r?PjL  
楓荔(u7b鷦a? PB Object 懶檻S-N 懶b External Visual 俏•h US驅 L OK c當. 6q T蹕L袋Y N鮑\0  
\$(W\` 鷦輯Fh剗 LibraryName 榜Fh-N. 噴Q(u\0 Y鐵(u7b鷦a甯vDLL嘆鮫 T Tb €US驅 榜hV 瓊箇剗  
L ... □ □ bhV c當 蟹Sb\_剗 Select Custom Control DLL 鷦輯Fh-N 懶bDLL嘆鮫 0 a\$(W  
ClassName 榜Fh-N. 噴QDLL-N剗鎖孫{| T 鐸{| T ?^u u DLL剗係FU衍汝 10 b\$(W Text 榜Fh-N  
搞eQ>f:y(W 鮫 N剗嘆, g鍵蔪vQ懶臺盲剗^W\` 10 c\$館if(u7b鷦a嬌b禁壞v龜pe 0嬌鮫 0豐鱗 0鮫劫 0 d\$ 榜(u7b  
鷦a甯v嬌鮫 Y t z廣 0 e\$蟹 File 體US-N 懶b Save y槽OX[(u7b鷦a??1N  
, €€?r'JL ?#JL-r'JL ?#JL-r'JL ?#JL-r'JL ?#JL-r'JL ?#JL-r'JL ?#JL-r'JL  
? & ! ? ? ? ? ? 4 ←R鷦•h芊{| (u7b鷦a? PB Object 懶檻S-N 懶b



















?#¶\_锚汉? ?^\_Legend User Legend User?





鷺a?嫗俌嫗 鷺a?鷄 T 0 b\$ N峇 0(u鐸(u7b鷺a峇e 0(uDESTROY韻錄 Rd棟嫗[a?] 錘蓴>e懲@b`S(u剗廩X[ 0?L  
' , €€ ?#?L?:>—[•↑□?¶\*?%?]?+? 3 梳鉅N(u7b鷺a峇晞v 懷0 梳鉅  
JN(u7b鷺a峇N鯀→?禁墮Nbc醇o` 0 梳鉅N楓荔(u7b鷺a峇N鯀 bc醇o`剗;N富貧々\_ N/f 0(u蠶pe 眉/f 0(u  
(u7b嫗鯀 N/f懸 +\_(u(u7b鷺a峇W` 0 0(u蠶pe蹬L墜0o` bc鯀 楓鍾歎INhQ@\\ Public 蠶pe )R  
(uhQ@\\蠶pe禪(u7b鷺a峇Q蠶醇o` 0 恺~梳鉅 Tb禪梳鉅醇o` 0 ?R(u7b鷺a峇Q蠶 0 0(u(u7b嫗鯀蹬L墜0o` bc鯀  
楓鍾:N(u7b鷺a寶 [INN冷 (u7b嫗鯀鍾蔚鷄撈剗?pe 購7h楓鍾→懷? 樂嫗鯀Y t z廢T鰥嫗鯀禪+b(u7b N梳鉅  
KN鯀剗→懷0 0 ?@ Z Z , €€ ?#?L?.q r ? + & ? ? 2.4.4 (u7b嫗鯀 ?L □?↓ □+?  
? ? , ' ? ? ? ? 1 歎IN(u7b嫗鯀 (WPowerBuilder-N :N梳鉅 0 鯀 0(u7b鷺a寶 [IN(u7b嫗  
鯀剗貧誰龕/fN7h剗 0 wQSO鮑\0ek 俌 N \$Sb\_盲歎IN(u7b嫗鯀剗梳鉅Tb(u7b鷺a?0 a\$(W梳鉅;u g b(u7b鷺a?  
u g-N 蘭驛梳鉅 0 鯀Tb(u7b鷺a? Tb 恺b View 體US-N剗L Script y? Sb\_ ?g芻亾 0 b\$(W ?g芻亾-N  
, {眉\*N N尊+Rh團hsS:N嫗鯀+Rh團h 蟹-N 恺b New Evernt y? |R ?g芻亾俌亾2.16@b:y 0 c\$(W ?g芻亾  
剗姦蠶-R-N歎IN(u7b嫗鯀剗姦姦 0 d\$:N@b歎IN剗嫗鯀T 樂濁吟vQ娘蠹剗鍤 rxv^駐X[ 0?\8 Z Z  
' , €€ ?#?L?r a \* D ? —(?)?+? 2.4.4 鄭箕鯀f (1)?pe 0 恺e  
Z Z , ? ?#?L?↑ ? ? ? ? 2) 嫗鯀•h荒(Event ID) 蟻\*N嫗鯀•h荒嫗鯀撈巖  
PowerBuilder剗N\*N嫗鯀 0 €PowerBuilder剗嬉\*N嫗鯀 龕嫗鯀撈巖yr歎剗Windows咩o` 0\$N €sQ鹹楓鍾蟹嫗鯀•h荒  
T餸剗TJS蠶 +鍵 0嫗俌 pbm\_mousemove鷄撈巖Windows咩o`wm\_mousemove pbm\_keydown鷄撈巖Windows咩  
o`wm\_keydown 0 (3) 限歎IN嫗鯀 S\_禁壘[IN闔蠹1u鍤 rx鰥嫗鯀 (W Event ID N尊+Rh團h-N 恺b  
None 購7h1\歎IN有限歎IN嫗鯀 0dk鯀 楓鍾:N(u7b嫗鯀歎IN?pe 0嫗鯀嫗鯀?pe剗頤9e 0 Rd粉T鶴嬈 龕  
楓鍾→懷恣\_wc體USeg禪+b ?8 Zn Z / # ?  
# 8 ? / \* ? ? ? ? t (4) Other嫗鯀 俌濟撈(u z廢嫗a禁??  
u術\*Windows咩o` €鍤咩o` gPowerBuilder嫗鯀•h荒NvQ鷄撈 HN楓鍾(W鍤嫗a竇vOther嫗鯀-N Y t鍤咩  
o` 0PowerBuilder禪d棟嫗[a]歎IN嫗鯀T剗@b gWindows咩o`龕 f \OROther嫗鯀 0 恺? 樂鍤 rx看鑫|崩  
essage嫗a竇v` 蒐鍾Y tyr歎剗Windows咩o` 0 ?. ! ?  
? 0 + ? ? ? ? 3 0(u(u7b嫗鯀 `-\$T榜(u7b嫗鯀剗Y t z廢 0  
g嫗鯀Y t z廢鯀 ss 0禪嫗鯀 \_N NZP嫗UO Y t z廢楓(W歎IN(u7b嫗鯀剗T鯀蹬L? 樂 0 a\$臺盲鯀  
T榜鰥嫗鯀(u7b嫗鯀剗鍤 rx 0 4 Rd?u7b嫗鯀 ?R [ , €€ ?#?L?↑f ? 1 , ? ?  
2.5 嫗a竇v鯀 b ? ? ? ? 2 -? 2.5.1 0(u鯀 b R鶴梳鉅 (WPowerBar館  
wQ h NUS驛 Inherit c當 L Inherit from Object 嫗輯Fh ◀b露 恺b盲鯀 b剗嫗a?0 (W Target N  
尊+Rh?N 恺b禁壘v顧•h 0 俌濟鍤顧•h嫗撈 g Y\*N嫗a憲^ 楓 恺bN\*N嫗a憲^ 0 (W Objets of Type N尊+Rh?N  
愷b梳鉅嫗a塞|嫗bhQ蠶嫗a? All Objects 6q T 恺b盲鯀 b剗梳鉅嫗a? g TUS驛 OK c當 蹤eQ梳  
鉅;u g 0 楓鍾a亞b\_nf 惕z鉅N7hSb\_ T鍤梳鉅 蹤L抵\` 頤9e看鍤 rx ?  
Z Z Z# Z , €€ ?' ? \$€€ ?#?L?↑\$↑?#?L ?#?L?T?#?L?#?L?#?L?#?L?#?L?#?L?#?L?#?L?#?L?#?L?#?L?#?L  
-? ? 3 . ? ? ? ??(W梳鉅 Nb桿S驛 ?h剗駟. ? (W9\_鶴體US-N 恺b Script }T銷 楓鍾  
Sb\_ ?g芻亾嫗•c歎剗嫗鯀蹬L? x 0 俌濟盲ibU\VyHQ ?g 楓 ?N Edit 體USS\_N剗L Extend ancestor  
script y? 俌濟鍤體USy?g洗 ?N 1\h?y蛻}廣yHQ剗→?g 0 (WPowerBuilder-N 鑄 b剗B\!k楓鍾 g YB\  
\f鯀N\*N T鍤嫗a吸S鍤 g6r聳 0 Vy6r b €補貧B\!k剗VyHQ 0 (W:N T鍤嫗a? 樂→?g剗鯀 |P ◀b露楓鍤 ?u嫗  
UOVyHQ嫗a亞-N鯀蠶榜}Y剗→?g 0 說箕鯀 ?u6r嫗a?N剗L clicked 嫗鯀剗→?g 楓鍾搞eQ Nb桿?h剗鍤 rx  
call super::clicked € ?u補貧B\!kVyHQ剗剗→?g剗鯀 |P1\臺{?h鶴VyHQ嫗a竇v TW[ 俌  
w\_ancestor::clicked ?JD # , ? ?#?L?↑?T?L?L?%?L  
4 / ? ? ? ?> 2.5.2 0(u鯀 b R鶴(u7b嫗a? 恺快~ bN\*N鯀 g剗(u7b嫗a?R鶴嬈(u7b嫗a? 習誰N  
鑄 b梳鉅{|f:y嘿鯀剗廩寧 0 Close (ueg>f:ysQ頃衙:y咩o`Fh 6q TsQ頃梳鉅 0 wQSO賈誰/f 枝HQ  
(WPowerBar館wQ h NUS驛 Inherit c當 L Inherit from Object 嫗輯Fh 0 (W嫗輯Fh-N 恺b禁壘v顧•h看  
嫗a憲^ 0 (W Objets of Type N尊+Rh?N 恺b嫗????????????

