

THERMODYNAMICS

立方型状态方程结合Eyring理论在液体混合物粘度计算中的应用

孙力宏^a, D. A. Leng^b^a College of Chemical Engineering and Materials Science, Zhejiang University of Technology, Hangzhou 310014, China^b Department of Energy and Sciences, Martin-Luther University of Halle-Wittenberg, D-06099, Halle, Germany摘要 Cubic equations of state (EOS) have been combined with the absolute rate theory of Eyring to calculate viscosities of liquid mixtures. A modified Huron-Vidal $\phi\phi$ -mixing rule is employed in the calculation and in comparison with the van Laar and the Redlich-Kister-type mixing rule. The EOS method gives an accurate correlation of liquid viscosities with an overall average deviation less than 1% for 67 binary systems including aqueous solutions. It is also successful in extrapolating viscosity data over a certain temperature range using parameters obtained from the isotherm at a given temperature and in predicting viscosities of ternary solutions from binary parameters for either polar or associated systems.

关键词 viscosity, equation of state, mixing rule, absolute rate theory

分区号

DOI: 10.1007/s11409-006-0001-2

Calculation of viscosities of liquid mixtures using Eyring's theory in combination with cubic equations of state

Ji, Weilong^a, D. A. Leng^b^a College of Chemical Engineering and Materials Science, Zhejiang University of Technology, Hangzhou 310014, China^b Department of Energy and Sciences, Martin-Luther University of Halle-Wittenberg, D-06099, Halle, Germany

Received Revised Online Accepted

Abstract Cubic equations of state (EOS) have been combined with the absolute rate theory of Eyring to calculate viscosities of liquid mixtures. A modified Huron-Vidal $\phi\phi$ -mixing rule is employed in the calculation and in comparison with the van Laar and the Redlich-Kister-type mixing rule. The EOS method gives an accurate correlation of liquid viscosities with an overall average deviation less than 1% for 67 binary systems including aqueous solutions. It is also successful in extrapolating viscosity data over a certain temperature range using parameters obtained from the isotherm at a given temperature and in predicting viscosities of ternary solutions from binary parameters for either polar or associated systems.

Key words viscosity, equation of state, mixing rule, absolute rate theory

通讯作者:

孙力宏 <http://www.zjtu.edu.cn>作者简介 孙力宏, 计算化学家。D. A. Leng^b