快报

亚硫酸制浆废液COD_B与BOD₅的相关性研究

张文浩,尚宏志,刘希文

辽宁省环境科学研究院 沈阳110031

收稿日期 2006-7-12 修回日期 2006-11-3 网络版发布日期 接受日期

摘要 根据对稀释配制的亚硫酸制浆废液(中段水)进行曝气,测定不同时间CODcr的值,通过数据图解处理法得到可生化化学耗氧量(CODB)。经与同批样品实测BOD5值进行换算,对其平均值结果进行方差分析。结果表明:误差结果为9.26%,即由作图法测定的CODB值与BOD5测试法的值非常接近,对亚硫酸制浆废液的生化处理研究具有实际意义。 关键词

亚硫酸制浆废液 CODB BOD5 相关性

分类号

Relationships between COD_B and BOD_5 of sulphurous acid pulping wastewater

ZHANG Wenhao SHANG Hongzhi LIU Xiwen

Liaoning Academy of Environmental Sciences; Shenyang 110031

Abstract Exposed sulphurous acid pulping wastewater diluted to the air, the chemical oxygen demand(COD_(Cr)) values in different times were determined, and the biodegradable chemical oxygen demand(COD_B) was obtained by data illustration method.COD_B value was transformed with the biological oxygen demand(BOD_5) measured value from same samples and the mean values were analyzed by variance analysis. The results indicated that the average error was 9.26%. That is to say, COD_B value with data illustration method was similar to that of BOD_5 determination method, which was significant to biochemistry treatment of sulphurous acid pulping wastewater.

Key words Sulphurous acid pulping wastewater COD B BOD 5 Relationship

DOI:

通讯作者

扩展功能

本文信息

- ▶ Supporting info
- ▶ PDF(278KB)
- **▶[HTML全文]**(0KB)
- ▶参考文献

服务与反馈

- ▶把本文推荐给朋友
- ▶加入我的书架
- ▶加入引用管理器
- ▶复制索引
- ▶ Email Alert
- ▶文章反馈
- ▶ 浏览反馈信息

相关信息

▶本刊中 包含"

亚硫酸制浆废液"的 相关文章

- ▶本文作者相关文章
- ・ 张文浩
- ・ 尚宏志
- 刘希文