

## 2012年学术论文

栏目: 科研成果 | 日期: [02-04] | 作者: admin | 阅读次数: 77

1. Du, P., Y.P. Li, and G.H. Huang, Agricultural Water Management under Uncertainty Using Minimax Relative Regret Analysis Method. *Journal of Irrigation and Drainage Engineering-Asce*, 2012. 138(12): p. 1033-1045.(SCI IF = 0.941)
2. Wang, S., G.H. Huang, and L. He, Development of a clusterwise-linear-regression-based forecasting system for characterizing DNAPL dissolution behaviors in porous media. *Science of the Total Environment*, 2012. 433: p. 141-150.(SCI IF = 3.286)
3. Lv, Y., et al., Development of a Sequential Decision-Making Model for Controlling Multiple Air Pollutants Under Stochastic Uncertainty. *Water Air and Soil Pollution*, 2012. 223(1): p. 443-465.(SCI IF = 1.625)
4. Li, G.C., et al., Development of an interval multi-stage stochastic programming model for regional energy systems planning and GHG emission control under uncertainty. *International Journal of Energy Research*, 2012. 36(12): p. 1161-1174.(SCI IF = 2.122)
5. Guo, L., et al., Development of an Interval-Based Evacuation Management Model in Response to Nuclear-Power Plant Accident. *Journal of Environmental Informatics*, 2012. 20(2): p. 58-66.(SCI IF = 2.533)
6. Fu, H.Y., et al., Effects of aeration parameters on effluent quality and membrane fouling in a submerged membrane bioreactor using Box-Behnken response surface methodology. *Desalination*, 2012. 302: p. 33-42.(SCI IF = 2.590)
7. Xu, Y., et al., Efficient management of air quality considering fuzzy confidences with varied reliabilities. *Engineering Optimization*, 2012. 44(8): p. 947-964.(SCI IF = 0.936)
8. Li, Y.P. and G.H. Huang, Electric-power systems planning and greenhouse-gas emission management under uncertainty. *Energy Conversion and Management*, 2012. 57: p. 173-182.(SCI IF = 2.216)
9. Wei, J., et al., Enhanced aqueous solubility of naphthalene and pyrene by binary and ternary Gemini cationic and conventional nonionic surfactants. *Chemosphere*, 2012. 89(11): p. 1347-1353.(SCI IF = 3.206)
10. Liu, Y., et al., Enhancement of economic and ecological sustainability through integrated management of coal and electricity in north China, in 18th Biennial Isem Conference on Ecological Modelling for Global Change and Coupled Human and Natural System, Z. Yang and B. Chen, Editors. 2012. p. 467-497.
11. Yang, A.L., et al., Evaluation of remedial options for a benzene-contaminated site through a simulation-based fuzzy-MCDA approach. *Journal of Hazardous Materials*, 2012. 213: p. 421-433.(SCI IF = 4.173)
12. Nie, S.L., et al., Filter allocation and replacement strategies in fluid power system under uncertainty: a fuzzy robust nonlinear programming approach. *Optimization and Engineering*, 2012. 13(2): p. 319-347.(SCI IF = 0.476)
13. Li, Y. and C.C. Li, Flue gas desulfurization programming model for coal-fired generating units based on total emission control policies of SO<sub>2</sub> in China. *Energy Education Science and Technology Part a-Energy Science and Research*, 2012. 30(1): p. 331-340.(SCI IF = 0.06)
14. Han, J.C., et al., Fuzzy constrained optimization of eco-friendly reservoir operation using self-adaptive genetic algorithm: a case study of a cascade reservoir system in the Yalong River, China. *Ecohydrology*, 2012. 5(6): p. 768-778.(SCI IF = 2.133)
15. Yang, A.L., et al., A Fuzzy Simulation-Based Optimization Approach for Groundwater Remediation Design at Contaminated Aquifers. *Mathematical Problems in Engineering*, 2012.(SCI IF = 0.777)
16. Fu, D.Z., Y.P. Li, and G.H. Huang, A fuzzy-Markov-chain-based analysis method for reservoir operation. *Stochastic Environmental Research and Risk Assessment*, 2012. 26(3): p. 375-391.(SCI IF = 2.234)
17. Huang, Y., G.H. Huang, and Q. Hu, A fuzzy-parameterised stochastic modelling system for predicting multiphase subsurface transport under dual uncertainties. *Civil Engineering and Environmental Systems*, 2012. 29(2): p. 91-105.(SCI IF = 0.562)
18. Fan, Y.R., G.H. Huang, and A. Veawab, A generalized fuzzy linear programming approach for environmental management problem under uncertainty. *Journal of the Air & Waste Management Association*, 2012. 62(1): p. 72-86.(SCI IF = 1.517)
19. Jin, L., et al., A Hybrid Dynamic Dual Interval Programming for Irrigation Water Allocation under Uncertainty. *Water Resources Management*, 2012. 26(5): p. 1183-1200.(SCI IF = 2.054)
20. Wang, X.W., et al., Hybrid Inexact Optimization Approach with Data Envelopment Analysis for Environment Management and Planning in the City of Beijing, China. *Environmental Engineering Science*, 2012. 29(5): p. 313-327.(SCI IF = 0.877)
21. Xu, Y., et al., A hybrid waste-flow allocation model considering multiple stage and interval-fuzzy chance constraints. *Civil Engineering and Environmental Systems*, 2012. 29(1): p. 59-78.(SCI IF = 0.562)
22. Wang, S. and G.H. Huang, Identifying Optimal Water Resources Allocation Strategies through an Interactive Multi-Stage Stochastic Fuzzy Programming Approach. *Water Resources Management*, 2012. 26(7): p. 2015-2038.(SCI IF = 2.054)
23. Zheng, R.B., et al., Inexact De Novo Programming for Agricultural Irrigation System Planning. *Environmental Engineering Science*, 2012. 29(7): p. 700-712.(SCI IF = 0.877)
24. Hu, Q., et al., Inexact fuzzy two-stage programming for water resources management in an environment of fuzziness and randomness. *Stochastic Environmental Research and Risk Assessment*, 2012. 26(2): p. 261-280.(SCI IF = 2.234)
25. Xu, Y., G.H. Huang, and T.Y. Xu, Inexact Management Modeling for Urban Water Supply Systems. *Journal of Environmental Informatics*, 2012. 20(1): p. 34-43.(SCI IF = 2.533)
26. Dong, C., et al., An inexact optimization modeling approach for supporting energy systems planning and air pollution mitigation in Beijing city. *Energy*, 2012. 37(1): p. 673-688.(SCI IF = 3.487)

27. Chen, C., et al., Inexact robust nonlinear programming energy systems planning under uncertainty. *Renewable Energy*, 2012. 47: p. 55-66.(SCI IF = 2.978)
28. Lu, H.W., et al., Inexact two-phase fuzzy programming and its application to municipal solid waste management. *Engineering Applications of Artificial Intelligence*, 2012. 25(8): p. 1529-1536.(SCI IF = 1.665)
29. Fan, Y.R., et al., Inexact two-stage stochastic partial programming: application to water resources management under uncertainty. *Stochastic Environmental Research and Risk Assessment*, 2012. 26(2): p. 281-293.(SCI IF = 2.234)
30. An, C.J., et al., Influence of Short-Chain Aliphatic Acids on the Phenanthrene Desorption and Mobilization from Contaminated Soil. *Soil & Sediment Contamination*, 2012. 21(2): p. 192-206.(SCI IF = 0.894)
31. An, C.J., et al., Influence of uric acid amendment on the in-vessel process of composting composite food waste. *Journal of Chemical Technology and Biotechnology*, 2012. 87(11): p. 1558-1566.(SCI IF = 2.168)
32. Zhang, Y.M., et al., Integer fuzzy credibility constrained programming for power system management. *Energy*, 2012. 38(1): p. 398-405.(SCI IF = 3.487)
33. Zhang, H., et al., An integrated multi-level watershed-reservoir modeling system for examining hydrological and biogeochemical processes in small prairie watersheds. *Water Research*, 2012. 46(4): p. 1207-1224.(SCI IF = 4.865)
34. Zhu, Y., et al., An interval full-infinite programming approach for energy systems planning under multiple uncertainties. *International Journal of Electrical Power & Energy Systems*, 2012. 43(1): p. 375-383.(SCI IF = 2.247)
35. Dai, C., Y.P. Li, and G.H. Huang, An interval-parameter chance-constrained dynamic programming approach for capacity planning under uncertainty. *Resources Conservation and Recycling*, 2012. 62: p. 37-50.(SCI IF = 1.759)
36. Liu, Y., et al., Interval-parameter chance-constrained fuzzy multi-objective programming for water pollution control with sustainable wetland management, in 18th Biennial Isem Conference on Ecological Modelling for Global Change and Coupled Human and Natural System, Z. Yang and B. Chen, Editors. 2012. p. 2316-2335.
37. Wang, S., G.H. Huang, and B.T. Yang, An interval-valued fuzzy-stochastic programming approach and its application to municipal solid waste management. *Environmental Modelling & Software*, 2012. 29(1): p. 24-36.(SCI IF = 3.114)
38. Li, X.Y., et al., ITSP Optimization Model for Irrigation Water Management in Yongxin County, in *Natural Resources and Sustainable Development*, Pts 1-3, Q.J. Xu, H.H. Ge, and J.X. Zhang, Editors. 2012. p. 1022-1025.
39. Li, H.Q., et al., Kinetic and equilibrium studies on the adsorption of calcium lignosulfonate from aqueous solution by coal fly ash. *Chemical Engineering Journal*, 2012. 200: p. 275-282.(SCI IF = 3.461)
40. Lv, Y., et al., Managing water resources system in a mixed inexact environment using superiority and inferiority measures. *Stochastic Environmental Research and Risk Assessment*, 2012. 26(5): p. 681-693.(SCI IF = 2.234)
41. Li, Y.P., G.H. Huang, and S.L. Nie, A mathematical model for identifying an optimal waste management policy under uncertainty. *Applied Mathematical Modelling*, 2012. 36(6): p. 2658-2673.(SCI IF = 1.579)
42. Cai, Y.P., et al., A modeling approach for investigating climate change impacts on renewable energy utilization. *International Journal of Energy Research*, 2012. 36(6): p. 764-777.(SCI IF = 2.122)
43. Gunalay, Y., J.S. Yeomans, and G.H. Huang, Modelling to Generate Alternative Policies in Highly Uncertain Environments: An Application to Municipal Solid Waste Management Planning. *Journal of Environmental Informatics*, 2012. 19(2): p. 58-69.(SCI IF = 2.533)
44. Suo, M.Q., Y.P. Li, and G.H. Huang, Multicriteria decision making under uncertainty: An advanced ordered weighted averaging operator for planning electric power systems. *Engineering Applications of Artificial Intelligence*, 2012. 25(1): p. 72-81.(SCI IF = 1.665)
45. Yang, Q., et al., A Multi-objective optimal model for a petroleum-contaminated aquifer groundwater remediation in western Canada, in *Advances in Environmental Science and Engineering*, Pts 1-6, R. Iranpour, et al., Editors. 2012. p. 2054-2057.
46. Wang, S., et al., Multi-site calibration, validation, and sensitivity analysis of the MIKE SHE Model for a large watershed in northern China. *Hydrology and Earth System Sciences*, 2012. 16(12): p. 4621-4632.(SCI IF = 3.148)
47. Huang, Y., et al., Optimization of the irrigation water resources for agricultural sustainability in Tarim River Basin, China. *Agricultural Water Management*, 2012. 107: p. 74-85.(SCI IF = 1.998)
48. Tang, Z.W., et al., Organochlorine pesticides in the lower reaches of Yangtze River: Occurrence, ecological risk and temporal trends. *Ecotoxicology and Environmental Safety*, 2012. 87: p. 89-97.(SCI IF = 2.294)
49. An, C.J., et al., Performance of in-vessel composting of food waste in the presence of coal ash and uric acid. *Journal of Hazardous Materials*, 2012. 203: p. 38-45.(SCI IF = 4.173)
50. Zhu, Y., Y.P. Li, and G.H. Huang, Planning municipal-scale energy systems under functional interval uncertainties. *Renewable Energy*, 2012. 39(1): p. 71-84.(SCI IF = 2.978)
51. Li, Y., et al., POTENTIAL INTERACTIVE EFFECTS OF TEN HEAVY METALS (Pb, Cd, Cu, Zn, Ni, Cr, Co, Sb, Fe AND Mn) ON SOIL BIOTOXICITY IN AN OILFIELD FROM CHINA. *Fresenius Environmental Bulletin*, 2012. 21(9A): p. 2772-2777.(SCI IF = 0.660)
52. He, L., et al., Quasi-Monte Carlo based global uncertainty and sensitivity analysis in modeling free product migration and recovery from petroleum-contaminated aquifers. *Journal of Hazardous Materials*, 2012. 219: p. 133-140.(SCI IF = 4.173)
53. Sun, Y., Y.P. Li, and G.H. Huang, A queuing-theory-based interval-fuzzy robust two-stage programming model for environmental management under uncertainty. *Engineering Optimization*, 2012. 44(6): p. 707-724.(SCI IF = 0.936)
54. Li, Y.P. and G.H. Huang, A recourse-based nonlinear programming model for stream water quality management. *Stochastic Environmental Research and Risk Assessment*, 2012. 26(2): p. 207-223.(SCI IF = 2.234)
55. Zhang, W.X., et al., Removal of phenol from synthetic waste water using Gemini micellar-enhanced ultrafiltration (GMEUF). *Journal of Hazardous Materials*, 2012. 235: p. 128-137.(SCI IF = 4.173)
56. Shen, J., et al., Risk Assessment for Petroleum Contamination Exposure in Groundwater, in *Advances in Environmental Science and Engineering*, Pts 1-6, R. Iranpour, et al., Editors. 2012. p. 987-990.
57. Fan, Y.R., G.H. Huang, and Y.P. Li, Robust interval linear programming for environmental decision making under uncertainty. *Engineering Optimization*, 2012. 44(11): p. 1321-1336.(SCI IF = 0.936)
58. Chen, C., et al., A robust optimization method for planning regional-scale electric power systems and managing carbon dioxide.

- International Journal of Electrical Power & Energy Systems, 2012. 40(1): p. 70-84.(SCI IF = 2.247)
59. Fan, Y.R. and G.H. Huang, A Robust Two-Step Method for Solving Interval Linear Programming Problems within an Environmental Management Context. Journal of Environmental Informatics, 2012. 19(1): p. 1-9.(SCI IF = 2.533)
60. Zeng, G.M., et al., Sensitive and renewable picloram immunosensor based on paramagnetic immobilisation. International Journal of Environmental Analytical Chemistry, 2012. 92(6): p. 729-741.(SCI IF = 1.169)
61. Zhu, H., G.H. Huang, and P. Guo, SIFNP: Simulation-Based Interval-Fuzzy Nonlinear Programming for Seasonal Planning of Stream Water Quality Management. Water Air and Soil Pollution, 2012. 223(5): p. 2051-2072.(SCI IF = 1.625)
62. Huang, Y.L., et al., Simulation-based inexact chance-constrained nonlinear programming for eutrophication management in the Xiangxi Bay of Three Gorges Reservoir. Journal of Environmental Management, 2012. 108: p. 54-65.(SCI IF = 3.245)
63. Lu, H.W., G.H. Huang, and L. He, Simulation-Based Inexact Rough-Interval Programming for Agricultural Irrigation Management: A Case Study in the Yongxin County, China. Water Resources Management, 2012. 26(14): p. 4163-4182.(SCI IF = 2.054)
64. Li, H.Z., et al., A Simulation-Based Optimization Approach for Water Quality Management of Xiangxihe River Under Uncertainty. Environmental Engineering Science, 2012. 29(4): p. 270-283.(SCI IF = 0.877)
65. Huang, Y., et al., A simulation-based two-stage interval-stochastic programming model for water resources management in Kaidu-Konqi watershed, China. Journal of Arid Land, 2012. 4(4): p. 390-398.(SCI IF = 0.542)
66. An, C.J. and G.H. Huang, Stepwise Adsorption of Phenanthrene at the Fly Ash-Water Interface as Affected by Solution Chemistry: Experimental and Modeling Studies. Environmental Science & Technology, 2012. 46(22): p. 12742-12750.(SCI IF = 4.825)
67. Lu, H.W., et al., Strategic agricultural land-use planning in response to water-supplier variation in a China's rural region. Agricultural Systems, 2012. 108: p. 19-28.(SCI IF = 2.899)
68. Shi, B., et al., A Two-phase Semi-Infinite Programming Method for Yongxin Water Resources Allocation in Jiangxi Province, in Natural Resources and Sustainable Development, Pts 1-3, Q.J. Xu, H.H. Ge, and J.X. Zhang, Editors. 2012. p. 906-909.
69. Li, Y.P., W. Li, and G.H. Huang, Two-Stage Inexact-Probabilistic Programming Model for Water Quality Management. Environmental Engineering Science, 2012. 29(7): p. 713-725.(SCI IF = 0.877)
70. Zang, H.K., et al., An uncertain energy planning model under carbon taxes. Frontiers of Environmental Science & Engineering, 2012. 6(4): p. 549-558.(SCI IF = 0.754)
71. Sun, W., et al., Waste management under multiple complexities: Inexact piecewise-linearization-based fuzzy flexible programming. Waste Management, 2012. 32(6): p. 1244-1257.(SCI IF = 2.428)