

Author:  [ADVANCED](#)Volume  Page Keyword:  
[TOP](#) > [Available Issues](#) > [Table of Contents](#) > [Abstract](#)

ONLINE ISSN : 1349-1008

PRINT ISSN : 1343-943X

**Plant Production Science**

Vol. 7 (2004) , No. 2 195-197


[\[PDF \(90K\)\]](#) [\[References\]](#)

## Breakdown of Cell Wall Polysaccharides in Rice Culms at the Early Ripening Stage

[Keisuke Nemoto](#)<sup>1)</sup>, [Satoshi Ando](#)<sup>1)</sup>, [Eiichi Tanimoto](#)<sup>2)</sup>, [Nobuyuki Kabaki](#)<sup>3)</sup>, [Hiroshi Fujimoto](#)<sup>3)</sup> and [Shigemi Akita](#)<sup>1)</sup>

1) The University of Tokyo

2) Nagoya City University

3) National Agriculture Research Center

(Received: October 22, 2003)

**Keywords:** [Cell wall](#), [Cell wall polysaccharides](#), [Hemicellulose](#), [Rice culm](#)


[\[PDF \(90K\)\]](#) [\[References\]](#)
Download Meta of Article [\[Help\]](#)[RIS](#)[BibTeX](#)

To cite this article:

Keisuke Nemoto, Satoshi Ando, Eiichi Tanimoto, Nobuyuki Kabaki, Hiroshi Fujimoto and Shigemi Akita: "Breakdown of Cell Wall Polysaccharides in Rice Culms at the Early Ripening Stage". *Plant Production Science*, Vol. 7, pp.195-197 (2004) .



---

[Japan Science and Technology Information Aggregator, Electronic](#)

