

[Available Issues](#) | [Japanese](#)>> [Publisher Site](#)Author:  [ADVANCED](#)Volume  Page Keyword:   

[TOP](#) > [Available Issues](#) > [Table of Contents](#) > [Abstract](#)

ONLINE ISSN : 1349-1008

PRINT ISSN : 1343-943X

**Plant Production Science**

Vol. 8 (2005) , No. 4 461-464

[\[PDF \(437K\)\]](#) [\[References\]](#)

## Traits of NuSun<sup>TM</sup> Varieties of Sunflower in Hokkaido, Japan

[Yutaka Honda](#)<sup>1)</sup>, [Yuji Mukasa](#)<sup>1)</sup> and [Tatsuro Suzuki](#)<sup>1)</sup>

1) National Agricultural Research Center for Hokkaido Region

(Received: April 14, 2004)

**Keywords:** [Fatty acid composition](#), [Linoleic acid](#), [NuSun](#), [Oleic acid](#), [Sunflower](#)

[\[PDF \(437K\)\]](#) [\[References\]](#)

Download Meta of Article [\[Help\]](#)

[RIS](#)

[BibTeX](#)

To cite this article:

Yutaka Honda, Yuji Mukasa and Tatsuro Suzuki: "Traits of NuSun<sup>TM</sup> Varieties of Sunflower in Hokkaido, Japan". *Plant Production Science*, Vol. 8, pp.461-464 (2005) .

doi:10.1626/pps.8.461

JOI JST.JSTAGE/pps/8.461

Copyright (c) 2005 by The Crop Science Society of Japan

