

Society Search

🔍 GO

News



TOP > Journal List > Available Issues > Table of Contents > Abstract **ONLINE ISSN: 1349-0990** PRINT ISSN: 0011-1848 Japanese journal of crop science Vol.65, No.3(1996)pp.509-517 [Full-text PDF (1259K)][References] Wheat Cultivar Differences in Photosynthetic Response to Low Soil Water Potentials : I. Maintenance of photosynthesis and leaf water potential Hui-lian Xu and Ryuichi ISHII 1) Graduate School of Agricultural and Life Sciences, the University of Tokyo: (Present address)International Nature Farming Research Center 2) Graduate School of Agricultural and Life Sciences, the University of Tokyo [Received: 1995/05/01] [Published: 1996/09/05] [Released: 2008/02/14] Abstract: Although many studies have shown cultivar differences in photosynthetic response to water deficit, the understanding of detailed mechanisms is not sufficient. We examined the mechanisms of water stress-resistance in terms of photosynthetic performance under low soil water potential (Ψ_{soil}) with sixteen cultivars of wheat (Triticum aestivum L.) from different habitats, which had shown different drought resistance on a grain yield basis. Cultivar differences in photosynthetic maintenance in response to decrease of Ψ_{soil} (water stress resistance), were found at ail seedling, booting, and grain filling stages. Cultivars with high drought resistance based on grain yield also showed high water stress resistance in photosynthetic performance. Water stress resistance (R_{ws}) was caused more by tolerance (T_{ws}, maintenance ability of photosynthesis in response to decrease of leaf water potential, Ψ_1)in some cultivars, which maintained relatively high photosynthesis (P_N) in spite of decreases in $\Psi_{\rm I}$, while it was caused more by water stress avoidance (A_{ws'} maintenance ability of Ψ_L in response to decreases in $\Psi_{\text{soil}})$ in other cultivars, which showed a relatively high P_N by maintaining a relatively high Ψ_L under the same low $\Psi_{\text{soil}}.$ However, there was a positive correlation between R_{ws} and T_{ws} or between R_{ws} and A_{ws} . It is suggested that avoidance and tolerance usually occur simultaneously in adaptation to low Ψ_{soil} , although water stress resistant cultivars varied in the water stress resistance mechanism. Keywords:

Drought avoidance, Drought resistance, Drought tolerance, Photosynthesis, Triticum aestivum, Water stress, Wheat

[Full-text PDF (1259K)][References]

Access Policy

Privacy Policy

Link Policy Contact

Amendment Policy

Japan Science and Technology Agency

