

本期目录 | 下期目录 | 过刊浏览 | 高级检索

[打印本页] [关闭]

## 植物保护—研究进展

### 植物源杀虫剂的研究进展

韩俊艳<sup>1</sup>,张立竹<sup>1</sup>,纪明山<sup>2</sup>

1. 沈阳大学生物与环境工程学院  
2. 沈阳农业大学植物保护学院

#### 摘要:

植物源杀虫剂是当前研发化学杀虫剂替代品的热点。本文对植物源杀虫剂的优势与机遇、开发研究现状、主要的作用方式、作用机制等进行了综述，并展望了其发展前景。

关键词: 鱼藤酮

### Research Progress of Botanical Insecticides

Abstract:

More and more attention has been paid to the research of botanical insecticides for developing alternatives of chemical pesticides. In this article, the superiority, opportunity, current researching state, mode of action, toxic mechanism of botanical insecticides were reviewed, and the prospective of botanical pesticides were described.

Keywords: rotentone

收稿日期 2011-04-01 修回日期 2011-05-11 网络版发布日期 2011-09-06

DOI:

基金项目:

辽宁省高等学校优秀人才支持计划项目“生物农药创制关键技术研究”;沈阳市科技计划项目“沈阳园林危险性虫害防控技术研究”;辽宁省科技攻关项目“昆虫蜕皮调节转录因子基因克隆及基因重组生物农药研究”

通讯作者: 纪明山

作者简介:

作者Email: jimingshan@163.com

#### 参考文献:

- Wong F, Alegria H A, Jantunen L M, et al. Organochlorine pesticides in soils and air of southern Mexico: Chemical profiles and potential for soil emissions. *Atmospheric Environment*. 2008;42(33):7737-7745.
- Cohen E. Pesticide-mediated homeostatic modulation in arthropods. *Pesticide Biochemistry and Physiology*. 2006;85(1):21-27.
- Zaim M, Guillet P. Alternative insecticides: an urgent need. *Trends in Parasitology*. 2002;18(4):161-163.
- Gentz M C, Murdoch G, King G F. Tandem use of selective insecticides and natural enemies for effective, reduced-risk pest management. *Biological Control Australia and New Zealand Biocontrol Conference*. 2010;52(3):208-215.
- Isman M, Miresmailli S, Machial C. Commercial opportunities for pesticides based on plant essential

#### 扩展功能

#### 本文信息

Supporting info

PDF(580KB)

[HTML全文]

参考文献[PDF]

参考文献

#### 服务与反馈

把本文推荐给朋友

加入我的书架

加入引用管理器

引用本文

Email Alert

文章反馈

浏览反馈信息

#### 本文关键词相关文章

鱼藤酮

#### 本文作者相关文章

韩俊艳

张立竹

纪明山

#### PubMed

Article by Han,J.Y

Article by Zhang,L.Z

Article by Ji,M.S

- oils in agriculture, industry and consumer products. *Phytochemistry Reviews*. 2010;1-8.
6. 袁文金,马德英,郭冬雪,姜运涛,张帆,羌松.我国植物源农药研究进展.新疆农业科学.2007,44(6):892-897.
7. Thacker JMR. An Introduction to Arthropod Pest Control. Cambridge, UK: Cambridge Univ. Press. 2002. 343 pp.
8. Isman M B. Botanical insecticides, deterrents, and repellents in modern agriculture and an increasingly regulated world. *Annual Review of Entomology*. 2006; 51: 45-66.
- 9 Davies T, Field L, Usherwood P, et al. DDT, pyrethrins, pyrethroids and insect sodium channels. *IUBMB life*. 2007; 59(3): 151-62.
10. Davies T G E, O'Reilly A O, Field L M, et al. Knockdown resistance to DDT and pyrethroids: from target-site mutations to molecular modelling. *Pest Management Science*. 2008; 64(11): 1126-1130.
11. Casida J E, Quistad G B. Pyrethrum Flowers: Production, Chemistry, Toxicology and Uses. Oxford, UK: Oxford Univ. Press. 1995, 356 pp.
12. Kaneko H. Pyrethroid Chemistry and Metabolism. In: Robert K, editor. Hayes' Handbook of Pesticide Toxicology (Third Edition). New York: Academic Press; 2010. p. 1635-1663.
13. Isman. M B. Problems and opportunities for the commercialization of botanical insecticides. In Biopesticides of Plant Origin,ed.C Regnault-Roger, BJR Philogene,C Vincent, pp. 283 - 291. Paris: Lavoisier 2005.
14. Ensley S. Pyrethrins and pyrethroids. In: Ramesh CG, Dvm, Mvsc, Phd, Dabt, Fact, editors. *Veterinary Toxicology*. Oxford: Academic Press; 2007. p. 494-498.
15. 曹挥, 刘素琪,王鸿雷, 师光禄, 曾鑫年. 万寿菊根提取物对山楂叶螨几种酶活性的影响. 林业科学. 2003; 39 (2): 114-117.
16. Tripathi A K, Prajapati V, Aggarwal K K, et al. Repellency and Toxicity of Oil from *Artemisia annua* to Certain Stored-Product Beetles. *Journal of economic entomology*. 2000 2000, 93(1): 43-47.
17. Morgan E D. Azadirachtin, a scientific gold mine. *Bioorganic & Medicinal Chemistry*. 2009; 17 (12): 4096-4105.
18. Williams L A D, Mansingh A. The insecticidal and acaricidal actions of compounds from *Azadirachta indica* (A. Juss.) and their use in tropical pest management. *Integrated Pest Management Reviews*. 1996; 1(3): 133-145.
19. Kreutzweiser D P, Capell S S, Scarr T A. Acute Lethal and Sublethal Effects of a Neem-Based Insecticide on Nontarget Aquatic Insects in Stream Channels. *Bulletin of Environmental Contamination and Toxicology*. 1999; 63(3): 365-371.
20. Borges L M, Ferri P H, Silva W J, et al. In vitro efficacy of extracts of *Melia azedarach* against the tick *Boophilus microplus*. *Medical and Veterinary Entomology*. 2003; 17(2): 228-231.
21. Kebede Y, Gebre-Michael T, Balkew M. Laboratory and field evaluation of neem (*Azadirachta indica* A. Juss) and Chinaberry (*Melia azedarach* L.) oils as repellents against *Phlebotomus orientalis* and *P. bergeroti* (Diptera: Psychodidae) in Ethiopia. *Acta Tropica*. 2010; 113(2): 145-150.
22. 赵莉蘭, 刘素琪, 侯輝, 曹挥, 师光禄. 植物源杀螨剂的研究进展. 植物医生. 2004, 17(3): 4-6.
23. Hollingworth R M, Ahammadahib K I, Gadelhak G, et al. New inhibitors of complex I of the mitochondrial electron transport chain with activity as pesticides. *Biochemical Society Transactions*. 1994; 22(1): 230-233.
24. Betarbet R, Canet-Aviles R M, Sherer T B, et al. Intersecting pathways to neurodegeneration in Parkinson's disease: Effects of the pesticide rotenone on DJ-1, [alpha]-synuclein, and the ubiquitin-proteasome system. *Neurobiology of disease*. 2006; 22(2): 404-420.
25. 曾鑫年, 张善学, 方剑锋, 韩建勇. 毛鱼藤酮与鱼藤酮杀虫活性的 比较. 昆虫学报, 2002, 45: 611-616
26. 杨文飞, 杜小凤, 季国宝, 吴传万, 钱新民. 0.36%苦参碱水剂防治苹果园山楂叶螨试验.中国果树.2006, (1):29-30.
27. Mansour F, Ravid U, Putievsky E. Studies of the effects of essential oils isolated from 14 species of Labiatae on the carmine spider mite, *Tetranychus cinnabarinus*. *Phytoparasitica*. 1986; 14(2): 137-142.
28. Lee S, Tsao R, Peterson C, et al. Insecticidal activity of monoterpenoids to western corn rootworm (Coleoptera: Chrysomelidae), twospotted spider mite (Acari: Tetranychidae), and house fly (Diptera: Muscidae). *Journal of Economic Entomology*. 1997; 90(4): 883-892.
29. Isman M B. Plant essential oils as green pesticides for pest and disease management 2004: ACS Publications.
30. Koul O, Suresh W, Dhaliwal G S. Essential Oils as Green Pesticides: Potential and Constraints. *Biopesticides International*. 2008; 4(1): 63 - 84.
- 31 Devine G J, Harling Z K, Scarr A W, et al. Lethal and sublethal effects of imidacloprid on nicotine-tolerant *Myzus nicotianae* and *Myzus persicae*. *Pesticide Science*. 1996; 48(1): 57-62.
32. Neale Jr W, Buta J, Pittarelli G, et al. Novel sucrose esters from Nicotiana gossei: Effective biorationals against selected horticultural insect pests. *Journal of Economic Entomology*. 1994; 87 (6): 1600-1607.
33. Antonious G F, Snyder J C. Natural products: repellency and toxicity of wild tomato leaf extracts to the two-spotted spider mite, *Tetranychus urticae* Koch. *Journal of Environmental Science and Health, Part B*. 2006; 41(1): 43-55.
34. Shi G, Liu S, Cao H, et al. Acaricidal activities of extracts of *Stellera chamaejasme* against

35. Bostanian N J, Akalach M, Chiasson H. Effects of a Chenopodium-based botanical insecticide/acaricide on Orius insidiosus (Hemiptera: Anthocoridae) and Aphidius colemani (Hymenoptera: Braconidae). Pest management science. 2005; 61(10): 979-984.
36. 马志卿, 张兴. 植物源杀虫物质的作用特点. 植物保护. 2000; 26(2): 37-39.
37. 徐河山, 马雅军. 植物源杀虫剂作用方式和机理的研究进展. 热带医学杂志. 2006; 6(6): 743-744.
38. 周顺玉. 多种植物提取对柑桔全爪螨驱避和毒杀活性的研究. 四川农业大学学报. 2004; 33(6): 29-31.
39. 侯华民, 张兴. 植物精油杀虫活性的研究进展. 世界农业. 2001, 4(2): 40-42.
40. Rattan R S. Mechanism of action of insecticidal secondary metabolites of plant origin. Crop Protection. 2010; 29(9): 913-920.
41. Du Y, Nomura Y, Luo N, et al. Molecular determinants on the insect sodium channel for the specific action of type II pyrethroid insecticides. Toxicology and applied pharmacology. 2009; 234(2): 266-272.
42. Du Y, Lee J, Nomura Y, et al. Identification of a cluster of residues in transmembrane segment 6 of domain III of the cockroach sodium channel essential for the action of pyrethroid insecticides. Biochem J. 2009; 419: 377-385.
43. Priestley C M, Williamson E M, Wafford K A, et al. Thymol, a constituent of thyme essential oil, is a positive allosteric modulator of human GABA receptors and a homo-oligomeric GABA receptor from *Drosophila melanogaster*. British journal of pharmacology. 2003; 140(8): 1363-1372.
44. Zhao X, Salgado V L. The role of GABA and glutamate receptors in susceptibility and resistance to chloride channel blocker insecticides. Pesticide Biochemistry and Physiology. 2010; 97(2): 153-160.
45. Tong F, Coats J R. Effects of Some Monoterpene Insecticides on [3H]-TBOB Binding in House Fly GABA Receptor and  $^{36}\text{Cl}$ -Uptake in American Cockroach Ventral Nerve Cord. Pesticide Biochemistry and Physiology. 2010; 98(3): 317-324.
46. Enan E. Insecticidal activity of essential oils: octopaminergic sites of action. Comparative Biochemistry and Physiology Part C: Toxicology & Pharmacology. 2001; 130(3): 325-337.
47. Price D N, Berry M S. Comparison of effects of octopamine and insecticidal essential oils on activity in the nerve cord, foregut, and dorsal unpaired median neurons of cockroaches. Journal of Insect Physiology. 2006; 52(3): 309-319.
48. Tripathi A K, Upadhyay S, Bhuiyan M, Bhattacharya P. A review on prospects of essential oils as biopesticide in insect-pest management. Journal of Pharmacognosy and Phytotherapy. 2009; 1(5): 52-63.
49. Duke S O, Moorman T B, Bryson C T. Phytotoxicity of pesticide degradation products 1991: ACS Publications.
50. Kaur S, Singh H P, Mittal S, et al. Phytotoxic effects of volatile oil from *Artemisia scoparia* against weeds and its possible use as a bioherbicide. Industrial Crops and Products. 2010; 32(1): 54-61.

#### 本刊中的类似文章