

## Table of Contents

## Article Archive

- VETMED (63) 2018
- VETMED (62) 2017
- VETMED (61) 2016
- VETMED (60) 2015
- VETMED (59) 2014
- VETMED (58) 2013
- VETMED (57) 2012
- VETMED (56) 2011
- VETMED (55) 2010
- VETMED (54) 2009
- VETMED (53) 2008
- VETMED (52) 2007
- VETMED (51) 2006
  - Issue No. 1 (1-43)
  - Issue No. 2 (45-80)
  - Issue No. 3 (81-123)
  - Issue No. 4 (125-160)
  - Issue No. 5 (161-332)
  - Issue No. 6 (333-363)
  - Issue No. 7 (365-407)
  - Issue No. 8 (409-436)
  - Issue No. 9 (437-467)
  - Issue No. 10 (469-496)
  - Issue No. 11 (497-531)
  - Issue No. 12 (533-558)
- VETMED (50) 2005
- VETMED (49) 2004
- VETMED (48) 2003
- VETMED (47) 2002
- VETMED (46) 2001

## Editorial Board

## Ethical Standards

## Reviewers 2017

## For Authors

## Author Declaration

## Instructions for Authors

## Submission Templates

## Authors' Guide

## Fees

## Login – submissions till 2017

## Submission / Login 2018

## Changes of haematological parameters in common pheasant throughout the year

K. Hauptmanova, M. Maly, I. Literak

<https://doi.org/10.17221/5514-VETMED>

Citation: Hauptmanova K., Maly M., Literak I. (2006): Changes of haematological parameters in common pheasant throughout the year. Veterinarni Medicina, 51: 29-34.

[download PDF](#)

The haematological parameters of the common pheasant (*Phasianus colchicus*), the dynamics of changes in blood count parameters with regard to the season of the year and reproduction status, and the effects of sex and body condition on the haematological parameters of blood were studied. In total, 574 blood samples were collected. The samples were collected from pheasants from the age of 6 months, prior to the laying period, and after the laying period. Packed cell volume and haemoglobin concentration significantly increased in males during the period of growth and decreased during the period of reproductive activity. Significantly higher values were detected in males compared to females in erythrocyte count, packed cell volume, haemoglobin concentration and in mean corpuscular haemoglobin concentration. A statistically significant positive relationship was detected between weight and the values of most of the parameters related to red blood cells.

**Keywords:**haematology; *Phasianus colchicus*; erythrocytes; leucocytes
[download PDF](#)

Impact factor (WoS)

2016: 0.434

5-Year Impact Factor: 0.7

SJR (SCOPUS)

2017: 0.280 – Q2 (Veterina (miscellaneous))

 Share

Similarity Check

All the submitted manuscripts checked by the [CrossRef Check](#).

Abstracted/Indexed in

Agrindex of AGRIS/FAO  
Animal Breeding Abstracts  
CAB Abstracts  
CNKI  
CrossRef  
Current Contents®/Agriculture, Biology and Environmental Sciences  
Czech Agricultural and Forestry Bibliography  
DOAJ (Directory of Open Access Journals)  
EBSCO – Academic Search Ultimate  
FSTA (formerly: Food Science and Technology Abstracts)  
Google Scholar  
J-GATE  
Science Citation Index Expanded  
SCOPUS  
TOXLINE PLUS  
Web of Knowledge<sup>SM</sup>  
Web of Science®

Licence terms

All contents of the journal are available for non-commercial purposes, users are allowed to copy and redistribute the material as long as they cite the source.

Open Access Policy

This journal provides immediate open access to its content on the principle that making research freely available to the public supports a greater global exchange of knowledge.

Contact

Mgr. Zuzana Karlíková  
Executive Editor  
phone: + 420 227 010 352  
e-mail: [vetmed@cazv.cz](mailto:vetmed@cazv.cz)

Address

Veterinární medicína  
Czech Academy of Agricultural Sciences

---

[For Reviewers](#)

[Reviewers' Guide](#)

[Reviewers login](#)

[Subscription](#)

---

© 2018 Czech Academy of Agricultural Sciences