

植物miRNA的进化

魏强, 梁永宏, 李广林

陕西师范大学生命科学学院, 西安 710062

WEI Qiang , LI ANG Yong-Hong , LI Guang-Lin

College of Life Science, Shaanxi Normal University, Xi'an 710062, China

- [摘要](#)
- [参考文献](#)
- [相关文章](#)

Download: PDF (544KB) [HTML](#) (1KB) Export: BibTeX or EndNote (RIS) [Supplementary data](#)

摘要 鉴于miRNA在植物基因表达调控中的重要作用,人们已经开展对植物miRNA的预测、鉴定、功能和进化等方面的研究。随着许多模式植物基因组测序的完成,miRNA的基因组学和进化信息的整合为miRNA的起源和进化研究提供了越来越多的证据和假说,然而尚未见关于植物miRNA进化方面的系统报道。文章从miRNA的起源以及相应的几种假说、miRNA的产生和消亡、miRNA的功能进化等几方面来分析和综述植物miRNA进化的研究进展。

关键词: [miRNA](#) [进化](#) [产生和消亡](#) [起源假说](#)

Abstract: Due to the important role of miRNA in regulation of plant gene expression, researchers have focused on the prediction, identification, functional and evolutionary analysis of miRNA. As genome sequencing has been completed in many species, the integration of genomic sequences with evolutionary data of miRNA provides more and more evidence and hypotheses for the origin and evolution of miRNA. However, the evolution of miRNA in plants has not been extensively reviewed. In this article, we reviewed several aspects of the evolution of miRNA in plants, including the origin hypothesis of miRNA, the birth and death of miRNA, and the functional evolution of miRNA, which provides a reference for future research.

Keywords: [miRNA](#), [evolution](#), [birth and death](#), [origin hypothesis](#)

收稿日期: 2012-07-03; 出版日期: 2013-03-25

基金资助:

国家自然科学基金项目(编号: 31070256)和中央高校基本科研业务费项目(编号: GK200902036)资助

通讯作者 李广林 Email: glli@snnu.edu.cn

Service

- ▶ 把本文推荐给朋友
- ▶ 加入我的书架
- ▶ 加入引用管理器
- ▶ Email Alert
- ▶ RSS

作者相关文章

- ▶ 魏强
- ▶ 梁永宏
- ▶ 李广林

引用本文:

魏强, 梁永宏, 李广林. 植物miRNA的进化. 遗传, 2013, 35(3): 315-323.

WEI Qiang, LIANG Yong-Hong, LI Guang-Lin. Evolution of miRNA in plants. HEREDITAS, 2013, V35(3): 315-323.

链接本文:

http://www.chinagene.cn/Jwk_yC/CN/10.3724/SP.J.1005.2013.00315 或 http://www.chinagene.cn/Jwk_yC/CN/Y2013/V35/I3/315

- [1] Bartel DP. MicroRNAs: target recognition and regulatory functions. *Cell*, 2009, 136(2): 215-233.
- [2] Lee RC, Feinbaum RL, Ambros V. The *C. elegans* heterochronic gene lin-4 encodes small RNAs with antisense complementarity to lin-14. *Cell*, 1993, 75(5): 843-854.
- [3] Cuperus JT, Fahlgren N, Carrington JC. Evolution and functional diversification of MIRNA genes. *Plant Cell*, 2011, 23(2): 431-442.
- [4] 成永强, 王正平, 王愈聪, 范永山. MicroRNA分析方法进展. 化学进展, 2010, 22(8): 1509-1517.
- [5] Axtell MJ, Bartel DP. Antiquity of microRNAs and their targets in land plants. *Plant Cell*, 2005, 17(6): 1658-1673.
- [6] Zhang BH, Pan XP, Cannon CH, Cobb GP, Anderson TA. Conservation and divergence of plant microRNA genes. *Plant J*, 2006, 46(2): 243-259.
- [7] Allen E, Xie ZX, Gustafson AM, Sung GH, Spatafora JW, Carrington JC. Evolution of microRNA genes by inverted duplication of target gene sequences in *Arabidopsis thaliana*. *Nat Genet*, 2004, 36(12): 1282-1290.
- [8] Voinnet O. Origin, biogenesis, and activity of plant microRNAs. *Cell*, 2009, 136(4): 669-687.

- [9] Fahlgren N, Howell MD, Kasschau KD, Chapman EJ, Sullivan CM, Cumbie JS, Givan SA, Law TF, Grant SR, Dangl JL, Carrington JC. High-throughput sequencing of *Arabidopsis* microRNAs: evidence for frequent birth and death of MIRNA genes. *PLoS One*, 2007, 2(2): e219.
- [10] Rajagopalan R, Vaucheret H, Trejo J, Bartel DP. A diverse and evolutionarily fluid set of microRNAs in *Arabidopsis thaliana*. *Genes Dev*, 2006, 20(24): 3407-3425. 
- [11] Reinhart BJ, Weinstein EG, Rhoades MW, Bartel B, Bartel DP. MicroRNAs in plants. *Genes Dev*, 2002, 16(13): 1616-1626. 
- [12] Arteaga-Vázquez M, Caballero-Pérez J, Vielle-Calzada JP. A family of micrornas present in plants and animals. *Plant Cell*, 2006, 18(12): 3355-3369. 
- [13] Ibáñez-Ventoso C, Vora M, Driscoll M. Sequence relationships among *C. elegans*, *D. melanogaster* and human microRNAs highlight the extensive conservation of microRNAs in biology. *PLoS One*, 2008, 3(7): e2818.
- [14] Sunkar R, Jagadeeswaran G. In silico identification of conserved microRNAs in large number of diverse plant species. *BMC Plant Biol*, 2008, 8(1): 37. 
- [15] Tang GL. Plant microRNAs: an insight into their gene structures and evolution. *Semin Cell Dev Biol*, 2010, 21(8): 782-789. 
- [16] Ma ZR, Coruh C, Axtell MJ. *Arabidopsis lyrata* small RNAs: transient MIRNA and small interfering RNA loci within the *Arabidopsis* genus. *Plant Cell*, 2010, 22(4): 1090-1103. 
- [17] Ason B, Darnell DK, Wittbrodt B, Berezikov E, Kloosterman WP, Wittbrodt J, Antin PB, Plasterk RHA. Differences in vertebrate microRNA expression. *Proc Natl Acad Sci USA*, 2006, 103(39): 14385-14389. 
- [18] Shabalina SA, Koonin EV. Origins and evolution of eukaryotic RNA interference. *Trends Ecol Evol*, 2008, 23(10): 578-587. 
- [19] Zhang Y, Jiang WK, Gao LZ. Evolution of microRNA genes in *Oryza sativa* and *Arabidopsis thaliana*: an update of the inverted duplication model. *PLoS One*, 2011, 6(12): e28073.
- [20] Maher C, Stein L, Ware D. Evolution of *Arabidopsis* microRNA families through duplication events. *Genome Res*, 2006, 16(4): 510-519. 
- [21] Wang S, Zhu QH, Guo XY, Gui YJ, Bao JD, Helliwell C, Fan LJ. Molecular evolution and selection of a gene encoding two tandem microRNAs in rice. *FEBS Lett*, 2007, 581(24): 4789-4793. 
- [22] Guddeti S, Zhang DC, Li AL, Leseberg CH, Kang H, Li XG, Zhai WX, Johns MA, Mao L. Molecular evolution of the rice miR395 gene family. *Cell Res*, 2005, 15(8): 631-638. 
- [23] de Felippes FF, Schneeberger K, Dezulian T, Huson DH, Weigel D. Evolution of *Arabidopsis thaliana* microRNAs from random sequences. *RNA*, 2008, 14(12): 2455-2459.
- [24] Svoboda P, Di Cara A. Hairpin RNA: a secondary structure of primary importance. *Cell Mol Life Sci*, 2006, 63(7-8): 901-908. 
- [25] Axtell MJ. Evolution of microRNAs and their targets: are all microRNAs biologically relevant? *Biochim Biophys Acta*, 2008, 1779(11): 725-734.
- [26] Chen K, Rajewsky N. The evolution of gene regulation by transcription factors and microRNAs. *Nat Rev Genet*, 2007, 8(2): 93-103.
- [27] Fahlgren N, Jogdeo S, Kasschau KD, Sullivan CM, Chapman EJ, Laubinger S, Smith LM, Dasenko M, Givan SA, Weigel D, Carrington JC. MicroRNA gene evolution in *Arabidopsis lyrata* and *Arabidopsis thaliana*. *Plant Cell*, 2010, 22(4): 1074-1089. 
- [28] Nozawa M, Miura S, Nei M. Origins and evolution of microRNA genes in plant species. *Genome Biol Evol*, 2012, 4(3): 230-239. 
- [29] Ehrenreich IM, Purugganan MD. Sequence variation of MicroRNAs and their binding sites in *Arabidopsis*. *Plant Physiol*, 2008, 146(4): 1974-1982. 
- [30] Warthmann N, Das S, Lanz C, Weigel D. Comparative analysis of the MIR319a microRNA locus in *Arabidopsis* and related Brassicaceae. *Mol Biol Evol*, 2008, 25(5): 892-902. 
- [31] Meng YJ, Shao CG, Gou LF, Jin YF, Chen M. Construction of microRNA- and microRNA*-mediated regulatory networks in plants. *RNA Biol*, 2011, 8(6): 1124-1148. 
- [32] 李培, 卢向阳, 李昌珠, 方俊, 田云. 植物microRNAs研究进展. 遗传, 2007, 29(3): 283-288. 浏览
- [33] Jones-Rhoades MW, Bartel DP, Bartel B. MicroRNAs and their regulatory roles in plants. *Annu Rev Plant Biol*, 2006, 57(1): 19-53. 
- [34] Abrouk M, Zhang RZ, Murat F, Li AL, Pont C, Mao L, Salse J. Grass microRNA gene paleohistory unveils new insights into gene dosage balance in subgenome partitioning after whole-genome duplication. *Plant Cell*, 2012, 24(5): 1776-1792. 
- [35] Bari R, Pant BD, Stitt M, Scheible WR. PHO2, microRNA399, and PHR1 define a phosphate-signaling pathway in plants. *Plant Physiol*, 2006, 141(3): 988-999. 
- [36] Tsang J, Zhu J, van Oudenaarden A. MicroRNA-mediated feedback and feedforward loops are recurrent network motifs in mammals. *Mol Cell*, 2007, 26(5): 753-767. 
- [37] Gutierrez L, Bussell JD, P?curar DI, Schwambach J, P?curar M, Bellini C. Phenotypic plasticity of adventitious rooting in *Arabidopsis* is controlled by complex regulation of AUXIN RESPONSE FACTOR transcripts and microRNA abundance. *Plant Cell*, 2009, 21(10): 3119-3132. 
- [38] Xie ZX, Kasschau KD, Carrington JC. Negative feedback regulation of Dicer-Like1 in *Arabidopsis* by microRNA-guided mRNA degradation. *Curr*

- [39] Vaucheret H, Mallory AC, Bartel DP.AGO1 homeostasis entails coexpression of MIR168 and AGO1 and preferential stabilization of miR168 by AGO1. *Mol Cell*, 2006, 22(1): 129-136. crossref
- [40] Meng Y, Shao C, Chen M. Toward microRNA-mediated gene regulatory networks in plants. *Brief Bioinform*, 2011, 12(6): 645-659. crossref
- [41] Allen E, Howell MD. MiRNAs in the biogenesis of trans-acting siRNAs in higher plants. *Semin Cell Dev Biol*, 2010, 21(8): 798-804. crossref
- [42] Montgomery TA, Howell MD, Cuperus JT, Li DW, Hansen JE, Alexander AL, Chapman EJ, Fahlgren N, Allen E, Carrington JC. Specificity of ARGONAUTE7-miR390 interaction and dual functionality in TAS3 trans-acting siRNA formation. *Cell*, 2008, 133(1): 128-141.
- [43] Montgomery TA, Yoo SJ, Fahlgren N, Gilbert SD, Howell MD, Sullivan CM, Alexander A, Nguyen G, Allen E, Ahn JH, Carrington JC. AGO1-miR173 complex initiates phased siRNA formation in plants. *Proc Natl Acad Sci USA*, 2008, 105(51): 20055-20062. crossref
- [44] Axtell MJ, Jan C, Rajagopalan R, Bartel DP. A two-hit trigger for siRNA biogenesis in plants. *Cell*, 2006, 127(3): 565-577.
- [45] Wu L, Zhou HY, Zhang QQ, Zhang JG, Ni FR, Liu C, Qi YJ. DNA methylation mediated by a microRNA pathway. *Mol Cell*, 2010, 38(3): 465-475. crossref
- [46] Chellappan P, Xia J, Zhou XF, Gao S, Zhang XM, Coutino G, Vazquez F, Zhang WX, Jin HL. SiRNAs from miRNA sites mediate DNA methylation of target genes. *Nucleic Acids Res*, 2010, 38(20): 6883-6894. crossref
- [47] Khraiwesh B, Arif MA, Seumel GI, Ossowski S, Weigel D, Reski R, Frank W. Transcriptional control of gene expression by microRNAs. *Cell*, 2010, 140(1): 111-122.
- [48] Conant GC, Wolfe KH. Turning a hobby into a job: how duplicated genes find new functions. *Nat Rev Genet*, 2008, 9(12): 938-950. crossref
- [49] Guo XY, Gui YJ, Wang Y, Zhu QH, Helliwell C, Fan LJ. Selection and mutation on microRNA target sequences during rice evolution. *BMC Genomics*, 2008, 9(1): 454. crossref
- [50] Quach H, Barreiro LB, Laval G, Zidane N, Patin E, Kidd KK, Kidd JR, Bouchier C, Veuille M, Antoniewski C, Quintana-Murci L. Signatures of purifying and local positive selection in human miRNAs. *Am J Hum Genet*, 2009, 84(3): 316-327. crossref
- [1] 董文鸽 郭宪国 金道超 薛士鹏 秦凤 Simon Song, Stephen C. Barker, Renfu Shao.虱目裂化线粒体基因组研究进展[J]. 遗传, 2013, 35(7): 847-855
- [2] 金晓露 杨建香 李真 刘红云 刘建新.乳腺发育及泌乳相关miRNA研究进展[J]. 遗传, 2013, 35(6): 695-702
- [3] 宫玲亮 侯凯 陈俊雯 徐应文 吴卫.ω-6和ω-3脂肪酸脱氢酶家族系统进化与功能分化[J]. 遗传, 2013, 35(5): 643-654
- [4] 杨红波, 梁巍, 刘新星, 朱作言, 林硕, 张博.应用双荧光报告系统检测斑马鱼microRNA的动态表达[J]. 遗传, 2012, 34(9): 1181-1192
- [5] 梁巍, 刘新星, 张博.《遗传》2012年第9期封面说明[J]. 遗传, 2012, 34(9): 1152-0
- [6] 汤海明, 陈红, 张静, 任景怡, 许宁.新一代测序技术应用于microRNA检测[J]. 遗传, 2012, 34(6): 784-792
- [7] 赵璐, 冯悦, 夏雪山.HCV基因型的差异性流行与进化[J]. 遗传, 2012, 34(6): 666-672
- [8] 郑维豪, 林志强, 卓敏, 杜红丽, 王小宁.抗流感病毒小RNAs研究进展[J]. 遗传, 2012, 34(5): 526-532
- [9] 张昕, 姜华, 王艳丽, 张震, 毛雪琴, 柴荣耀, 邱海萍, 杜新法, 王教瑜, 孙国昌.真菌类过氧化物酶体增殖因子PEX11基因家族生物信息学研究[J]. 遗传, 2012, 34(5): 635-646
- [10] 叶远浓, 郭峰彪.微生物必需基因的理论研究现状[J]. 遗传, 2012, 34(4): 420-430
- [11] 马圣运, 白玉, 韩凝, 王君晖, 翁晓燕, 边红武, 朱睦元.miRNA*生物合成及其功能研究的新发现[J]. 遗传, 2012, 34(4): 383-388
- [12] 魏开发, 陈娟, 陈艳峰, 吴凌娟, 贾文锁.内源ABA信号水平动态调控的分子机制[J]. 遗传, 2012, 34(3): 296-306
- [13] 祝雯, 詹家缓.植物病原物的群体遗传学[J]. 遗传, 2012, 34(2): 157-166
- [14] 李娟, 张克勤.微生物的遗传多样性[J]. 遗传, 2012, 34(11): 1399-1408
- [15] 宋雪梅, 姜俊芳, 蒋永清.哺乳动物乳汁miRNA的研究进展[J]. 遗传, 2012, 34(10): 1233-1241