

[本期目录](#) | [下期目录](#) | [过刊浏览](#) | [高级检索](#)[\[打印本页\]](#) [\[关闭\]](#)**综述****疱疹病毒与宿主细胞骨架间的相互作用 FREE**

李一柯,陈利玉

中南大学湘雅医学院微生物学系,湖南 长沙410078

摘要:

疱疹病毒依赖于宿主细胞骨架有效地进入细胞、复制以及从细胞中释放出来。为促使这一过程顺利完成,在细胞质和细胞核中,病毒蛋白必须与宿主细胞分子马达相互作用,以便使病毒在感染细胞中正确定位。本文就疱疹病毒如何利用宿主细胞骨架、相关的分子马达和重塑蛋白将复杂的病毒结构高效地转入或转出细胞进行简要综述。

关键词: 疱疹病毒; 宿主; 细胞骨架; 分子马达; 细胞器

Interactions between herpesvirus and host cytoskeleton FREE

LI Yi ke, CHEN Li yu

Xiangya School of Medicine, Central South University, Changsha 410078, China

Abstract:**Keywords:**

收稿日期 2009-06-02 修回日期 2009-08-31 网络版发布日期 2010-03-30

DOI:**基金项目:**

通讯作者: 陈利玉

作者简介: 李一柯 (1984-), 女(汉族),湖南省长沙市人,硕士研究生,主要从事分子病毒学研究。

作者Email: chenliyuzy@yahoo.com.cn

扩展功能
本文信息
Supporting info
PDF(817KB)
[HTML全文]
参考文献PDF
参考文献
服务与反馈
把本文推荐给朋友
加入我的书架
加入引用管理器
引用本文
Email Alert
文章反馈
浏览反馈信息
本文关键词相关文章
疱疹病毒; 宿主; 细胞骨架;
分子马达; 细胞器
本文作者相关文章
PubMed

参考文献:

- [1] Lanni F, Waggoner A S, Taylor D L. Structural organization of interphase 3T3 fibroblasts studied by total internal reflection fluorescence microscopy [J]. *Cell Biol*, 1985, 100(4):1091-1092.
- [2] Browne S S. Cooperation between microtubule and actin based motor proteins [J]. *Annu Rev Cell Dev Biol*, 1999, 15:63-80.
- [3] Oriolo A S, Wald F A, Ramsauer V P, et al. Intermediate filaments: a role in epithelial polarity [J]. *Exp Cell Res*, 2007, 313(10):212-224.
- [4] Lukacs G L, Haggie P, Seksek O, et al. Size dependent DNA mobility in cytoplasm and nucleus [J]. *Biol Chem*, 2000, 275(3):1652-1659.
- [5] Lyman M G, Enquist L W. Herpesvirus interactions with the host cytoskeleton [J]. *Virol*, 2009, 83(5): 2058-2066.
- [6] Martinez Moreno M, Navarro Lerida I, Roncal F, et al. Recognition of novel viral sequences that associate with the dynein light chain LC8 identified through a pepscan technique [J]. *FEBS Lett*, 2003, 544(1-3):262-267.
- [7] Cole N L, Grose C. Membrane fusion mediated by herpesvirus glycoproteins: the paradigm of varicella zoster virus [J]. *Rev Med Virol*, 2003, 13(4):207-222.
- [8] Nakanishi H, Takai Y. Roles of nectins in cell adhesion, migration and polarization [J]. *Biol Chem*, 2004, 385(10):885-892.
- [9] De Regge N, Nauwynck H J, Geenen K, et al. Alpha herpesvirus glycoprotein D interaction with sensory neurons triggers formation of varicosities that serve as virus exit sites [J]. *Cell Biol*, 2006, 174(2):267-275.
- [10] Naranatt P P, Akula S M, Zien C A, et al. Kaposi's sarcoma associated herpesvirus induces the

phosphatidylinositol 3 kinase PKC zeta MEK ERK signaling pathway in target cells early during infection: implications for infectivity [J]. Virol, 2003, 77(2):1524-1539.

[11] Clement C, Tiwari V, Scanlan P M, et al. A novel role for phagocytosis like uptake in herpes simplex virus entry [J]. Cell Biol, 2006, 174(7):1009-1021.

[12] Hoppe S, Schelhaas M, Jaeger V, et al. Early herpes simplex virus type 1 infection is dependent on regulated Rac1/Cdc42 signalling in epithelial MDCKII cells [J]. Gen Virol, 2006, 87(12):3483-3494.

[13] Desai P, Deluca N A, Person S. Herpes simplex virus type 1 VP26 is not essential for replication in cell culture but influences production of infection virus in the nervous system of infected mice [J]. Virology, 1998, 247(1):115-124.

[14] Klopfenstein D R, Vale R D, Rogers S L. Motor protein receptors: moonlighting on other jobs [J]. Cell, 2000, 103(4):537-540.

[15] Douglas M W, Diefenbach R J, Homa F L, et al. Herpes simplex virus type 1 capsid protein VP26 interacts with dynein light chains RP3 and Tctex1 and plays a role in retrograde cellular transport [J]. Biol Chem, 2004, 279(27):28522-28530.

[16] Benboudjema L, Mulvey M, Gao Y, et al. Association of the herpes simplex virus type 1 Us11 gene product with the cellular kinesin light chain related protein PAT1 results in the redistribution of both polypeptides [J]. Virol, 2003, 77(17):9192-9203.

[17] Koshizuka T, Kawaguchi Y, Nishiyama Y. Herpes simplex virus type 2 membrane protein UL56 associates with the kinesin motor protein KIF1A [J]. Gen Virol, 2005, 86(3):527-533.

[18] Mettenleiter T C. Herpesvirus assembly and egress [J]. Virol, 2002, 76(4):1537-1547.

[19] Caviston J P, Holzbaur E L. Microtubule motors at the intersection of trafficking and transport [J]. Trends Cell Biol, 2006, 16(10):530-537.

[20] Mettenleiter T C, Klupp B G, Granzow H. Herpesvirus assembly: a tale of two membranes [J]. Curr Opin Microbiol, 2006, 9(4):423-429.

[21] Lee G E, Murray J W, Wolkoff A W, et al. Reconstitution of herpes simplex virus microtubule dependent trafficking in vitro [J]. Virol, 2006, 80(9):4264-4275.

[22] Harley C A, Dasgupta A, Wilson D W. Characterization of herpes simplex virus containing organelles by subcellular fractionation: role for organelle acidification in assembly of infectious particles [J]. Virol, 2001, 75(3):1236-1251.

[23] Miranda Saksena M, Armati P, Boadle R A, et al. Anterograde transport of herpes simplex virus type 1 in cultured, dissociated human and rat dorsal root ganglion neurons [J]. Virol, 2000, 74(4):1827-1839.

本刊中的类似文章

Copyright by 中国感染控制杂志