

This block contains a dense, multi-line text document with various sections, tables, and figures. It includes mathematical formulas, tables, and figures. The text is primarily in Chinese, with some English words and symbols interspersed.

This block contains a single line of text in Chinese, which is a highly compressed and garbled representation of the original content. It appears to be a mix of random characters, numbers, and possibly some legitimate code or text that has been severely corrupted or encoded.





端父端伏伏父  
父伏伏端端父  
端端端伏伏父  
父伏伏端端父  
端端端三三伏  
端三三伏端端父  
端端端二二伏

如果初治时用单用，不规则治疗，使结核菌产生了耐药，则复治时需要重新制订方案，撤去不敏感的药物。至少联用2种以上敏感药物，但保留异烟肼。  
▲成人和儿童推荐化疗方案▲抗肠蠕虫药的适应症和合理选用 + ▲已用的字体▲演示文稿设计模板▲幻灯片标题▲蚯蚓 l1 Microsoft Word -N 虫寄生虫 Administrators & 钩虫%Administrator Administrators □ |  
!#\$%' ()\*+, .-0123456789; <=>?@ABCDEFGHIJKLMNPQRSTUVWXYZ[\]`\_ abcdefghijklmnopqrstuvwxyz{|}|

(LLLL 3<sup>1</sup>Times New Roman|宋体|Monotype Sorts Arial|幼圆 楷体 GB2312 Symbol|黑体|隶书 Arial Black BEVEL 幻灯片 1 幻灯片 2 抗真菌药分类 幻灯片 4 幻灯片 5 幻灯片 6 幻灯片 7 幻灯片 8 灰霉素 幻灯片 10 幻灯片 11 幻灯片 12 幻灯片 13 幻灯片 14 幻灯片 15 幻灯片 16 幻灯片 17 幻灯片 18 幻灯片 19 幻灯片 20 幻灯片 21 幻灯片 22 不良反应幻灯片 24 幻灯片 25 幻灯片 26<sup>1</sup> 对氨基水杨酸 (PAS) 特点<sup>1</sup> 抗结核病药的用药原则 难治性肺结核病因分析和防治对策<sub>1</sub><sup>1</sup> 患者因素：健康教育宣传不够，害怕副作用，免疫功能低下，经济条件所限。<sup>1</sup>合理的有效化疗方案<sup>1</sup>